

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Starblast™ Blasting Abrasives

Version 5.1      Revision Date: 05.12.2023      SDS Number: 1604182-00020      Date of last issue: 21.04.2023  
Date of first issue: 28.04.2017

### 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Starblast™ Blasting Abrasives

SDS-Identcode : 130000030937

#### Manufacturer or supplier's details

Company : The Chemours India Private Limited

Address : Gala Impecca, 1st Floor, Opposite Sangam Big Cinema, Andheri Kurla Road, Chakala, Andheri East, Maharashtra  
Mumbai – 400069 India

Telephone : 91 22 6227 3300

Emergency telephone number : 000 800 100 7141 (Chemtrec) or 91 22 6227 3300

#### Recommended use of the chemical and restrictions on use

Recommended use : Abrasive blasting  
Sand blasting

Restrictions on use : For industrial use only.

### 2. HAZARDS IDENTIFICATION

#### Manufacture, Storage and Import of Hazardous Chemicals Rules 1989

##### Classification

Not classified as hazardous according to criteria laid down in Part I of Schedule-1.

##### GHS Classification

Not a hazardous substance or mixture.

##### GHS label elements

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required

##### Other hazards which do not result in classification

None known.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

#### Components

Chemical name	CAS-No.	Concentration (% w/w)
---------------	---------	-----------------------

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Starblast™ Blasting Abrasives

Version 5.1      Revision Date: 05.12.2023      SDS Number: 1604182-00020      Date of last issue: 21.04.2023  
Date of first issue: 28.04.2017

Staurolite#	12182-56-8	>= 70 - < 90
Zircon	14940-68-2	>= 1 - < 5
Quartz	14808-60-7	>= 1 - < 5
Rutile (TiO <sub>2</sub> )	1317-80-2	>= 1 - < 5

#: Voluntarily-disclosed substance

### 4. FIRST AID MEASURES

- If inhaled : If inhaled, remove to fresh air.  
Get medical attention if symptoms occur.
- In case of skin contact : Wash with water and soap as a precaution.  
Get medical attention if symptoms occur.
- In case of eye contact : Flush eyes with water as a precaution.  
Get medical attention if irritation develops and persists.
- If swallowed : If swallowed, DO NOT induce vomiting.  
Get medical attention if symptoms occur.  
Rinse mouth thoroughly with water.
- Most important symptoms and effects, both acute and delayed : irritant effects
- Protection of first-aiders : No special precautions are necessary for first aid responders.
- Notes to physician : Treat symptomatically and supportively.

### 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Not applicable  
Will not burn
- Unsuitable extinguishing media : Not applicable  
Will not burn
- Specific hazards during fire-fighting : Exposure to combustion products may be a hazard to health.
- Hazardous combustion products : No hazardous combustion products are known
- Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Use water spray to cool unopened containers.  
Remove undamaged containers from fire area if it is safe to do so.  
Evacuate area.
- Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.  
Use personal protective equipment.

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Starblast™ Blasting Abrasives

Version 5.1      Revision Date: 05.12.2023      SDS Number: 1604182-00020      Date of last issue: 21.04.2023  
Date of first issue: 28.04.2017

### 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
- Environmental precautions : Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
- Methods and materials for containment and cleaning up : Sweep up or vacuum up spillage and collect in suitable container for disposal. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

### 7. HANDLING AND STORAGE

- Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
- Local/Total ventilation : Use only with adequate ventilation.
- Advice on safe handling : Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
- Conditions for safe storage : Keep in properly labelled containers. Store in accordance with the particular national regulations.
- Materials to avoid : No special restrictions on storage with other products.

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Zircon	14940-68-2	TWA	5 mg/m <sup>3</sup> (Zirconium)	IN OEL
		STEL	10 mg/m <sup>3</sup> (Zirconium)	IN OEL
		TWA	5 mg/m <sup>3</sup> (Zirconium)	ACGIH
		STEL	10 mg/m <sup>3</sup> (Zirconium)	ACGIH

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Starblast™ Blasting Abrasives

Version 5.1      Revision Date: 05.12.2023      SDS Number: 1604182-00020      Date of last issue: 21.04.2023  
Date of first issue: 28.04.2017

Quartz	14808-60-7	TWA (Total dust)	30 mg/m <sup>3</sup> / (% quartz+3)	IN OEL
		TWA (Respirable dust)	10 mg/m <sup>3</sup> / (% quartz+2)	IN OEL
		TWA (Dust)	10,600 mppcm / % Quartz + 10	IN OEL
		TWA (Respirable particulate matter)	0.025 mg/m <sup>3</sup> (Silica)	ACGIH
Rutile (TiO <sub>2</sub> )	1317-80-2	TWA (Respirable particulate matter)	2.5 mg/m <sup>3</sup> (Titanium dioxide)	ACGIH

**This substance(s) is not bioavailable and therefore does not contribute to a dust inhalation hazard.**

Quartz

**Engineering measures** : If using this product as an abrasive blast agent in confined areas, airborne dust levels should be controlled by physical enclosure of the abrasive blasting operation. The enclosure should be exhaust ventilated.

### Personal protective equipment

**Respiratory protection** : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

**Filter type** : Particulates type

**Hand protection**  
**Material** : Protective gloves

**Remarks** : Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work. For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday. Breakthrough time is not determined for the product. Change gloves often!

**Eye protection** : Wear the following personal protective equipment:  
Safety glasses

**Skin and body protection** : Skin should be washed after contact.

**Hygiene measures** : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Starblast™ Blasting Abrasives

Version	Revision Date:	SDS Number:	Date of last issue: 21.04.2023
5.1	05.12.2023	1604182-00020	Date of first issue: 28.04.2017

When using do not eat, drink or smoke.  
Wash contaminated clothing before re-use.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	solid, dry, free flowing granules
Colour	:	red brown
Odour	:	odourless
Odour Threshold	:	No data available
pH	:	No data available
Melting point/freezing point	:	1,370 °C
Initial boiling point and boiling range	:	No data available
Flash point	:	Not applicable
Evaporation rate	:	Not applicable
Flammability (solid, gas)	:	Will not burn
		Not expected to form explosive dust-air mixtures.
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	Not applicable
Relative vapour density	:	Not applicable
Relative density	:	3.7
Solubility(ies) Water solubility	:	insoluble
Partition coefficient: n-octanol/water	:	Not applicable
Auto-ignition temperature	:	No data available
Decomposition temperature	:	The substance or mixture is not classified self-reactive.

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Starblast™ Blasting Abrasives

Version	Revision Date:	SDS Number:	Date of last issue: 21.04.2023
5.1	05.12.2023	1604182-00020	Date of first issue: 28.04.2017

Viscosity  
Viscosity, kinematic : Not applicable

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Particle size : No data available

### 10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : None known.

Conditions to avoid : None known.

Incompatible materials : None.

Hazardous decomposition products : No hazardous decomposition products are known.

### 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Skin contact  
Ingestion  
Eye contact

#### Acute toxicity

Not classified based on available information.

#### Product:

Acute inhalation toxicity : Remarks: The objective of the study was to compare the lung toxicity of a set of abrasive substitutes for silica dust (garnet, staurolite, coal slag, specular hematite, and treated sand) to that of blasting sand. Rats were intratracheally instilled with 2.5 or 10 mg/kg of the various test substances and pulmonary toxicity endpoints were measured at 4 weeks postexposure. The biomarkers included lung inflammation and cytotoxicity endpoints. In addition, the investigators measured alveolar macrophage activation. The results indicated that blasting sand produced evidence of pulmonary toxicity/inflammation and lung fibrosis. Garnet, staurolite, and treated sand exposures induced pulmonary hazard effects and inflammation that were viewed as similar to blasting sand, while coal slag instillation produced greater pulmonary damage and inflammation than blasting sand. In contrast, specular hematite did not sig-

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Starblast™ Blasting Abrasives

Version	Revision Date:	SDS Number:	Date of last issue: 21.04.2023
5.1	05.12.2023	1604182-00020	Date of first issue: 28.04.2017

nificantly increased levels of inflammation and cytotoxicity and did not stimulate macrophage activation. [Hubbs AF et al., Toxicological Sciences volume 61: 135-143, 2001] The results of this study should be viewed as a preliminary, screening-type pulmonary toxicity study which utilized very high, overload doses. Subsequently, the NIOSH researchers followed up on the Hubbs et al., study with another lung toxicity screening study of blasting agents ["Comparative pulmonary toxicity of blasting sand and five substitute abrasive blasting agents" – DW Porter et al., J Toxicol Environ Health A 65:1121-40, 2002]. The additional test substances included steel grit, copper slag, nickel slag, crushed glass and olivine. The authors reported that steel grit produced less lung toxicity than blasting sand or any of the other abrasive blasting substitutes

### Components:

#### **Staurolite:**

Acute oral toxicity	:	LD50 (Rat): > 5,000 mg/kg
Acute inhalation toxicity	:	LC50 (Rat): > 5 mg/l Exposure time: 4 h Test atmosphere: dust/mist
Acute dermal toxicity	:	LD50 (Rabbit): > 2,000 mg/kg

#### **Zircon:**

Acute oral toxicity	:	LD50 (Mouse): > 200,000 mg/kg
---------------------	---	-------------------------------

#### **Quartz:**

Acute oral toxicity	:	LD50 (Rat): > 5,000 mg/kg
---------------------	---	---------------------------

#### **Rutile (TiO<sub>2</sub>):**

Acute oral toxicity	:	LD50 (Rat): > 5,000 mg/kg Method: OECD Test Guideline 425 Remarks: Based on data from similar materials
---------------------	---	---

### **Skin corrosion/irritation**

Not classified based on available information.

### Components:

#### **Zircon:**

Species	:	Rabbit
Method	:	OECD Test Guideline 404
Result	:	No skin irritation
Remarks	:	Based on data from similar materials

#### **Rutile (TiO<sub>2</sub>):**

Species	:	Rabbit
---------	---	--------

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Starblast™ Blasting Abrasives

Version	Revision Date:	SDS Number:	Date of last issue: 21.04.2023
5.1	05.12.2023	1604182-00020	Date of first issue: 28.04.2017

---

Method	:	OECD Test Guideline 404
Result	:	No skin irritation
Remarks	:	Information given is based on data obtained from similar substances.

### Serious eye damage/eye irritation

Not classified based on available information.

#### Components:

##### **Zircon:**

Result	:	No eye irritation
Remarks	:	Based on data from similar materials

##### **Rutile (TiO<sub>2</sub>):**

Species	:	Rabbit
Method	:	OECD Test Guideline 405
Result	:	No eye irritation
Remarks	:	Based on data from similar materials

### Respiratory or skin sensitisation

#### **Skin sensitisation**

Not classified based on available information.

#### **Respiratory sensitisation**

Not classified based on available information.

#### Components:

##### **Zircon:**

Test Type	:	Maximisation Test
Exposure routes	:	Skin contact
Species	:	Guinea pig
Method	:	OECD Test Guideline 406
Result	:	negative
Remarks	:	Based on data from similar materials

##### **Rutile (TiO<sub>2</sub>):**

Exposure routes	:	Skin contact
Species	:	Mouse
Method	:	OECD Test Guideline 429
Result	:	negative
Remarks	:	Based on data from similar materials

### Germ cell mutagenicity

Not classified based on available information.

#### Components:

##### **Zircon:**

Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES)
-----------------------	---	--



# SAFETY DATA SHEET

according to the Globally Harmonized System



## Starblast™ Blasting Abrasives

Version	Revision Date:	SDS Number:	Date of last issue: 21.04.2023
5.1	05.12.2023	1604182-00020	Date of first issue: 28.04.2017

---

Method: OECD Test Guideline 471  
Result: negative  
Remarks: Based on data from similar materials

### Rutile (TiO<sub>2</sub>):

Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

### Carcinogenicity

Not classified based on available information.

### Components:

#### Quartz:

Species : Humans  
Application Route : inhalation (dust/mist/fume)  
Result : positive  
Remarks : This substance(s) is not bioavailable and therefore does not contribute to a dust inhalation hazard.

Carcinogenicity - Assessment : Positive evidence from human epidemiological studies (inhalation)

### Rutile (TiO<sub>2</sub>):

Carcinogenicity - Assessment : Weight of evidence does not support classification as a carcinogen

### Reproductive toxicity

Not classified based on available information.

### Components:

#### Rutile (TiO<sub>2</sub>):

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

### STOT - single exposure

Not classified based on available information.

### STOT - repeated exposure

Not classified based on available information.

### Components:

#### Quartz:

Exposure routes : inhalation (dust/mist/fume)  
Target Organs : Lungs  
Assessment : Shown to produce significant health effects in animals at concentrations of 0.02 mg/l/6h/d or less.

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Starblast™ Blasting Abrasives

Version	Revision Date:	SDS Number:	Date of last issue: 21.04.2023
5.1	05.12.2023	1604182-00020	Date of first issue: 28.04.2017

### Rutile (TiO<sub>2</sub>):

Assessment : No significant health effects observed in animals at concentrations of 100 mg/kg bw or less.

### Repeated dose toxicity

#### Components:

##### Zircon:

Species : Rat  
NOAEL : > 100 mg/kg  
Application Route : Ingestion  
Exposure time : 17 Weeks  
Remarks : Based on data from similar materials

##### Quartz:

Species : Humans  
LOAEL : 0.053 mg/m<sup>3</sup>  
Application Route : inhalation (dust/mist/fume)  
Remarks : This substance(s) is not bioavailable and therefore does not contribute to a dust inhalation hazard.

### Rutile (TiO<sub>2</sub>):

Species : Rat  
NOAEL : 24,000 mg/kg  
LOAEL : > 24,000 mg/kg  
Application Route : Ingestion  
Exposure time : 28 d  
Remarks : No significant adverse effects were reported  
Based on data from similar materials

### Aspiration toxicity

Not classified based on available information.

## 12. ECOLOGICAL INFORMATION

### Ecotoxicity

#### Components:

##### Zircon:

Toxicity to daphnia and other aquatic invertebrates : EL50 (Daphnia magna (Water flea)): > 100 mg/l  
Exposure time: 48 h  
Test substance: Water Accommodated Fraction  
Method: OECD Test Guideline 202  
Remarks: Based on data from similar materials

Toxicity to algae/aquatic plants : EL50 (Raphidocelis subcapitata (freshwater green alga)): > 100 mg/l  
Exposure time: 72 h  
Test substance: Water Accommodated Fraction

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Starblast™ Blasting Abrasives

Version	Revision Date:	SDS Number:	Date of last issue: 21.04.2023
5.1	05.12.2023	1604182-00020	Date of first issue: 28.04.2017

Method: OECD Test Guideline 201

Remarks: Based on data from similar materials

NOELR ( Raphidocelis subcapitata (freshwater green alga)): > 1 mg/l

Exposure time: 72 h

Test substance: Water Accommodated Fraction

Method: OECD Test Guideline 201

Remarks: Based on data from similar materials

### Quartz:

#### Ecotoxicology Assessment

Acute aquatic toxicity : No toxicity at the limit of solubility

Chronic aquatic toxicity : No toxicity at the limit of solubility

### Rutile (TiO<sub>2</sub>):

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 1,000 mg/l  
Exposure time: 96 h  
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202  
Remarks: Based on data from similar materials

Toxicity to algae/aquatic plants : ErC50 ( algae): > 10,000 mg/l  
Exposure time: 72 h  
Remarks: Based on data from similar materials

NOEC ( algae): 5,600 mg/l

Exposure time: 72 h

Remarks: Based on data from similar materials

### Persistence and degradability

No data available

### Bioaccumulative potential

#### Components:

### Rutile (TiO<sub>2</sub>):

Bioaccumulation : Remarks: Bioaccumulation is unlikely.  
Based on data from similar materials

### Mobility in soil

No data available

### Other adverse effects

No data available

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Starblast™ Blasting Abrasives

Version	Revision Date:	SDS Number:	Date of last issue: 21.04.2023
5.1	05.12.2023	1604182-00020	Date of first issue: 28.04.2017

### 13. DISPOSAL CONSIDERATIONS

#### Disposal methods

Waste from residues : Do not dispose of waste into sewer.  
Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
If not otherwise specified: Dispose of as unused product.

### 14. TRANSPORT INFORMATION

#### International Regulations

##### UNRTDG

Not regulated as a dangerous good

##### IATA-DGR

Not regulated as a dangerous good

##### IMDG-Code

Not regulated as a dangerous good

#### Transport in bulk according to IMO instruments

Not applicable for product as supplied.

#### Special precautions for user

Not applicable

### 15. REGULATORY INFORMATION

**Safety, health and environmental regulations/legislation specific for the substance or mixture**

### 16. OTHER INFORMATION

Revision Date : 05.12.2023

Other information : Starblast™ and any associated logos are trademarks or copyrights of The Chemours Company FC, LLC.  
Chemours™ and the Chemours Logo are trademarks of The Chemours Company.  
Before use read Chemours safety information.  
For further information contact the local Chemours office or nominated distributors.  
Do not use or resell Chemours™ materials in medical applications involving implantation in the human body or contact with internal body fluids or tissues unless agreed to by Seller in a written agreement covering such use. For further information, please contact your Chemours representative.  
The stated hazards of this material are based on non-

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Starblast™ Blasting Abrasives

Version	Revision Date:	SDS Number:	Date of last issue: 21.04.2023
5.1	05.12.2023	1604182-00020	Date of first issue: 28.04.2017

inhalable particles that are the bulk fraction of the delivered product. However, if during handling or use the particles are broken down to the inhalable or respirable size range, the dusts may be harmful to the respiratory system. Respirable quartz is an IARC Category 1 carcinogen and applicable exposure limits should be referenced.

This product contains Naturally Occurring Radioactive Materials (NORMs) at levels below U.S. Nuclear Regulatory Commission licensing requirements at 10 CFR 40. Many local jurisdictions are developing new regulations for the disposal of waste containing Naturally Occurring Radioactive Materials (NORM) or Technologically Enhanced Naturally Occurring Radioactive Materials (TENORM) above background levels. Consult and comply with current regulations.

For a total dust with aerodynamic diameter of 1 µm, the calculated reference dust level is 6.9 mg/m<sup>3</sup>. For a total dust with aerodynamic diameter of 5 µm, the calculated reference dust level is 10.8 mg/m<sup>3</sup>. For a total dust with aerodynamic diameter of 10 µm, the calculated reference dust level is 15.9 mg/m<sup>3</sup>.

### Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Date format : dd.mm.yyyy

### Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)  
IN OEL : India. Permissible levels of certain chemical substances in work environment.

ACGIH / TWA : 8-hour, time-weighted average  
ACGIH / STEL : Short-term exposure limit  
IN OEL / TWA : Time-Weighted Average Concentration (TWA) (8 hrs.)  
IN OEL / STEL : Short-term exposure Limit STEL (15 min)

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Starblast™ Blasting Abrasives

Version	Revision Date:	SDS Number:	Date of last issue: 21.04.2023
5.1	05.12.2023	1604182-00020	Date of first issue: 28.04.2017

---

Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

IN / EN