

# SAFETY DATA SHEET



## Corrugator Krytox™ 226 FG

Version	Revision Date:	SDS Number:	Date of last issue: 23.03.2023
1.13	30.10.2023	1790124-00014	Date of first issue: 26.06.2017

### SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Corrugator Krytox™ 226 FG

SDS-Identcode : 130000031399

#### Manufacturer or supplier's details

Company name of supplier : The Chemours Company FC, LLC

Address : 1007 Market Street  
Wilmington, DE 19801 United States of America (USA)

Telephone : 55 5125 4907 in D.F. and metropolitan area - 800 737 5623  
inside the Republic.

Emergency telephone : (ANIQ - SETIQ) 55 5559 1588 in CDMX and metropolitan  
area; 800 002 1400 inside the Republic.

E-mail address : Infolatam@chemours.com

#### Recommended use of the chemical and restrictions on use

Recommended use : Lubricant

Restrictions on use : For industrial use only.  
Do not use or resell Chemours™ materials in medical applications involving implantation in the human body or contact with internal body fluids or tissues unless agreed to by Seller in a written agreement covering such use. For further information, please contact your Chemours representative.

### SECTION 2. HAZARDS IDENTIFICATION

#### GHS Classification

Not a hazardous substance or mixture.

#### GHS label elements

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required

#### Other hazards

The thermal decomposition vapors of fluorinated plastics may cause polymer fume fever with flu-like symptoms in humans, especially when smoking contaminated tobacco.

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

#### Components

Chemical name	CAS-No.	Concentration (% w/w)
Sodium nitrite	7632-00-0	>= 1 -< 5

# SAFETY DATA SHEET



## Corrugator Krytox™ 226 FG

Version	Revision Date:	SDS Number:	Date of last issue: 23.03.2023
1.13	30.10.2023	1790124-00014	Date of first issue: 26.06.2017

### SECTION 4. FIRST AID MEASURES

- |   |   |  |
|---|---|--|
| If inhaled  | : | If inhaled, remove to fresh air.<br>Get medical attention if symptoms occur.   |
| In case of skin contact                                     | : | Wash with water and soap as a precaution.<br>Get medical attention if symptoms occur.  |
| In case of eye contact                                      | : | Flush eyes with water as a precaution.<br>Get medical attention if irritation develops and persists.   |
| If swallowed  | : | If swallowed, DO NOT induce vomiting.<br>Get medical attention if symptoms occur.<br>Rinse mouth thoroughly with water.  |
| Most important symptoms and effects, both acute and delayed | : | Inhalation may provoke the following symptoms:<br>Irritation<br>Lung edema<br>Eye contact may provoke the following symptoms<br>Blurred vision<br>Discomfort<br>Lachrymation<br>Skin contact may provoke the following symptoms:<br>Irritation<br>Redness<br>Inhalation may provoke the following symptoms:<br>Irritation<br>Shortness of breath |
| Protection of first-aiders                                  | : | No special precautions are necessary for first aid responders.   |
| Notes to physician  | : | Treat symptomatically and supportively.  |

### SECTION 5. FIRE-FIGHTING MEASURES

- |                                       |   |   |
|---------------------------------------|---|---|
| Suitable extinguishing media          | : | Not applicable<br>Will not burn   |
| Unsuitable extinguishing media        | : | Not applicable<br>Will not burn   |
| Specific hazards during fire fighting | : | Exposure to combustion products may be a hazard to health.  |
| Hazardous combustion products         | : | Hydrogen fluoride<br>carbonyl fluoride<br>potentially toxic fluorinated compounds<br>aerosolized particulates<br>Carbon oxides<br>Nitrogen oxides (NOx)<br>Metal oxides |

# SAFETY DATA SHEET



## Corrugator Krytox™ 226 FG

Version	Revision Date:	SDS Number:	Date of last issue: 23.03.2023
1.13	30.10.2023	1790124-00014	Date of first issue: 26.06.2017

- Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Use water spray to cool unopened containers.  
Remove undamaged containers from fire area if it is safe to do so.  
Evacuate area.
- Special protective equipment for fire-fighters : Wear self-contained breathing apparatus for firefighting if necessary.  
Use personal protective equipment.

### SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
- Environmental precautions : Avoid release to the environment.  
Prevent further leakage or spillage if safe to do so.  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.
- Methods and materials for containment and cleaning up : Soak up with inert absorbent material.  
For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container.  
Clean up remaining materials from spill with suitable absorbent.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.  
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

### SECTION 7. HANDLING AND STORAGE

- Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
- Local/Total ventilation : Use only with adequate ventilation.
- Advice on safe handling : Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
Take care to prevent spills, waste and minimize release to the environment.  
  
Do not breathe decomposition products.
- Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working

# SAFETY DATA SHEET



## Corrugator Krytox™ 226 FG

Version	Revision Date:	SDS Number:	Date of last issue: 23.03.2023
1.13	30.10.2023	1790124-00014	Date of first issue: 26.06.2017

place.  
When using do not eat, drink or smoke.  
Wash contaminated clothing before re-use.

Conditions for safe storage : Keep in properly labeled containers.  
Store in accordance with the particular national regulations.

Materials to avoid : No special restrictions on storage with other products.

Further information on storage stability : No decomposition if stored and applied as directed.

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

#### Occupational exposure limits of decomposition products

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Hydrogen fluoride	7664-39-3	VLE-PPT	0.5 ppm (Fluorine)	NOM-010-STPS-2014
		VLE-P	2 ppm (Fluorine)	NOM-010-STPS-2014
		TWA	0.5 ppm (Fluorine)	ACGIH
		C	2 ppm (Fluorine)	ACGIH
Carbonyl difluoride	353-50-4	VLE-PPT	2 ppm	NOM-010-STPS-2014
		VLE-CT	5 ppm	NOM-010-STPS-2014
		TWA	2 ppm	ACGIH
		STEL	5 ppm	ACGIH
Carbon dioxide	124-38-9	VLE-PPT	5,000 ppm	NOM-010-STPS-2014
		VLE-CT	30,000 ppm	NOM-010-STPS-2014
		TWA	5,000 ppm	ACGIH
		STEL	30,000 ppm	ACGIH
Carbon monoxide	630-08-0	VLE-PPT	25 ppm	NOM-010-STPS-2014
		TWA	25 ppm	ACGIH

Engineering measures : Processing may form hazardous compounds (see section 10).  
Ensure adequate ventilation, especially in confined areas.  
Minimize workplace exposure concentrations.

# SAFETY DATA SHEET



## Corrugator Krytox™ 226 FG

Version	Revision Date:	SDS Number:	Date of last issue: 23.03.2023
1.13	30.10.2023	1790124-00014	Date of first issue: 26.06.2017

---

### Personal protective equipment

Respiratory protection	:	If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.
Filter type	:	Combined particulates, acidic gas/vapor and organic vapor type
Hand protection	:	
Remarks	:	Wash hands before breaks and at the end of workday.
Eye protection	:	Wear the following personal protective equipment: Safety glasses
Skin and body protection	:	Skin should be washed after contact.

---

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	Grease
Color	:	white
Odor	:	odorless
Odor Threshold	:	No data available
pH	:	7
Melting point/freezing point	:	320 °C
Initial boiling point and boiling range	:	No data available
Flash point	:	Not applicable
Evaporation rate	:	Not applicable
Flammability (solid, gas)	:	Will not burn
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapor pressure	:	Not applicable
Relative vapor density	:	Not applicable

# SAFETY DATA SHEET



## Corrugator Krytox™ 226 FG

Version	Revision Date:	SDS Number:	Date of last issue: 23.03.2023
1.13	30.10.2023	1790124-00014	Date of first issue: 26.06.2017

---

Relative density	:	1.89 - 1.93 (24 °C)
Solubility(ies)	:	
Water solubility	:	insoluble
Partition coefficient: n-octanol/water	:	Not applicable
Autoignition temperature	:	No data available
Decomposition temperature	:	320 °C
Viscosity	:	
Viscosity, kinematic	:	Not applicable
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Particle size	:	No data available

---

### SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	Hazardous decomposition products will be formed at elevated temperatures.
Conditions to avoid	:	None known.
Incompatible materials	:	None.

#### Hazardous decomposition products

Thermal decomposition	:	Hydrogen fluoride Carbonyl difluoride Carbon dioxide Carbon monoxide
-----------------------	---	---

---

### SECTION 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

Skin contact  
Ingestion  
Eye contact

#### Acute toxicity

Not classified based on available information.

# SAFETY DATA SHEET



## Corrugator Krytox™ 226 FG

Version	Revision Date:	SDS Number:	Date of last issue: 23.03.2023
1.13	30.10.2023	1790124-00014	Date of first issue: 26.06.2017

---

### **Product:**

Acute oral toxicity : Assessment: The substance or mixture has no acute oral toxicity

Acute inhalation toxicity : Acute toxicity estimate: > 10 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: Calculation method

### **Components:**

#### **Sodium nitrite:**

Acute oral toxicity : LD50 (Rat): 180 mg/kg

Acute inhalation toxicity : LC50 (Rat): 5.5 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist

#### **Skin corrosion/irritation**

Not classified based on available information.

### **Components:**

#### **Sodium nitrite:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation

#### **Serious eye damage/eye irritation**

Not classified based on available information.

### **Components:**

#### **Sodium nitrite:**

Species : Rabbit  
Result : Irritation to eyes, reversing within 21 days  
Method : OECD Test Guideline 405

#### **Respiratory or skin sensitization**

##### **Skin sensitization**

Not classified based on available information.

##### **Respiratory sensitization**

Not classified based on available information.

##### **Germ cell mutagenicity**

Not classified based on available information.

### **Components:**

#### **Sodium nitrite:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: positive

# SAFETY DATA SHEET



## Corrugator Krytox™ 226 FG

Version	Revision Date:	SDS Number:	Date of last issue: 23.03.2023
1.13	30.10.2023	1790124-00014	Date of first issue: 26.06.2017

---

Test Type: In vitro mammalian cell gene mutation test  
Result: positive

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Mouse  
Application Route: Intraperitoneal injection  
Result: negative

Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Rat  
Application Route: Intraperitoneal injection  
Result: negative

### Carcinogenicity

Not classified based on available information.

#### Components:

##### Sodium nitrite:

Species : Rat  
Application Route : Ingestion  
Exposure time : 2 Years  
Result : negative

### Reproductive toxicity

Not classified based on available information.

#### Components:

##### Sodium nitrite:

Effects on fertility : Test Type: Two-generation reproduction toxicity study  
Species: Mouse  
Application Route: Ingestion  
Result: negative

Effects on fetal development : Test Type: Embryo-fetal development  
Species: Rat  
Application Route: Ingestion  
Result: negative

### STOT-single exposure

Not classified based on available information.

### STOT-repeated exposure

Not classified based on available information.



# SAFETY DATA SHEET



## Corrugator Krytox™ 226 FG

Version	Revision Date:	SDS Number:	Date of last issue: 23.03.2023
1.13	30.10.2023	1790124-00014	Date of first issue: 26.06.2017

---

### Repeated dose toxicity

#### Components:

##### Sodium nitrite:

Species	:	Rat
NOAEL	:	10 mg/kg
Application Route	:	Ingestion
Exposure time	:	2 y

### Aspiration toxicity

Not classified based on available information.

---

## SECTION 12. ECOLOGICAL INFORMATION

### Ecotoxicity

#### Components:

##### Sodium nitrite:

Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 0.54 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 15.4 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	:	EC50 (Scenedesmus capricornutum (fresh water algae)): > 100 mg/l Exposure time: 72 h Method: OECD Test Guideline 201  NOEC (Scenedesmus capricornutum (fresh water algae)): 100 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
Toxicity to fish (Chronic toxicity)	:	NOEC (Cyprinus carpio (Carp)): 21 mg/l Exposure time: 30 d Method: OECD Test Guideline 210
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (Penaeid Shrimp): 9.86 mg/l Exposure time: 80 d
Toxicity to microorganisms	:	EC50: 281 mg/l Exposure time: 48 h

### Persistence and degradability

No data available

### Bioaccumulative potential

No data available

# SAFETY DATA SHEET



## Corrugator Krytox™ 226 FG

Version	Revision Date:	SDS Number:	Date of last issue: 23.03.2023
1.13	30.10.2023	1790124-00014	Date of first issue: 26.06.2017

### Mobility in soil

No data available

### Other adverse effects

No data available

## SECTION 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues	:	Do not dispose of waste into sewer.  Dispose of in accordance with local regulations.
Contaminated packaging	:	Empty containers should be taken to an approved waste handling site for recycling or disposal. If not otherwise specified: Dispose of as unused product.

## SECTION 14. TRANSPORT INFORMATION

### International Regulations

#### UNRTDG

Not regulated as a dangerous good

#### IATA-DGR

Not regulated as a dangerous good

#### IMDG-Code

Not regulated as a dangerous good

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### Domestic regulation

#### NOM-002-SCT

Not regulated as a dangerous good

### Special precautions for user

Not applicable

## SECTION 15. REGULATORY INFORMATION

### Safety, health and environmental regulations/legislation specific for the substance or mixture

Federal Law for the control of chemical precursors, essential chemical products and machinery for producing capsules, tablets and pills.	:	Not applicable
--	---	----------------

## SECTION 16. OTHER INFORMATION

Revision Date	:	30.10.2023
---------------	---	------------

# SAFETY DATA SHEET



## Corrugator Krytox™ 226 FG

Version	Revision Date:	SDS Number:	Date of last issue: 23.03.2023
1.13	30.10.2023	1790124-00014	Date of first issue: 26.06.2017

Date format : dd.mm.yyyy

Krytox™ and any associated logos are trademarks or copyrights of The Chemours Company FC, LLC.

Chemours™ and the Chemours Logo are trademarks of The Chemours Company.

Before use read Chemours safety information.

For further information contact the local Chemours office or nominated distributors.

### Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)  
NOM-010-STPS-2014 : Mexico. Norm NOM-010-STPS-2014 on Chemicals Polluting the Work Environment - Identification, Assessment and Control - Appendix 1 Occupational Exposure Limits  
  
ACGIH / TWA : 8-hour, time-weighted average  
ACGIH / STEL : Short-term exposure limit  
ACGIH / C : Ceiling limit  
NOM-010-STPS-2014 / VLE- : Time weighted average limit value  
PPT  
NOM-010-STPS-2014 / VLE- : Short term exposure limit value  
CT  
NOM-010-STPS-2014 / VLE- : Ceiling value  
P

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

# SAFETY DATA SHEET



## Corrugator Krytox™ 226 FG

Version	Revision Date:	SDS Number:	Date of last issue: 23.03.2023
1.13	30.10.2023	1790124-00014	Date of first issue: 26.06.2017

---

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

The information is considered as correct, but not exhaustive, and will be used only as a guide, which is based in the current knowledge of the substance or mixture, and is applicable to proper safety precautions for the product.

MX / Z8