

# SAFETY DATA SHEET

## Glypure™ 70



Version 13.0	Revision Date: 2023/10/10	SDS Number (Internal): 1326502-00051	MSDS number: AA00152-0000000519 Date of last issue: 2023/08/11 Date of first issue: 2017/02/27
-----------------	------------------------------	---	--

---

### 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Glypure™ 70

SDS-Identcode : 130000000519

#### Recommended use of the chemical and restrictions on use

Recommended use : Formulation of preparations  
Personal care  
Cosmetics

Restrictions on use : For industrial use only.

#### Manufacturer or supplier's details

Company : PureTech Scientific LLC

Address : 901 West DuPont Avenue, Belle, VW 25015, United States of America

Telephone : 1-877-215-5999

Emergency telephone number : 080-880-0455 access code 336264

E-mail address : sds-support@puretechscientific.com

Telefax : 1-304-357-1364

---

### 2. HAZARDS IDENTIFICATION

#### GHS Classification

Skin corrosion/irritation : Category 1

Serious eye damage/eye irritation : Category 1

#### GHS label elements

Hazard pictograms :



Signal word : Danger

Hazard statements : H314 Causes severe skin burns and eye damage.

# SAFETY DATA SHEET

## Glypure™ 70



Version 13.0	Revision Date: 2023/10/10	SDS Number (Internal): 1326502-00051	MSDS number: AA00152-0000000519 Date of last issue: 2023/08/11 Date of first issue: 2017/02/27
-----------------	------------------------------	---	--

H318 Causes serious eye damage.

### Precautionary statements

:

#### Prevention:

P260 Do not breathe mist or vapours.

P264 Wash skin thoroughly after handling.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

#### Response:

P301 + P330 + P331 + P310 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER/ doctor.

P303 + P361 + P353 + P310 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. Immediately call a POISON CENTER/ doctor.

P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor.

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.

P363 Wash contaminated clothing before reuse.

#### Storage:

P405 Store locked up.

#### Disposal:

P501 Dispose of contents/ container according to waste-related laws

### Other hazards which do not result in classification

Corrosive to the respiratory tract.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

### Components

Chemical name	Common Name	CAS-No.	Concentration (% w/w)
Glycolic acid	Acetic acid, hydroxy-	79-14-1	>= 70 - < 80

## 4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.

# SAFETY DATA SHEET

## Glypure™ 70



Version 13.0	Revision Date: 2023/10/10	SDS Number (Internal): 1326502-00051	MSDS number: AA00152-0000000519 Date of last issue: 2023/08/11 Date of first issue: 2017/02/27
-----------------	------------------------------	---	--

---

When symptoms persist or in all cases of doubt seek medical advice.

In case of eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.  
If easy to do, remove contact lens, if worn.  
Get medical attention immediately.

In case of skin contact : In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.  
Get medical attention immediately.  
Wash clothing before reuse.  
Thoroughly clean shoes before reuse.

If inhaled : If inhaled, remove to fresh air.  
If not breathing, give artificial respiration.  
If breathing is difficult, give oxygen.  
Get medical attention immediately.

If swallowed : If swallowed, DO NOT induce vomiting.  
If vomiting occurs have person lean forward.  
Call a physician or poison control centre immediately.  
Rinse mouth thoroughly with water.  
Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and delayed : Inhalation may provoke the following symptoms:  
Cough  
Shortness of breath  
Pain  
Irritation  
Skin contact may provoke the following symptoms:  
Irritation  
Rash  
Necrosis  
Discomfort  
Eye contact may provoke the following symptoms  
Corrosion  
Ulceration  
Severe irritation  
Ingestion may provoke the following symptoms:  
Gastrointestinal discomfort  
Nausea  
Vomiting  
Diarrhoea  
Causes serious eye damage.  
Causes severe burns.  
Causes digestive tract burns.  
Corrosive to respiratory system.

Protection of first-aiders : First Aid responders should pay attention to self-protection,

# SAFETY DATA SHEET

## Glypure™ 70



Version 13.0	Revision Date: 2023/10/10	SDS Number (Internal): 1326502-00051	MSDS number: AA00152-0000000519 Date of last issue: 2023/08/11 Date of first issue: 2017/02/27
-----------------	------------------------------	---	--

and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Notes to physician : Treat symptomatically and supportively.

### 5. FIREFIGHTING MEASURES

#### Suitable and unsuitable extinguishing media

Suitable extinguishing media : Water spray  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical

Unsuitable extinguishing media : None known.

Specific hazards during fire-fighting : Exposure to combustion products may be a hazard to health.

Hazardous combustion products : Carbon oxides

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Use water spray to cool unopened containers.  
Remove undamaged containers from fire area if it is safe to do so.  
Evacuate area.

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment.

### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.  
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.  
Prevent further leakage or spillage if safe to do so.  
Prevent spreading over a wide area (e.g. by containment or oil barriers).  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Soak up with inert absorbent material.  
For large spills, provide dyking or other appropriate contain-

# SAFETY DATA SHEET

## Glypure™ 70



Version 13.0	Revision Date: 2023/10/10	SDS Number (Internal): 1326502-00051	MSDS number: AA00152-0000000519 Date of last issue: 2023/08/11 Date of first issue: 2017/02/27
-----------------	------------------------------	---	--

ment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absorbent.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

### 7. HANDLING AND STORAGE

Technical measures	: See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
Local/Total ventilation	: If sufficient ventilation is unavailable, use with local exhaust ventilation.
Advice on safe handling	: Do not get on skin or clothing. Do not breathe vapours or spray mist. Do not swallow. Do not get in eyes. Wash skin thoroughly after handling. Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment Keep container tightly closed. Take care to prevent spills, waste and minimize release to the environment.  Do not breathe decomposition products.
Conditions for safe storage	: Keep in properly labelled containers. Store locked up. Keep tightly closed. Store in accordance with the particular national regulations.  Reacts with many metals to liberate hydrogen gas which can form explosive mixtures with air. Hydrogen, a highly flammable gas, can accumulate to explosive concentrations inside drums, or any types of steel containers or tanks upon storage.
Materials to avoid	: Do not store with the following product types: Strong oxidizing agents
Recommended storage temperature	: > 10 °C

# SAFETY DATA SHEET

## Glypure™ 70



Version 13.0	Revision Date: 2023/10/10	SDS Number (Internal): 1326502-00051	MSDS number: AA00152-0000000519 Date of last issue: 2023/08/11 Date of first issue: 2017/02/27
-----------------	------------------------------	---	--

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

Contains no substances with occupational exposure limit values.

#### Occupational exposure limits of decomposition products

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Carbon dioxide	124-38-9	TWA	5,000 ppm	KR OEL
		STEL	30,000 ppm	KR OEL
		TWA	5,000 ppm	ACGIH
		STEL	30,000 ppm	ACGIH

**Engineering measures** : Processing may form hazardous compounds (see section 10).  
Minimize workplace exposure concentrations.  
If sufficient ventilation is unavailable, use with local exhaust ventilation.

#### Personal protective equipment. Among the following personal protective equipment, the PPEs which require safety certification need to be certified by KOSHA.

**Respiratory protection** : Use respiratory protection (gas mask) unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.

**Filter type** : Inorganic gas/vapour type

**Eye protection** : Wear the following personal protective equipment:  
Chemical resistant goggles must be worn.  
If splashes are likely to occur, wear:  
Face-shield

#### Hand protection

**Material** : Chemical-resistant gloves

**Remarks** : Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work. Breakthrough time is not determined for the product. Change gloves often! For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday.

# SAFETY DATA SHEET

## Glypure™ 70



Version 13.0	Revision Date: 2023/10/10	SDS Number (Internal): 1326502-00051	MSDS number: AA00152-0000000519 Date of last issue: 2023/08/11 Date of first issue: 2017/02/27
-----------------	------------------------------	---	--

---

Skin and body protection : Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure potential.  
Skin contact must be avoided by using impervious protective clothing (gloves, aprons, boots, etc).

Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.  
When using do not eat, drink or smoke.  
Wash contaminated clothing before re-use.

---

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Colour : colourless

Odour : slight

Odour Threshold : No data available

pH : 0.1 (25 °C)

Melting point/freezing point : 10 °C

Initial boiling point and boiling range : 112 °C  
(1,013 hPa)

Flash point : > 100 °C  
Method: ASTM D 56

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable

Flammability (liquids) : No data available

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

# SAFETY DATA SHEET

## Glypure™ 70



Version 13.0	Revision Date: 2023/10/10	SDS Number (Internal): 1326502-00051	MSDS number: AA00152-0000000519 Date of last issue: 2023/08/11 Date of first issue: 2017/02/27
-----------------	------------------------------	---	--

---

Vapour pressure	: 0.0041 hPa (25 °C) (for a component of this mixture)
Solubility(ies) Water solubility	: > 300 g/l (for a component of this mixture) (22 °C)
Relative vapour density	: No data available
Relative density	: 1.26 (20 °C)
Partition coefficient: n-octanol/water	: log Pow: -1.07 (20 °C) (for a component of this mixture)
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity Viscosity, dynamic	: 11.28 mPa.s ( 16 °C)
Viscosity, kinematic	: 6.149 mm <sup>2</sup> /s ( 23 °C)
Explosive properties	: Not explosive
Oxidizing properties	: The substance or mixture is not classified as oxidizing.
Molecular weight	: No data available
Particle size	: Not applicable

---

### 10. STABILITY AND REACTIVITY

Chemical stability and possibility of hazardous reactions	: Not classified as a reactivity hazard. Stable under normal conditions. Can react with strong oxidizing agents. Hazardous decomposition products will be formed at elevated temperatures.
Conditions to avoid	: None known.
Incompatible materials	: Oxidizing agents Bases

#### Hazardous decomposition products

Thermal decomposition	: Carbon dioxide
-----------------------	------------------



# SAFETY DATA SHEET

## Glypure™ 70



Version 13.0	Revision Date: 2023/10/10	SDS Number (Internal): 1326502-00051	MSDS number: AA00152-0000000519 Date of last issue: 2023/08/11 Date of first issue: 2017/02/27
-----------------	------------------------------	---	--

### 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Inhalation  
Skin contact  
Ingestion  
Eye contact

#### Health hazard information

##### Acute toxicity

|| No data available

##### Product:

Acute inhalation toxicity : Acute toxicity estimate: > 5 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: Calculation method

##### Components:

##### Glycolic acid:

Acute oral toxicity : LD50 (Rat): 2,040 mg/kg  
Method: US EPA Test Guideline OPP 81-1

Acute inhalation toxicity : LC50 (Rat): 3.6 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403  
Assessment: Corrosive to the respiratory tract.

Acute dermal toxicity : Assessment: The substance or mixture has no acute dermal toxicity

##### Skin corrosion/irritation

|| Causes severe burns.

##### Components:

##### Glycolic acid:

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : Corrosive after 3 minutes to 1 hour of exposure

##### Serious eye damage/eye irritation

|| Causes serious eye damage.

# SAFETY DATA SHEET

## Glypure™ 70



Version 13.0	Revision Date: 2023/10/10	SDS Number (Internal): 1326502-00051	MSDS number: AA00152-0000000519 Date of last issue: 2023/08/11 Date of first issue: 2017/02/27
-----------------	------------------------------	---	--

---

### **Components:**

#### **Glycolic acid:**

Species	: Rabbit
Result	: Irreversible effects on the eye
Method	: OECD Test Guideline 405

### **Respiratory or skin sensitisation**

#### **Respiratory sensitisation**

|| No data available

#### **Skin sensitisation**

|| No data available

### **Components:**

#### **Glycolic acid:**

Test Type	: Buehler Test
Exposure routes	: Skin contact
Species	: Guinea pig
Method	: OECD Test Guideline 406
Result	: negative

### **Carcinogenicity**

|| No data available

### **Components:**

#### **Glycolic acid:**

|| No data available

Species	: Mouse
Application Route	: Skin contact
Exposure time	: 40 weeks
Result	: negative

Carcinogenicity - Assessment	: Weight of evidence does not support classification as a carcinogen
------------------------------	--

### **Germ cell mutagenicity**

|| No data available

### **Components:**

#### **Glycolic acid:**

|| No data available

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Method: OECD Test Guideline 471
-----------------------	---

# SAFETY DATA SHEET

## Glypure™ 70



Version 13.0	Revision Date: 2023/10/10	SDS Number (Internal): 1326502-00051	MSDS number: AA00152-0000000519 Date of last issue: 2023/08/11 Date of first issue: 2017/02/27
-----------------	------------------------------	---	--

	Result: negative
	Test Type: Chromosome aberration test in vitro Method: OECD Test Guideline 473 Result: negative
	Test Type: In vitro mammalian cell gene mutation test Method: OECD Test Guideline 476 Result: negative
Genotoxicity in vivo	: Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Mouse Application Route: Ingestion Method: OECD Test Guideline 474 Result: negative
Germ cell mutagenicity- Assessment	: Weight of evidence does not support classification as a germ cell mutagen.

### Reproductive toxicity

No data available

#### Components:

#### Glycolic acid:

No data available

Effects on fertility	: Test Type: One-generation reproduction toxicity study Species: Rat Application Route: Ingestion Method: Regulation (EC) No. 440/2008, Annex, B.34 Result: negative
Effects on foetal development	: Test Type: Embryo-foetal development Species: Rat Application Route: Ingestion Method: OECD Test Guideline 414 Result: negative
Reproductive toxicity - Assessment	: Weight of evidence does not support classification for reproductive toxicity

### STOT - single exposure

No data available

### STOT - repeated exposure

No data available

# SAFETY DATA SHEET

## Glypure™ 70



Version 13.0	Revision Date: 2023/10/10	SDS Number (Internal): 1326502-00051	MSDS number: AA00152-0000000519 Date of last issue: 2023/08/11 Date of first issue: 2017/02/27
-----------------	------------------------------	---	--

---

### Repeated dose toxicity

#### Components:

##### **Glycolic acid:**

Species	: Rat, male and female
NOAEL	: 150 mg/kg
LOAEL	: 300 mg/kg
Application Route	: Ingestion
Exposure time	: 90 Days
Method	: OECD Test Guideline 408

### Aspiration toxicity

|| No data available

### Experience with human exposure

#### Product:

Inhalation	: Symptoms: At atmospheric temperature, this product has only a minimal risk of inhalation due to its low vapour pressure., Inhalation of aerosol or fine spray mist may cause serious respiratory problems., Corrosive to the respiratory tract.
------------	---

### Toxicology, Metabolism, Distribution

No data available

### Neurological effects

No data available

### Further information

No data available

---

## 12. ECOLOGICAL INFORMATION

### Ecotoxicity

#### Components:

##### **Glycolic acid:**

Toxicity to fish	: LC50 (Pimephales promelas (fathead minnow)): 114.8 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 99.6 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	: ErC50 (Pseudokirchneriella subcapitata (green algae)): 31.2 mg/l Exposure time: 72 h Method: OECD Test Guideline 201

# SAFETY DATA SHEET

## Glypure™ 70



Version 13.0	Revision Date: 2023/10/10	SDS Number (Internal): 1326502-00051	MSDS number: AA00152-0000000519 Date of last issue: 2023/08/11 Date of first issue: 2017/02/27
-----------------	------------------------------	---	--

---

NOEC (Pseudokirchneriella subcapitata (green algae)): 14.4 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

### Persistence and degradability

#### Components:

##### Glycolic acid:

Biodegradability : Result: Readily biodegradable.  
Method: OECD Test Guideline 301B

### Bioaccumulative potential

#### Components:

##### Glycolic acid:

Partition coefficient: n-octanol/water : log Pow: -1.07

### Mobility in soil

No data available

### Other adverse effects

No data available

---

## 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues : Dispose of contents and container according to wastes control act.

Do not dispose of waste into sewer.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
If not otherwise specified: Dispose of as unused product.

### Disposal precautions

Dispose of contents and container according to wastes control act.

---

## 14. TRANSPORT INFORMATION

### International Regulations

UNRTDG

# SAFETY DATA SHEET

## Glypure™ 70



Version	Revision Date:	SDS Number (Internal):	MSDS number: AA00152-0000000519
13.0	2023/10/10	1326502-00051	Date of last issue: 2023/08/11
			Date of first issue: 2017/02/27

---

UN number : UN 3265  
Proper shipping name : CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S.  
II (Glycolic acid)  
Class : 8  
Packing group : II  
Labels : 8  
Environmentally hazardous : no

### IATA-DGR

UN/ID No. : UN 3265  
Proper shipping name : Corrosive liquid, acidic, organic, n.o.s.  
II (Glycolic acid)  
Class : 8  
Packing group : II  
Labels : Corrosive  
Packing instruction (cargo aircraft) : 855  
Packing instruction (passenger aircraft) : 851

### IMDG-Code

UN number : UN 3265  
II Proper shipping name : CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S.  
(Glycolic acid)  
Class : 8  
Packing group : II  
Labels : 8  
EmS Code : F-A, S-B  
Marine pollutant : no

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### National Regulations

Refer to section 15 for specific national regulation.

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

---

## 15. REGULATORY INFORMATION

### National regulatory information

#### Regulation under the Occupational Safety and Health Act

#### Harmful Substances Prohibited from Manufacturing

Not applicable

# SAFETY DATA SHEET

## Glypure™ 70



Version 13.0	Revision Date: 2023/10/10	SDS Number (Internal): 1326502-00051	MSDS number: AA00152-0000000519 Date of last issue: 2023/08/11 Date of first issue: 2017/02/27
-----------------	------------------------------	---	--

---

### **Harmful Substances Required Permission for Manufacture**

Not applicable

### **Harmful Agents to be kept below Occupational Exposure Limits**

Not applicable

### **Harmful Agents Required to be kept below Permission Levels**

Not applicable

### **Hazardous substances requiring management**

Not applicable

### **Special Management Materials**

Not applicable

### **Controlled Substances Subject to Environment Monitoring**

Not applicable

### **Controlled Substances Subject to Health Examination**

Not applicable

### **Hazardous Substances Subject to Process Safety Management (PSM) Reporting Obligation**

|| Not applicable

### **Regulation under the Chemicals Control Act**

#### **Toxic Chemicals**

Not applicable

#### **Restricted Chemicals**

Not applicable

#### **Prohibited Chemicals**

Not applicable

#### **Toxic Release Inventory**

Not applicable

#### **Accident Precaution Chemicals**

Not applicable

#### **Dangerous Substances Safety Management Act**

Not Applicable to Dangerous Materials

#### **Wastes Control Act**

Industrial general wastes

Follow article 13 of the act to dispose the product waste

---

## 16. OTHER INFORMATION

Other information : Glypure™ and any associated logos are trademarks or copyrights of PureTech Scientific LLC.

# SAFETY DATA SHEET

## Glypure™ 70



Version 13.0	Revision Date: 2023/10/10	SDS Number (Internal): 1326502-00051	MSDS number: AA00152-0000000519 Date of last issue: 2023/08/11 Date of first issue: 2017/02/27
-----------------	------------------------------	---	--

---

Before use read PureTech Scientific LLC safety information.  
For further information contact the local PureTech Scientific LLC office or nominated distributors.

### Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Issuing date : 2017/02/27

### Revision number and date


Number of Revision : 50

Revision Date : 2023/10/10

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format : yyyy/mm/dd

### NFPA:



### Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)  
KR OEL : Harmful Agents to be kept below Occupational Exposure Limits

ACGIH / TWA : 8-hour, time-weighted average  
ACGIH / STEL : Short-term exposure limit  
KR OEL / TWA : Time Weighted Average



# SAFETY DATA SHEET

## Glypure™ 70



Version	Revision Date:	SDS Number (Internal):	MSDS number: AA00152-0000000519
13.0	2023/10/10	1326502-00051	Date of last issue: 2023/08/11
			Date of first issue: 2017/02/27

KR OEL / STEL : Short Term Exposure Limit

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

KR / EN