

# SAFETY DATA SHEET



## Viton™ B-601C fluoroelastomer

Version 10.0	Revision Date: 2024/01/09	SDS Number (Internal): 1888713-00016	MSDS number: AA00152-0000026444 Date of last issue: 2023/05/07 Date of first issue: 2017/08/23
-----------------	------------------------------	---	--

---

### 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Viton™ B-601C fluoroelastomer

SDS-Identcode : 130000026444

#### Recommended use of the chemical and restrictions on use

Recommended use : Rubber products  
Resin for moulding and/or extrusion

Restrictions on use : For professional users only.  
Do not use or resell Chemours™ materials in medical applications involving implantation in the human body or contact with internal body fluids or tissues unless agreed to by Seller in a written agreement covering such use. For further information, please contact your Chemours representative.

#### Manufacturer or supplier's details

Company : Chemours Korea Inc.

Address : 12FL, Majestarcity Tower 1, 12, Seocho-daero 38-gil, Seocho-gu, Seoul 06655, Korea

Telephone : 82-2-2015-5000

Emergency telephone number : 080-880-0454

Telefax : 82-2-2015-5091

---

### 2. HAZARDS IDENTIFICATION

#### GHS Classification

Long-term (chronic) aquatic hazard : Category 3

#### GHS label elements

Hazard pictograms : Not applicable

Signal word : Not applicable

Hazard statements : H412 Harmful to aquatic life with long lasting effects.

Precautionary statements : **Prevention:**

# SAFETY DATA SHEET



## Viton™ B-601C fluoroelastomer

Version 10.0	Revision Date: 2024/01/09	SDS Number (Internal): 1888713-00016	MSDS number: AA00152-0000026444 Date of last issue: 2023/05/07 Date of first issue: 2017/08/23
-----------------	------------------------------	---	--

P273 Avoid release to the environment.

### Disposal:

P501 Dispose of contents/ container according to waste-related laws

### Other hazards which do not result in classification

No data available

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

### Components

Chemical name	Common Name	CAS-No.	Concentration (% w/w)
Reaction mass of 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]diphenol and benzyltriphenylphosphonium, salt with 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]bis[phenol] (1:1)	No data available	Not Assigned	$\geq 1 - < 2.5$
Barium sulfate	Sulfuric acid, barium salt	7727-43-7	$\geq 0.1 - < 1$
Calcium sulfate	Sulfuric acid, calcium salt	7778-18-9	$< 0.1$

### Alternative CAS Numbers for some regions

Chemical name	Alternative CAS Number(s)
Reaction mass of 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]diphenol and benzyltriphenylphosphonium, salt with 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]bis[phenol] (1:1)	75768-65-9, 1478-61-1

## 4. FIRST AID MEASURES

In case of eye contact	: Flush eyes with water as a precaution. Get medical attention if irritation develops and persists.
In case of skin contact	: Wash with water and soap as a precaution. Get medical attention if symptoms occur.
If inhaled	: If inhaled, remove to fresh air. Get medical attention if symptoms occur.

# SAFETY DATA SHEET



## Viton™ B-601C fluoroelastomer

Version 10.0	Revision Date: 2024/01/09	SDS Number (Internal): 1888713-00016	MSDS number: AA00152-0000026444 Date of last issue: 2023/05/07 Date of first issue: 2017/08/23
-----------------	------------------------------	---	--

If swallowed	: If swallowed, DO NOT induce vomiting. Get medical attention if symptoms occur. Rinse mouth thoroughly with water.
Most important symptoms and effects, both acute and delayed	: None known.
Protection of first-aiders	: No special precautions are necessary for first aid responders.
Notes to physician	: Treat symptomatically and supportively.

### 5. FIREFIGHTING MEASURES

#### Suitable and unsuitable extinguishing media

Suitable extinguishing media	: Water spray Alcohol-resistant foam Carbon dioxide (CO <sub>2</sub> ) Dry chemical
Unsuitable extinguishing media	: None known.
Specific hazards during fire-fighting	: Exposure to combustion products may be a hazard to health.
Hazardous combustion products	: Carbon oxides Fluorine compounds
Specific extinguishing methods	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for firefighters	: Wear self-contained breathing apparatus for firefighting if necessary. Use personal protective equipment.

### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	: Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
Environmental precautions	: Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water.

# SAFETY DATA SHEET



## Viton™ B-601C fluoroelastomer

Version 10.0	Revision Date: 2024/01/09	SDS Number (Internal): 1888713-00016	MSDS number: AA00152-0000026444 Date of last issue: 2023/05/07 Date of first issue: 2017/08/23
-----------------	------------------------------	---	--

Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Sweep up or vacuum up spillage and collect in suitable container for disposal.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.  
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

### 7. HANDLING AND STORAGE

Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : Use only with adequate ventilation.

Advice on safe handling : Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
Take care to prevent spills, waste and minimize release to the environment.

Conditions for safe storage : Keep in properly labelled containers.  
Store in accordance with the particular national regulations.

Materials to avoid : No special restrictions on storage with other products.

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Barium sulfate	7727-43-7	TWA	0.5 mg/m3 (Barium)	KR OEL
		TWA (Inhalable particulate matter)	5 mg/m3	ACGIH
Calcium sulfate	7778-18-9	TWA (Inhalable particulate matter)	10 mg/m3 (Calcium)	ACGIH

Other ingredients, which are listed in section 3 but not listed in this section, do not have established occupational exposure limit values.

Engineering measures : Ensure adequate ventilation, especially in confined areas.

# SAFETY DATA SHEET



## Viton™ B-601C fluoroelastomer

Version 10.0	Revision Date: 2024/01/09	SDS Number (Internal): 1888713-00016	MSDS number: AA00152-0000026444 Date of last issue: 2023/05/07 Date of first issue: 2017/08/23
-----------------	------------------------------	---	--

Minimize workplace exposure concentrations.

**Personal protective equipment. Among the following personal protective equipment, the PPEs which require safety certification need to be certified by KOSHA.**

Respiratory protection	:	No personal respiratory protective equipment normally required.
Eye protection	:	Wear the following personal protective equipment: Safety glasses
Hand protection	:	
Material	:	Nitrile rubber
Glove thickness	:	0.38 mm
Remarks	:	Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work. For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday. Breakthrough time is not determined for the product. Change gloves often!
Skin and body protection	:	Skin should be washed after contact.
Hygiene measures	:	If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	sheets
Colour	:	white, off-white, tan
Odour	:	odourless
Odour Threshold	:	No data available
pH	:	No data available
Melting point/freezing point	:	No data available

# SAFETY DATA SHEET



## Viton™ B-601C fluoroelastomer

Version 10.0	Revision Date: 2024/01/09	SDS Number (Internal): 1888713-00016	MSDS number: AA00152-0000026444 Date of last issue: 2023/05/07 Date of first issue: 2017/08/23
-----------------	------------------------------	---	--

---

Initial boiling point and boiling range : No data available

Flash point : Not applicable

Evaporation rate : Not applicable

Flammability (solid, gas) : No data available

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Vapour pressure : Not applicable

Solubility(ies)  
Water solubility : insoluble

Relative vapour density : Not applicable

Density : 1.84 g/cm<sup>3</sup>

Partition coefficient: n-octanol/water : Not applicable

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity  
Viscosity, kinematic : Not applicable

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : No data available

Particle size : No data available

---

### 10. STABILITY AND REACTIVITY

Chemical stability and possibility of hazardous reactions : Not classified as a reactivity hazard.  
Stable under normal conditions.  
None known.

# SAFETY DATA SHEET



## Viton™ B-601C fluoroelastomer

Version 10.0	Revision Date: 2024/01/09	SDS Number (Internal): 1888713-00016	MSDS number: AA00152-0000026444 Date of last issue: 2023/05/07 Date of first issue: 2017/08/23
-----------------	------------------------------	---	--

Conditions to avoid : None known.

Incompatible materials : None.

Hazardous decomposition products : No hazardous decomposition products are known.

### 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Skin contact  
Ingestion  
Eye contact

#### Health hazard information

##### Acute toxicity

|| No data available

##### Components:

Reaction mass of 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]diphenol and benzyltriphenylphosphonium, salt with 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]bis[phenol] (1:1)

:

|| Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg  
Method: OECD Test Guideline 425  
Assessment: The substance or mixture has no acute oral toxicity

##### Barium sulfate:

|| Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

##### Calcium sulfate:

|| Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg  
Method: OECD Test Guideline 420

|| Acute inhalation toxicity : LC50 (Rat): > 2.61 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403

##### Skin corrosion/irritation

|| No data available

# SAFETY DATA SHEET



## Viton™ B-601C fluoroelastomer

Version 10.0	Revision Date: 2024/01/09	SDS Number (Internal): 1888713-00016	MSDS number: AA00152-0000026444 Date of last issue: 2023/05/07 Date of first issue: 2017/08/23
-----------------	------------------------------	---	--

---

### Components:

Reaction mass of 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]diphenol and benzyltriphenylphosphonium, salt with 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]bis[phenol] (1:1)

:

Species	: Not tested on animals
Method	: OECD Test Guideline 439
Result	: No skin irritation

### **Barium sulfate:**

Species	: reconstructed human epidermis (RhE)
Method	: OECD Test Guideline 439
Remarks	: Based on data from similar materials

Result	: No skin irritation
--------	----------------------

### **Calcium sulfate:**

Result	: Skin irritation
--------	-------------------

### **Serious eye damage/eye irritation**

No data available

### Components:

Reaction mass of 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]diphenol and benzyltriphenylphosphonium, salt with 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]bis[phenol] (1:1)

:

Species	: In Vitro - Bovine
Result	: No eye irritation
Method	: OECD Test Guideline 437

### **Barium sulfate:**

Species	: Rabbit
Result	: No eye irritation
Method	: OECD Test Guideline 405

### **Calcium sulfate:**

Result	: Irreversible effects on the eye
--------	-----------------------------------



# SAFETY DATA SHEET



## Viton™ B-601C fluoroelastomer

Version 10.0	Revision Date: 2024/01/09	SDS Number (Internal): 1888713-00016	MSDS number: AA00152-0000026444 Date of last issue: 2023/05/07 Date of first issue: 2017/08/23
-----------------	------------------------------	---	--

---

### Respiratory or skin sensitisation

#### Respiratory sensitisation

|| No data available

#### Skin sensitisation

|| No data available

#### Components:

Reaction mass of 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]diphenol and benzyltriphenylphosphonium, salt with 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]bis[phenol] (1:1)

:

Test Type	: Direct Peptide Reactivity Assay (DPRA)
Exposure routes	: Skin contact
Species	: Not tested on animals
Method	: OECD Test Guideline 442C
Result	: equivocal

Test Type	: KeratinoSens assay
Exposure routes	: Skin contact
Species	: Not tested on animals
Method	: OECD Test Guideline 442D
Result	: positive

Test Type	: Maximisation Test
Exposure routes	: Skin contact
Species	: Guinea pig
Method	: OECD Test Guideline 406
Result	: negative
Remarks	: Based on data from similar materials

|| Assessment : Does not cause skin sensitisation.

#### Barium sulfate:

Test Type	: Local lymph node assay (LLNA)
Exposure routes	: Skin contact
Species	: Mouse
Method	: OECD Test Guideline 429
Result	: negative
Remarks	: Based on data from similar materials

#### Calcium sulfate:

Test Type	: Buehler Test
Exposure routes	: Skin contact
Species	: Guinea pig
Method	: OECD Test Guideline 406
Result	: negative

# SAFETY DATA SHEET



## Viton™ B-601C fluoroelastomer

Version 10.0	Revision Date: 2024/01/09	SDS Number (Internal): 1888713-00016	MSDS number: AA00152-0000026444 Date of last issue: 2023/05/07 Date of first issue: 2017/08/23
-----------------	------------------------------	---	--

---

### Carcinogenicity

|| No data available

### Components:

Reaction mass of 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]diphenol and benzyltriphenylphosphonium, salt with 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]bis[phenol] (1:1)

:

|| No data available

### Barium sulfate:

|| No data available

Species	: Rat
Application Route	: Ingestion
Exposure time	: 2 Years
Result	: negative
Remarks	: Based on data from similar materials

### Calcium sulfate:

|| No data available

Species	: Rat
Application Route	: Ingestion
Exposure time	: 104 weeks
Result	: negative

### Germ cell mutagenicity

|| No data available

### Components:

Reaction mass of 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]diphenol and benzyltriphenylphosphonium, salt with 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]bis[phenol] (1:1)

:

|| No data available

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Method: OECD Test Guideline 471 Result: negative
	Test Type: In vitro mammalian cell gene mutation test Method: OECD Test Guideline 476

# SAFETY DATA SHEET



## Viton™ B-601C fluoroelastomer

Version 10.0	Revision Date: 2024/01/09	SDS Number (Internal): 1888713-00016	MSDS number: AA00152-0000026444 Date of last issue: 2023/05/07 Date of first issue: 2017/08/23
-----------------	------------------------------	---	--

---

Result: negative

Germ cell mutagenicity- Assessment : Weight of evidence does not support classification as a germ cell mutagen.

### Barium sulfate:

No data available

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative  
Remarks: Based on data from similar materials

Test Type: Chromosome aberration test in vitro  
Result: negative  
Remarks: Based on data from similar materials

Test Type: In vitro mammalian cell gene mutation test  
Method: OECD Test Guideline 476  
Result: negative  
Remarks: Based on data from similar materials

### Calcium sulfate:

No data available

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Method: OECD Test Guideline 471  
Result: negative

Test Type: In vitro mammalian cell gene mutation test  
Method: OECD Test Guideline 476  
Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Mouse  
Application Route: Ingestion  
Method: OECD Test Guideline 474  
Result: negative

### Reproductive toxicity

No data available

### Product:

Reproductive toxicity - Assessment : No toxicity to reproduction

# SAFETY DATA SHEET



## Viton™ B-601C fluoroelastomer

Version 10.0	Revision Date: 2024/01/09	SDS Number (Internal): 1888713-00016	MSDS number: AA00152-0000026444 Date of last issue: 2023/05/07 Date of first issue: 2017/08/23
-----------------	------------------------------	---	--

### Components:

Reaction mass of 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]diphenol and benzyltriphenylphosphonium, salt with 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]bis[phenol] (1:1)

:

|| May damage fertility or the unborn child.

Effects on fertility	: Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test Species: Rat Application Route: Ingestion Method: OECD Test Guideline 422 Result: positive Remarks: Based on data from similar materials
Effects on foetal development	: Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test Species: Rat Application Route: Ingestion Method: OECD Test Guideline 422 Result: negative Remarks: Based on data from similar materials
Reproductive toxicity - Assessment	: Clear evidence of adverse effects on sexual function and fertility, and/or on development, based on animal experiments

### **Barium sulfate:**

|| No data available

Effects on fertility	: Test Type: Fertility/early embryonic development Species: Rat Application Route: Ingestion Result: negative Remarks: Based on data from similar materials
Effects on foetal development	: Test Type: Embryo-foetal development Species: Rat Application Route: Ingestion Method: OECD Test Guideline 414 Result: negative Remarks: Based on data from similar materials

### **Calcium sulfate:**

|| No data available

Effects on fertility	: Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test
----------------------	--

# SAFETY DATA SHEET



## Viton™ B-601C fluoroelastomer

Version 10.0	Revision Date: 2024/01/09	SDS Number (Internal): 1888713-00016	MSDS number: AA00152-0000026444 Date of last issue: 2023/05/07 Date of first issue: 2017/08/23
-----------------	------------------------------	---	--

Effects on foetal development	Species: Rat Application Route: Ingestion Method: OECD Test Guideline 422 Result: negative
	: Test Type: Embryonic Stem Cell Assay Species: Rat Application Route: Ingestion Result: negative

### STOT - single exposure

No data available

### STOT - repeated exposure

No data available

#### Product:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

#### Components:

Reaction mass of 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]diphenol and benzyltriphenylphosphonium, salt with 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]bis[phenol] (1:1)

:  
Exposure routes : Ingestion  
Target Organs : Seminal vesicle, Prostate  
Assessment : Shown to produce significant health effects in animals at concentrations of >10 to 100 mg/kg bw.

#### Barium sulfate:

Assessment : No significant health effects observed in animals at concentrations of 100 mg/kg bw or less.

### Repeated dose toxicity

#### Components:

Reaction mass of 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]diphenol and benzyltriphenylphosphonium, salt with 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]bis[phenol] (1:1)

:  
Species : Rat, male and female  
NOAEL : 10 mg/kg  
LOAEL : 100 mg/kg

# SAFETY DATA SHEET



## Viton™ B-601C fluoroelastomer

Version	Revision Date:	SDS Number (Internal):	MSDS number: AA00152-0000026444
10.0	2024/01/09	1888713-00016	Date of last issue: 2023/05/07
			Date of first issue: 2017/08/23

---

Application Route	: Ingestion
Exposure time	: 28 Days
Method	: OECD Test Guideline 407
Remarks	: Based on data from similar materials

### Barium sulfate:

Species	: Rat
NOAEL	: 61.1 mg/kg
Application Route	: Ingestion
Exposure time	: 90 Days
Remarks	: Based on data from similar materials

### Calcium sulfate:

Species	: Rat
NOAEL	: 100 mg/kg
LOAEL	: 300 mg/kg
Application Route	: Ingestion
Exposure time	: 45 Days
Method	: OECD Test Guideline 422

### Aspiration toxicity

No data available

### Experience with human exposure

#### Components:

### Calcium sulfate:

Skin contact	: Target Organs: Skin Symptoms: Irritation
--------------	---

### Toxicology, Metabolism, Distribution

No data available

### Neurological effects

No data available

### Further information

#### Product:

Remarks	: According to data on similar materials, and from modeling assessment, the product is not considered to require classification as dangerous to health.
---------	---

# SAFETY DATA SHEET



## Viton™ B-601C fluoroelastomer

Version 10.0	Revision Date: 2024/01/09	SDS Number (Internal): 1888713-00016	MSDS number: AA00152-0000026444 Date of last issue: 2023/05/07 Date of first issue: 2017/08/23
-----------------	------------------------------	---	--

### 12. ECOLOGICAL INFORMATION

#### Ecotoxicity

##### Product:

#### Ecotoxicology Assessment

Acute aquatic toxicity : This product has no known ecotoxicological effects.

Chronic aquatic toxicity : Harmful to aquatic life with long lasting effects.

##### Components:

Reaction mass of 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]diphenol and benzyltriphenylphosphonium, salt with 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]bis[phenol] (1:1)

:

Toxicity to fish	:	LC50 (Pimephales promelas (fathead minnow)): 1.2 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 0.79 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	:	ErC50 (Raphidocelis subcapitata (freshwater green alga)): 0.45 mg/l Exposure time: 72 h Method: OECD Test Guideline 201  NOEC (Raphidocelis subcapitata (freshwater green alga)): 0.0087 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
M-Factor (Acute aquatic toxicity)	:	1
M-Factor (Chronic aquatic toxicity)	:	10

##### **Barium sulfate:**

Toxicity to fish	:	LC50 (Danio rerio (zebra fish)): > 100 mg/l Exposure time: 96 h Method: OECD Test Guideline 203 Remarks: Based on data from similar materials
Toxicity to daphnia and other	:	EC50 (Daphnia magna (Water flea)): > 10 - 100 mg/l

# SAFETY DATA SHEET



## Viton™ B-601C fluoroelastomer

Version 10.0	Revision Date: 2024/01/09	SDS Number (Internal): 1888713-00016	MSDS number: AA00152-0000026444 Date of last issue: 2023/05/07 Date of first issue: 2017/08/23
-----------------	------------------------------	---	--

aquatic invertebrates	Exposure time: 48 h Remarks: Based on data from similar materials
Toxicity to algae/aquatic plants	: NOEC (Pseudokirchneriella subcapitata (green algae)): > 1 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: Based on data from similar materials  ErC50 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC (Daphnia magna (Water flea)): > 1 mg/l Exposure time: 21 d Remarks: Based on data from similar materials
Toxicity to microorganisms	: EC50: > 600 mg/l Exposure time: 3 h Method: OECD Test Guideline 209 Remarks: Based on data from similar materials  NOEC: > 600 mg/l Exposure time: 3 h Method: OECD Test Guideline 209 Remarks: Based on data from similar materials

### Calcium sulfate:

Toxicity to fish	: LC50 (Oryzias latipes (Japanese medaka)): > 100 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	: ErC50 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l Exposure time: 72 h Test substance: Water Accommodated Fraction Method: OECD Test Guideline 201  NOEC (Pseudokirchneriella subcapitata (green algae)): > 1 mg/l Exposure time: 72 h Test substance: Water Accommodated Fraction Method: OECD Test Guideline 201
Toxicity to microorganisms	: EC50: > 100 mg/l



# SAFETY DATA SHEET



## Viton™ B-601C fluoroelastomer

Version 10.0	Revision Date: 2024/01/09	SDS Number (Internal): 1888713-00016	MSDS number: AA00152-0000026444 Date of last issue: 2023/05/07 Date of first issue: 2017/08/23
-----------------	------------------------------	---	--

---

Exposure time: 3 h  
Method: OECD Test Guideline 209

### Persistence and degradability

#### Components:

Reaction mass of 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]diphenol and benzyltriphenylphosphonium, salt with 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]bis[phenol] (1:1)

:

Biodegradability : Result: Not readily biodegradable.  
Method: OECD Test Guideline 301B

### Bioaccumulative potential

#### Components:

Reaction mass of 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]diphenol and benzyltriphenylphosphonium, salt with 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]bis[phenol] (1:1)

:

Partition coefficient: n-octanol/water : log Pow: 2.28

#### **Barium sulfate:**

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)  
Bioconcentration factor (BCF): < 500

Partition coefficient: n-octanol/water : log Pow: -1.03  
Remarks: Calculation

#### **Calcium sulfate:**

Partition coefficient: n-octanol/water : log Pow: -1.03  
Remarks: Calculation

### Mobility in soil

No data available

### Other adverse effects

No data available

# SAFETY DATA SHEET



## Viton™ B-601C fluoroelastomer

Version 10.0	Revision Date: 2024/01/09	SDS Number (Internal): 1888713-00016	MSDS number: AA00152-0000026444 Date of last issue: 2023/05/07 Date of first issue: 2017/08/23
-----------------	------------------------------	---	--

### 13. DISPOSAL CONSIDERATIONS

#### Disposal methods

Waste from residues : Dispose of contents and container according to wastes control act.



Do not dispose of waste into sewer.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
If not otherwise specified: Dispose of as unused product.

#### Disposal precautions

Dispose of contents and container according to wastes control act.

### 14. TRANSPORT INFORMATION

#### International Regulations

##### UNRTDG

UN number : Not applicable  
Proper shipping name : Not applicable  
Class : Not applicable  
Subsidiary risk : Not applicable  
Packing group : Not applicable  
Labels : Not applicable

##### IATA-DGR

UN/ID No. : Not applicable  
Proper shipping name : Not applicable  
Class : Not applicable  
Subsidiary risk : Not applicable  
Packing group : Not applicable  
Labels : Not applicable  
Packing instruction (cargo aircraft) : Not applicable  
Packing instruction (passenger aircraft) : Not applicable

##### IMDG-Code

UN number : Not applicable  
Proper shipping name : Not applicable  
Class : Not applicable  
Subsidiary risk : Not applicable  
Packing group : Not applicable  
Labels : Not applicable  
EmS Code : Not applicable  
Marine pollutant : Not applicable

#### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

# SAFETY DATA SHEET



## Viton™ B-601C fluoroelastomer

Version 10.0	Revision Date: 2024/01/09	SDS Number (Internal): 1888713-00016	MSDS number: AA00152-0000026444 Date of last issue: 2023/05/07 Date of first issue: 2017/08/23
-----------------	------------------------------	---	--

### National Regulations

Refer to section 15 for specific national regulation.

### Special precautions for user

Not applicable

## 15. REGULATORY INFORMATION

### National regulatory information

#### Regulation under the Occupational Safety and Health Act

#### Harmful Substances Prohibited from Manufacturing

Not applicable

#### Harmful Substances Required Permission for Manufacture

Not applicable

#### Harmful Agents to be kept below Occupational Exposure Limits

Chemical name	CAS-No.
Barium and soluble compounds	7727-43-7

#### Harmful Agents Required to be kept below Permission Levels

Not applicable

#### Hazardous substances requiring management

Not applicable

#### Special Management Materials

Not applicable

#### Controlled Substances Subject to Environment Monitoring

Chemical name	CAS-No.	Threshold limits (%)
Mineral dusts	7778-18-9	

#### Controlled Substances Subject to Health Examination

Chemical name	CAS-No.	Threshold limits (%)
Mineral dusts	7778-18-9	

#### Hazardous Substances Subject to Process Safety Management (PSM) Reporting Obligation

Not applicable

#### Regulation under the Chemicals Control Act

#### Toxic Chemicals

Not applicable

#### Restricted Chemicals

Not applicable

#### Prohibited Chemicals

Not applicable

# SAFETY DATA SHEET



## Viton™ B-601C fluoroelastomer

Version 10.0	Revision Date: 2024/01/09	SDS Number (Internal): 1888713-00016	MSDS number: AA00152-0000026444 Date of last issue: 2023/05/07 Date of first issue: 2017/08/23
-----------------	------------------------------	---	--

---

### Toxic Release Inventory

Not applicable

### Accident Precaution Chemicals

Not applicable

### Dangerous Substances Safety Management Act

Not Applicable to Dangerous Materials

### Wastes Control Act

Industrial general wastes

Follow article 13 of the act to dispose the product waste

---

## 16. OTHER INFORMATION

Other information : Viton™ and any associated logos are trademarks or copyrights of The Chemours Company FC, LLC.  
Chemours™ and the Chemours Logo are trademarks of The Chemours Company.  
Before use read Chemours safety information.  
For further information contact the local Chemours office or nominated distributors.

### Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Issuing date : 2017/08/23

### Revision number and date

Number of Revision : 15

Revision Date : 2024/01/09

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format : yyyy/mm/dd


# SAFETY DATA SHEET



## Viton™ B-601C fluoroelastomer

Version 10.0	Revision Date: 2024/01/09	SDS Number (Internal): 1888713-00016	MSDS number: AA00152-0000026444 Date of last issue: 2023/05/07 Date of first issue: 2017/08/23
-----------------	------------------------------	---	--

### NFPA:



### Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)  
KR OEL : Harmful Agents to be kept below Occupational Exposure Limits

ACGIH / TWA : 8-hour, time-weighted average  
KR OEL / TWA : Time Weighted Average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No

# SAFETY DATA SHEET



## Viton™ B-601C fluoroelastomer

Version 10.0	Revision Date: 2024/01/09	SDS Number (Internal): 1888713-00016	MSDS number: AA00152-0000026444 Date of last issue: 2023/05/07 Date of first issue: 2017/08/23
-----------------	------------------------------	---	--

---

1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

KR / EN