

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Glycolic Acid - Commercial Grade

Version	Revision Date:	SDS Number:	Date of last issue: 11.08.2023
10.1	30.10.2023	1337777-00049	Date of first issue: 27.02.2017

---

### 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Glycolic Acid - Commercial Grade

SDS-Identcode : 130000052572

#### Manufacturer or supplier's details

Company : PureTech Scientific LLC

Address : 901 West DuPont Avenue, Belle, VW 25015, United States of America

Telephone : 1-877-215-5999

Emergency telephone number : +1 760 476 3960 access code 336264

E-mail address : sds-support@puretechscientific.com

Telefax : 1-304-357-1364

#### Recommended use of the chemical and restrictions on use

Recommended use : various

Restrictions on use : Not applicable

---

### 2. HAZARDS IDENTIFICATION

#### Manufacture, Storage and Import of Hazardous Chemicals Rules 1989

##### Classification

Not classified as hazardous according to criteria laid down in Part I of Schedule-1.

##### GHS Classification

Acute toxicity (Oral) : Category 5

Acute toxicity (Inhalation) : Category 4

Skin corrosion/irritation : Category 1

Serious eye damage/eye irritation : Category 1

Short-term (acute) aquatic hazard : Category 3

##### GHS label elements

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Glycolic Acid - Commercial Grade

Version	Revision Date:	SDS Number:	Date of last issue: 11.08.2023
10.1	30.10.2023	1337777-00049	Date of first issue: 27.02.2017

Hazard pictograms

:



Signal word

:

Danger

Hazard statements

:

H303 May be harmful if swallowed.  
H314 Causes severe skin burns and eye damage.  
H332 Harmful if inhaled.  
H402 Harmful to aquatic life.

Precautionary statements

:

### Prevention:

P261 Avoid breathing mist or vapours.  
P264 Wash skin thoroughly after handling.  
P271 Use only outdoors or in a well-ventilated area.  
P273 Avoid release to the environment.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

### Response:

P301 + P330 + P331 + P316 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Get emergency medical help immediately.  
P302 + P361 + P354 + P316 IF ON SKIN: Take off immediately all contaminated clothing. Immediately rinse with water for several minutes. Get emergency medical help immediately.  
P304 + P340 + P316 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Get emergency medical help immediately.  
P305 + P354 + P338 + P316 IF IN EYES: Immediately rinse with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get emergency medical help immediately.  
P363 Wash contaminated clothing before reuse.

### Storage:

P405 Store locked up.

### Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

### Other hazards which do not result in classification

Corrosive to the respiratory tract.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture

: Mixture

### Components

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Glycolic Acid - Commercial Grade

Version 10.1      Revision Date: 30.10.2023      SDS Number: 1337777-00049      Date of last issue: 11.08.2023  
Date of first issue: 27.02.2017

Chemical name	CAS-No.	Concentration (% w/w)
Glycolic acid	79-14-1	$\geq 70 - < 90$
Methoxyacetic acid	625-45-6	$\geq 0.3 - < 1$
Formic acid	64-18-6	$\geq 0.1 - < 1$

### 4. FIRST AID MEASURES

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.
- If inhaled : If inhaled, remove to fresh air.  
If not breathing, give artificial respiration.  
If breathing is difficult, give oxygen.  
Get medical attention immediately.
- In case of skin contact : In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.  
Get medical attention immediately.  
Wash clothing before reuse.  
Thoroughly clean shoes before reuse.
- In case of eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.  
If easy to do, remove contact lens, if worn.  
Get medical attention immediately.
- If swallowed : If swallowed, DO NOT induce vomiting.  
If vomiting occurs have person lean forward.  
Call a physician or poison control centre immediately.  
Rinse mouth thoroughly with water.  
Never give anything by mouth to an unconscious person.
- Most important symptoms and effects, both acute and delayed : May be harmful if swallowed.  
Causes serious eye damage.  
Harmful if inhaled.  
Causes severe burns.  
Causes digestive tract burns.  
Corrosive to respiratory system.
- Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
- Notes to physician : Treat symptomatically and supportively.

### 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Water spray  
Alcohol-resistant foam

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Glycolic Acid - Commercial Grade

Version	Revision Date:	SDS Number:	Date of last issue: 11.08.2023
10.1	30.10.2023	1337777-00049	Date of first issue: 27.02.2017

Carbon dioxide (CO<sub>2</sub>)  
Dry chemical

Unsuitable extinguishing media : None known.

Specific hazards during fire-fighting : Exposure to combustion products may be a hazard to health.

Hazardous combustion products : Carbon oxides

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Use water spray to cool unopened containers.  
Remove undamaged containers from fire area if it is safe to do so.  
Evacuate area.

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment.

### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.  
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.  
Prevent further leakage or spillage if safe to do so.  
Prevent spreading over a wide area (e.g. by containment or oil barriers).  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Soak up with inert absorbent material.  
For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container.  
Clean up remaining materials from spill with suitable absorbent.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.  
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

### 7. HANDLING AND STORAGE

Technical measures : See Engineering measures under EXPOSURE

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Glycolic Acid - Commercial Grade

Version	Revision Date:	SDS Number:	Date of last issue: 11.08.2023
10.1	30.10.2023	1337777-00049	Date of first issue: 27.02.2017

### CONTROLS/PERSONAL PROTECTION section.

- Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.
- Advice on safe handling : Do not get on skin or clothing.  
Avoid breathing mist or vapours.  
Do not swallow.  
Do not get in eyes.  
Wash skin thoroughly after handling.  
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
Keep container tightly closed.  
Take care to prevent spills, waste and minimize release to the environment.

Do not breathe decomposition products.

- Conditions for safe storage : Keep in properly labelled containers.  
Store locked up.  
Keep tightly closed.  
Keep in a cool, well-ventilated place.  
Store in accordance with the particular national regulations.

Reacts with many metals to liberate hydrogen gas which can form explosive mixtures with air. Hydrogen, a highly flammable gas, can accumulate to explosive concentrations inside drums, or any types of steel containers or tanks upon storage.

- Materials to avoid : Do not store with the following product types:  
Self-reactive substances and mixtures  
Organic peroxides  
Oxidizing agents  
Explosives

- Recommended storage temperature : < 50 °C

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Formic acid	64-18-6	TWA	5 ppm 9 mg/m <sup>3</sup>	IN OEL
		TWA	5 ppm	ACGIH
		STEL	10 ppm	ACGIH

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Glycolic Acid - Commercial Grade

Version 10.1      Revision Date: 30.10.2023      SDS Number: 1337777-00049      Date of last issue: 11.08.2023  
Date of first issue: 27.02.2017

### Occupational exposure limits of decomposition products

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Carbon dioxide	124-38-9	TWA	5,000 ppm	ACGIH
		STEL	30,000 ppm	ACGIH

**Engineering measures** : Processing may form hazardous compounds (see section 10).  
Minimize workplace exposure concentrations.  
If sufficient ventilation is unavailable, use with local exhaust ventilation.

### Personal protective equipment

**Respiratory protection** : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

**Filter type** : Inorganic gas/vapour type

### Hand protection

**Material** : Chloroprene  
**Break through time** : > 480 min  
**Glove thickness** : 0.6 mm

**Remarks** : Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work. For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday.

**Eye protection** : Wear the following personal protective equipment:  
Chemical resistant goggles must be worn.  
If splashes are likely to occur, wear:  
Face-shield

**Skin and body protection** : Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure potential.  
Skin contact must be avoided by using impervious protective clothing (gloves, aprons, boots, etc).

**Hygiene measures** : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.  
When using do not eat, drink or smoke.  
Wash contaminated clothing before re-use.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Glycolic Acid - Commercial Grade

Version	Revision Date:	SDS Number:	Date of last issue: 11.08.2023
10.1	30.10.2023	1337777-00049	Date of first issue: 27.02.2017

---

Appearance	:	liquid
Colour	:	amber
Odour	:	mild, of burnt sugar
Odour Threshold	:	No data available
pH	:	0.1
Melting point/freezing point	:	10 °C
Initial boiling point and boiling range	:	112 °C (1,013 hPa)
Flash point	:	> 100 °C
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	0.017 hPa (25 °C)
Relative vapour density	:	No data available
Density	:	1.25 g/cm <sup>3</sup> (26 °C)
Solubility(ies)		
Water solubility	:	> 300 g/l (for a component of this mixture) (22 °C)
Partition coefficient: n-octanol/water	:	log Pow: -1.11 (19 °C)
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity		
Viscosity, dynamic	:	6.149 mPa.s ( 23 °C)

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Glycolic Acid - Commercial Grade

Version	Revision Date:	SDS Number:	Date of last issue: 11.08.2023
10.1	30.10.2023	1337777-00049	Date of first issue: 27.02.2017

Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Particle size	:	Not applicable

### 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	Can react with strong oxidizing agents. Hazardous decomposition products will be formed at elevated temperatures.
Conditions to avoid	:	None known.
Incompatible materials	:	Oxidizing agents Bases

#### Hazardous decomposition products

Thermal decomposition	:	Carbon dioxide
-----------------------	---	----------------

### 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure	:	Inhalation Skin contact Ingestion Eye contact
--	---	--

#### Acute toxicity

May be harmful if swallowed.  
Harmful if inhaled.

#### Product:

Acute oral toxicity	:	Acute toxicity estimate: 2,915 mg/kg Method: Calculation method
Acute inhalation toxicity	:	Acute toxicity estimate: 4.92 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Calculation method

#### Components:

**Glycolic acid:**



# SAFETY DATA SHEET

according to the Globally Harmonized System



## Glycolic Acid - Commercial Grade

Version	Revision Date:	SDS Number:	Date of last issue: 11.08.2023
10.1	30.10.2023	1337777-00049	Date of first issue: 27.02.2017

Acute oral toxicity : LD50 (Rat): 2,040 mg/kg  
Method: US EPA Test Guideline OPP 81-1

Acute inhalation toxicity : LC50 (Rat): 3.6 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403  
Assessment: Corrosive to the respiratory tract.

Acute dermal toxicity : Assessment: The substance or mixture has no acute dermal toxicity

### Methoxyacetic acid:

Acute oral toxicity : LD50 (Rat): 1,000 mg/kg

### Formic acid:

Acute oral toxicity : LD50 (Rat): 730 mg/kg  
Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat): 7.85 mg/l  
Exposure time: 4 h  
Test atmosphere: vapour  
Method: OECD Test Guideline 403  
Assessment: Corrosive to the respiratory tract.

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg  
Remarks: Based on data from similar materials

### Skin corrosion/irritation

Causes severe burns.

### Components:

#### Glycolic acid:

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : Corrosive after 3 minutes to 1 hour of exposure

#### Methoxyacetic acid:

Species : Rabbit  
Result : Corrosive after 3 minutes to 1 hour of exposure

#### Formic acid:

Result : Corrosive after 3 minutes or less of exposure  
Remarks : Based on national or regional regulation.

### Serious eye damage/eye irritation

Causes serious eye damage.

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Glycolic Acid - Commercial Grade

Version	Revision Date:	SDS Number:	Date of last issue: 11.08.2023
10.1	30.10.2023	1337777-00049	Date of first issue: 27.02.2017

---

### Components:

#### **Glycolic acid:**

Species	:	Rabbit
Method	:	OECD Test Guideline 405
Result	:	Irreversible effects on the eye

#### **Methoxyacetic acid:**

Result	:	Irreversible effects on the eye
Remarks	:	Based on skin corrosivity.

#### **Formic acid:**

Result	:	Irreversible effects on the eye
Remarks	:	Based on skin corrosivity.

### **Respiratory or skin sensitisation**

#### **Skin sensitisation**

Not classified based on available information.

#### **Respiratory sensitisation**

Not classified based on available information.

### Components:

#### **Glycolic acid:**

Test Type	:	Buehler Test
Exposure routes	:	Skin contact
Species	:	Guinea pig
Method	:	OECD Test Guideline 406
Result	:	negative

#### **Formic acid:**

Test Type	:	Buehler Test
Exposure routes	:	Skin contact
Species	:	Guinea pig
Method	:	OECD Test Guideline 406
Result	:	negative

### **Germ cell mutagenicity**

Not classified based on available information.

### Components:

#### **Glycolic acid:**

Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES)
		Method: OECD Test Guideline 471
		Result: negative

		Test Type: Chromosome aberration test in vitro
		Method: OECD Test Guideline 473

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Glycolic Acid - Commercial Grade

Version	Revision Date:	SDS Number:	Date of last issue: 11.08.2023
10.1	30.10.2023	1337777-00049	Date of first issue: 27.02.2017

Result: negative

Test Type: In vitro mammalian cell gene mutation test  
Method: OECD Test Guideline 476  
Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Mouse  
Application Route: Ingestion  
Method: OECD Test Guideline 474  
Result: negative

Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

### **Methoxyacetic acid:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: In vitro mammalian cell gene mutation test  
Result: negative

### **Formic acid:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Method: OECD Test Guideline 471  
Result: negative

Genotoxicity in vivo : Test Type: Sex-linked recessive lethal test in *Drosophila melanogaster* (in vivo)  
Application Route: Ingestion  
Method: OECD Test Guideline 477  
Result: negative

### **Carcinogenicity**

Not classified based on available information.

### **Components:**

#### **Glycolic acid:**

Species : Mouse  
Application Route : Skin contact  
Exposure time : 40 weeks  
Result : negative

Carcinogenicity - Assessment : Weight of evidence does not support classification as a carcinogen

#### **Formic acid:**

Species : Rat  
Application Route : Ingestion

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Glycolic Acid - Commercial Grade

Version	Revision Date:	SDS Number:	Date of last issue: 11.08.2023
10.1	30.10.2023	1337777-00049	Date of first issue: 27.02.2017

Exposure time : 104 weeks  
Result : negative  
Remarks : Based on data from similar materials

### Reproductive toxicity

Not classified based on available information.

#### Product:

Reproductive toxicity - Assessment : No evidence of adverse effects on sexual function and fertility, or on development, based on animal experiments.

#### Components:

##### **Glycolic acid:**

Effects on fertility : Test Type: One-generation reproduction toxicity study  
Species: Rat  
Application Route: Ingestion  
Method: Regulation (EC) No. 440/2008, Annex, B.34  
Result: negative

Effects on foetal development : Test Type: Embryo-foetal development  
Species: Rat  
Application Route: Ingestion  
Method: OECD Test Guideline 414  
Result: negative

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

##### **Methoxyacetic acid:**

Effects on fertility : Test Type: Two-generation reproduction toxicity study  
Species: Mouse  
Application Route: Ingestion  
Result: positive

Effects on foetal development : Test Type: Embryo-foetal development  
Species: Rat  
Application Route: Ingestion  
Result: positive

Reproductive toxicity - Assessment : Clear evidence of adverse effects on sexual function and fertility, based on animal experiments., Clear evidence of adverse effects on development, based on animal experiments.

##### **Formic acid:**

Effects on fertility : Test Type: Two-generation reproduction toxicity study  
Species: Rat  
Application Route: Ingestion  
Method: OECD Test Guideline 416  
Result: negative

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Glycolic Acid - Commercial Grade

Version	Revision Date:	SDS Number:	Date of last issue: 11.08.2023
10.1	30.10.2023	1337777-00049	Date of first issue: 27.02.2017

Remarks: Based on data from similar materials

Effects on foetal development : Test Type: Embryo-foetal development  
Species: Rabbit  
Application Route: Ingestion  
Method: OECD Test Guideline 414  
Result: negative  
Remarks: Based on data from similar materials

### STOT - single exposure

Not classified based on available information.

#### Components:

##### **Methoxyacetic acid:**

Assessment : May cause respiratory irritation.  
Remarks : Based on harmonised classification in EU regulation 1272/2008, Annex VI

### STOT - repeated exposure

Not classified based on available information.

#### **Repeated dose toxicity**

#### Components:

##### **Glycolic acid:**

Species : Rat, male and female  
NOAEL : 150 mg/kg  
LOAEL : 300 mg/kg  
Application Route : Ingestion  
Exposure time : 90 Days  
Method : OECD Test Guideline 408

##### **Formic acid:**

Species : Rat  
NOAEL : 400 mg/kg  
Application Route : Ingestion  
Exposure time : 52 Weeks  
Remarks : Based on data from similar materials

#### **Aspiration toxicity**

Not classified based on available information.

---

## 12. ECOLOGICAL INFORMATION

### **Ecotoxicity**

#### Components:

##### **Glycolic acid:**

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 114.8 mg/l

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Glycolic Acid - Commercial Grade

Version	Revision Date:	SDS Number:	Date of last issue: 11.08.2023
10.1	30.10.2023	1337777-00049	Date of first issue: 27.02.2017

Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 99.6 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : ErC50 ( Pseudokirchneriella subcapitata (green algae)): 31.2 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

NOEC ( Pseudokirchneriella subcapitata (green algae)): 14.4 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

### Methoxyacetic acid:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 500 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

Toxicity to algae/aquatic plants : ErC50 ( Desmodesmus subspicatus (green algae)): 66.2 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

Toxicity to microorganisms : EC50: > 1,000 mg/l  
Exposure time: 30 min  
Method: OECD Test Guideline 209

### Formic acid:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): 130 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203  
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 365 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202  
Remarks: Based on data from similar materials

Toxicity to algae/aquatic plants : ErC50 ( Pseudokirchneriella subcapitata (green algae)): 1,240 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
Remarks: Based on data from similar materials

EC10 ( Pseudokirchneriella subcapitata (green algae)): 295 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
Remarks: Based on data from similar materials

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Glycolic Acid - Commercial Grade

Version	Revision Date:	SDS Number:	Date of last issue: 11.08.2023
10.1	30.10.2023	1337777-00049	Date of first issue: 27.02.2017

Toxicity to microorganisms : NOEC: 72 mg/l  
Exposure time: 13 d

Toxicity to daphnia and other : NOEC: > 100 mg/l  
aquatic invertebrates (Chronic toxicity) Exposure time: 21 d  
Species: Daphnia magna (Water flea)  
Method: OECD Test Guideline 211

### Persistence and degradability

#### Components:

##### **Glycolic acid:**

Biodegradability : Result: Readily biodegradable.  
Method: OECD Test Guideline 301B

##### **Methoxyacetic acid:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 98 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301A

##### **Formic acid:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 100 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301C

### Bioaccumulative potential

#### Components:

##### **Glycolic acid:**

Partition coefficient: n-octanol/water : log Pow: -1.07

##### **Methoxyacetic acid:**

Partition coefficient: n-octanol/water : log Pow: -0.68  
Remarks: Calculation

##### **Formic acid:**

Partition coefficient: n-octanol/water : log Pow: -2.1

### Mobility in soil

No data available

### Other adverse effects

No data available

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Glycolic Acid - Commercial Grade

Version	Revision Date:	SDS Number:	Date of last issue: 11.08.2023
10.1	30.10.2023	1337777-00049	Date of first issue: 27.02.2017

### 13. DISPOSAL CONSIDERATIONS

#### Disposal methods

- Waste from residues : Do not dispose of waste into sewer.  
Dispose of in accordance with local regulations.
- Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
If not otherwise specified: Dispose of as unused product.

### 14. TRANSPORT INFORMATION

#### International Regulations

##### UNRTDG

- UN number : UN 3265  
Proper shipping name : CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S.  
(Glycolic acid)  
Class : 8  
Packing group : II  
Labels : 8  
Environmentally hazardous : no

##### IATA-DGR

- UN/ID No. : UN 3265  
Proper shipping name : Corrosive liquid, acidic, organic, n.o.s.  
(Glycolic acid)  
Class : 8  
Packing group : II  
Labels : Corrosive  
Packing instruction (cargo aircraft) : 855  
Packing instruction (passenger aircraft) : 851

##### IMDG-Code

- UN number : UN 3265  
Proper shipping name : CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S.  
(Glycolic acid)  
Class : 8  
Packing group : II  
Labels : 8  
EmS Code : F-A, S-B  
Marine pollutant : no

#### Transport in bulk according to IMO instruments

Not applicable for product as supplied.

#### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data



# SAFETY DATA SHEET

according to the Globally Harmonized System



## Glycolic Acid - Commercial Grade

Version	Revision Date:	SDS Number:	Date of last issue: 11.08.2023
10.1	30.10.2023	1337777-00049	Date of first issue: 27.02.2017

Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

### 15. REGULATORY INFORMATION

**Safety, health and environmental regulations/legislation specific for the substance or mixture**

### 16. OTHER INFORMATION

Revision Date : 30.10.2023

Other information : Before use read PureTech Scientific LLC safety information. For further information contact the local PureTech Scientific LLC office or nominated distributors.

#### Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Date format : dd.mm.yyyy

#### Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)  
IN OEL : India. Permissible levels of certain chemical substances in work environment.

ACGIH / TWA : 8-hour, time-weighted average  
ACGIH / STEL : Short-term exposure limit  
IN OEL / TWA : Time-Weighted Average Concentration (TWA) (8 hrs.)

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Glycolic Acid - Commercial Grade

Version	Revision Date:	SDS Number:	Date of last issue: 11.08.2023
10.1	30.10.2023	1337777-00049	Date of first issue: 27.02.2017

---

Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

IN / EN