

# SAFETY DATA SHEET



## Corrugator Krytox™ 226 FG

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue: 09.08.2022  |
| 1.8     | 23.03.2023     | 2306357-00009 | Date of first issue: 05.12.2017 |

---

### 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Corrugator Krytox™ 226 FG

SDS-Identcode : 130000031399

#### Manufacturer or supplier's details

Company : Chemours Netherlands B.V.

Address : Baanhoekweg 22  
3313 LA Dordrecht Netherlands

Telephone : +31-(0)-78-630-1011

Emergency telephone number : +(44)-870-8200418 (CHEMTREC - Recommended)

E-mail address : sds-support@chemours.com

Telefax : +31-78-6163737

#### Recommended use of the chemical and restrictions on use

Recommended use : Lubricant

Restrictions on use : For industrial use only.  
Do not use or resell Chemours™ materials in medical applications involving implantation in the human body or contact with internal body fluids or tissues unless agreed to by Seller in a written agreement covering such use. For further information, please contact your Chemours representative.

---

### 2. HAZARDS IDENTIFICATION

#### GHS Classification

Short-term (acute) aquatic hazard : Category 3

#### GHS label elements

Hazard pictograms : None

Signal word : None

Hazard statements : H402 Harmful to aquatic life.

Precautionary statements : **Prevention:**  
P273 Avoid release to the environment.  
**Disposal:**

# SAFETY DATA SHEET



## Corrugator Krytox™ 226 FG

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue: 09.08.2022  |
| 1.8     | 23.03.2023     | 2306357-00009 | Date of first issue: 05.12.2017 |

P501 Dispose of contents/ container to an approved waste disposal plant.

### Other hazards which do not result in classification

The thermal decomposition vapours of fluorinated plastics may cause polymer fume fever with flu-like symptoms in humans, especially when smoking contaminated tobacco.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

#### Components

| Chemical name  | CAS-No.   | Concentration (% w/w) |
|----------------|-----------|-----------------------|
| Sodium nitrite | 7632-00-0 | >= 1 - < 2.5          |

### 4. FIRST AID MEASURES

- If inhaled : If inhaled, remove to fresh air.  
Get medical attention if symptoms occur.
- In case of skin contact : Wash with water and soap as a precaution.  
Get medical attention if symptoms occur.
- In case of eye contact : Flush eyes with water as a precaution.  
Get medical attention if irritation develops and persists.
- If swallowed : If swallowed, DO NOT induce vomiting.  
Get medical attention if symptoms occur.  
Rinse mouth thoroughly with water.
- Most important symptoms and effects, both acute and delayed : Inhalation may provoke the following symptoms:  
Irritation  
Lung oedema  
Eye contact may provoke the following symptoms:  
Blurred vision  
Discomfort  
Lachrymation  
Skin contact may provoke the following symptoms:  
Irritation  
Redness  
Inhalation may provoke the following symptoms:  
Irritation  
Shortness of breath
- Protection of first-aiders : No special precautions are necessary for first aid responders.
- Notes to physician : Treat symptomatically and supportively.

### 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Not applicable  
Will not burn

# SAFETY DATA SHEET



## Corrugator Krytox™ 226 FG

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue: 09.08.2022  |
| 1.8     | 23.03.2023     | 2306357-00009 | Date of first issue: 05.12.2017 |

---

- |   |   |   |
|---|---|---|
| Unsuitable extinguishing media                | : | Not applicable<br>Will not burn   |
| Specific hazards during fire-fighting         | : | Exposure to combustion products may be a hazard to health.  |
| Hazardous combustion products                 | : | Hydrogen fluoride<br>carbonyl fluoride<br>potentially toxic fluorinated compounds<br>aerosolized particulates<br>Carbon oxides<br>Nitrogen oxides (NOx)<br>Metal oxides   |
| Specific extinguishing methods                | : | Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.<br>Use water spray to cool unopened containers.<br>Remove undamaged containers from fire area if it is safe to do so.<br>Evacuate area. |
| Special protective equipment for firefighters | : | Wear self-contained breathing apparatus for firefighting if necessary.<br>Use personal protective equipment.  |
- 

### 6. ACCIDENTAL RELEASE MEASURES

- |   |   |   |
|---|---|---|
| Personal precautions, protective equipment and emergency procedures | : | Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).  |
| Environmental precautions   | : | Avoid release to the environment.<br>Prevent further leakage or spillage if safe to do so.<br>Retain and dispose of contaminated wash water.<br>Local authorities should be advised if significant spillages cannot be contained.   |
| Methods and materials for containment and cleaning up               | : | Soak up with inert absorbent material.<br>For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container.<br>Clean up remaining materials from spill with suitable absorbent.<br>Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.<br>Sections 13 and 15 of this SDS provide information regarding certain local or national requirements. |
- 

### 7. HANDLING AND STORAGE

# SAFETY DATA SHEET



## Corrugator Krytox™ 226 FG

Version 1.8      Revision Date: 23.03.2023      SDS Number: 2306357-00009      Date of last issue: 09.08.2022  
Date of first issue: 05.12.2017

- Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
- Local/Total ventilation : Use only with adequate ventilation.
- Advice on safe handling : Do not breathe decomposition products.
- Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
Take care to prevent spills, waste and minimize release to the environment.
- Conditions for safe storage : Keep in properly labelled containers.  
Store in accordance with the particular national regulations.
- Materials to avoid : No special restrictions on storage with other products.
- Further information on storage stability : No decomposition if stored and applied as directed.

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

Contains no substances with occupational exposure limit values.

#### Occupational exposure limits of decomposition products

| Components          | CAS-No.   | Value type<br>(Form of exposure) | Control parameters / Permissible concentration | Basis |
|---------------------|-----------|----------------------------------|--|-------|
| hydrofluoric acid   | 7664-39-3 | TWA                              | 0.5 ppm<br>(Fluorine)                          | ACGIH |
|                     |           | C                                | 2 ppm<br>(Fluorine)                            | ACGIH |
| Carbonyl difluoride | 353-50-4  | TWA                              | 2 ppm  | ACGIH |
|                     |           | STEL                             | 5 ppm  | ACGIH |
| Carbon dioxide      | 124-38-9  | TWA                              | 5,000 ppm                                      | ACGIH |
|                     |           | STEL                             | 30,000 ppm                                     | ACGIH |
| Carbon monoxide     | 630-08-0  | TWA                              | 25 ppm   | ACGIH |

- Engineering measures** : Processing may form hazardous compounds (see section 10).  
Ensure adequate ventilation, especially in confined areas.  
Minimize workplace exposure concentrations.

#### Personal protective equipment

- Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

# SAFETY DATA SHEET



## Corrugator Krytox™ 226 FG

|                |                              |                              |   |
|----------------|------------------------------|------------------------------|---|
| Version<br>1.8 | Revision Date:<br>23.03.2023 | SDS Number:<br>2306357-00009 | Date of last issue: 09.08.2022<br>Date of first issue: 05.12.2017 |
|----------------|------------------------------|------------------------------|---|

|                          |  |
|--------------------------|--|
| Filter type              | : Combined particulates, acidic gas/vapour and organic vapour type   |
| Hand protection          |  |
| Remarks                  | : Wash hands before breaks and at the end of workday.  |
| Eye protection           | : Wear the following personal protective equipment:<br>Safety glasses  |
| Skin and body protection | : Skin should be washed after contact.   |
| Hygiene measures         | : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.<br>When using do not eat, drink or smoke.<br>Wash contaminated clothing before re-use. |

### 9. PHYSICAL AND CHEMICAL PROPERTIES

|  |                     |
|--|---------------------|
| Appearance                                       | : Grease            |
| Colour   | : white             |
| Odour  | : odourless         |
| Odour Threshold                                  | : No data available |
| pH   | : 7                 |
| Melting point/freezing point                     | : 320 °C            |
| Initial boiling point and boiling range          | : No data available |
| Flash point                                      | : Not applicable    |
| Evaporation rate                                 | : Not applicable    |
| Flammability (solid, gas)                        | : Will not burn     |
| Upper explosion limit / Upper flammability limit | : No data available |
| Lower explosion limit / Lower flammability limit | : No data available |
| Vapour pressure                                  | : Not applicable    |

# SAFETY DATA SHEET



## Corrugator Krytox™ 226 FG

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue: 09.08.2022  |
| 1.8     | 23.03.2023     | 2306357-00009 | Date of first issue: 05.12.2017 |

---

|  |   |  |
|--|---|--|
| Relative vapour density                | : | Not applicable   |
| Relative density                       | : | 1.89 - 1.93 (24 °C)                                      |
| Solubility(ies)                        | : |  |
| Water solubility                       | : | insoluble  |
| Partition coefficient: n-octanol/water | : | Not applicable   |
| Auto-ignition temperature              | : | No data available  |
| Decomposition temperature              | : | 320 °C   |
| Viscosity                              | : |  |
| Viscosity, kinematic                   | : | Not applicable   |
| Explosive properties                   | : | Not explosive  |
| Oxidizing properties                   | : | The substance or mixture is not classified as oxidizing. |
| Particle size                          | : | No data available  |

---

### 10. STABILITY AND REACTIVITY

|                                    |   |   |
|------------------------------------|---|---|
| Reactivity                         | : | Not classified as a reactivity hazard.                                    |
| Chemical stability                 | : | Stable under normal conditions.   |
| Possibility of hazardous reactions | : | Hazardous decomposition products will be formed at elevated temperatures. |
| Conditions to avoid                | : | None known.   |
| Incompatible materials             | : | None.   |

#### Hazardous decomposition products

|                       |   |   |
|-----------------------|---|---|
| Thermal decomposition | : | hydrofluoric acid<br>Carbonyl difluoride<br>Carbon dioxide<br>Carbon monoxide |
|-----------------------|---|---|

---

### 11. TOXICOLOGICAL INFORMATION

|  |   |  |
|--|---|--|
| Information on likely routes of exposure | : | Skin contact<br>Ingestion<br>Eye contact |
|--|---|--|

#### Acute toxicity

Not classified based on available information.

## Corrugator Krytox™ 226 FG

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue: 09.08.2022  |
| 1.8     | 23.03.2023     | 2306357-00009 | Date of first issue: 05.12.2017 |

---

**Product:**

|                           |   |  |
|---------------------------|---|--|
| Acute oral toxicity       | : | Assessment: The substance or mixture has no acute oral toxicity  |
| Acute inhalation toxicity | : | Acute toxicity estimate: > 10 mg/l<br>Exposure time: 4 h<br>Test atmosphere: dust/mist<br>Method: Calculation method |

**Components:****Sodium nitrite:**

|                           |   |  |
|---------------------------|---|--|
| Acute oral toxicity       | : | LD50 (Rat): 180 mg/kg  |
| Acute inhalation toxicity | : | LC50 (Rat): 5.5 mg/l<br>Exposure time: 4 h<br>Test atmosphere: dust/mist |

**Skin corrosion/irritation**

Not classified based on available information.

**Components:****Sodium nitrite:**

|         |   |                         |
|---------|---|-------------------------|
| Species | : | Rabbit                  |
| Method  | : | OECD Test Guideline 404 |
| Result  | : | No skin irritation      |

**Serious eye damage/eye irritation**

Not classified based on available information.

**Components:****Sodium nitrite:**

|         |   |  |
|---------|---|--|
| Species | : | Rabbit                                       |
| Method  | : | OECD Test Guideline 405                      |
| Result  | : | Irritation to eyes, reversing within 21 days |

**Respiratory or skin sensitisation****Skin sensitisation**

Not classified based on available information.

**Respiratory sensitisation**

Not classified based on available information.

**Germ cell mutagenicity**

Not classified based on available information.

**Components:****Sodium nitrite:**

|                       |   |  |
|-----------------------|---|--|
| Genotoxicity in vitro | : | Test Type: Bacterial reverse mutation assay (AMES)<br>Result: positive |
|-----------------------|---|--|

# SAFETY DATA SHEET



## Corrugator Krytox™ 226 FG

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue: 09.08.2022  |
| 1.8     | 23.03.2023     | 2306357-00009 | Date of first issue: 05.12.2017 |

---

Test Type: In vitro mammalian cell gene mutation test  
Result: positive

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Mouse  
Application Route: Intraperitoneal injection  
Result: negative

Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Rat  
Application Route: Intraperitoneal injection  
Result: negative

### Carcinogenicity

Not classified based on available information.

#### Components:

##### Sodium nitrite:

Species : Rat  
Application Route : Ingestion  
Exposure time : 2 Years  
Result : negative

### Reproductive toxicity

Not classified based on available information.

#### Components:

##### Sodium nitrite:

Effects on fertility : Test Type: Two-generation reproduction toxicity study  
Species: Mouse  
Application Route: Ingestion  
Result: negative

Effects on foetal development : Test Type: Embryo-foetal development  
Species: Rat  
Application Route: Ingestion  
Result: negative

### STOT - single exposure

Not classified based on available information.

### STOT - repeated exposure

Not classified based on available information.

### Repeated dose toxicity

#### Components:

##### Sodium nitrite:

Species : Rat



# SAFETY DATA SHEET



## Corrugator Krytox™ 226 FG

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue: 09.08.2022  |
| 1.8     | 23.03.2023     | 2306357-00009 | Date of first issue: 05.12.2017 |

NOAEL : 10 mg/kg  
Application Route : Ingestion  
Exposure time : 2 yr

### Aspiration toxicity

Not classified based on available information.

## 12. ECOLOGICAL INFORMATION

### Ecotoxicity

#### Components:

#### Sodium nitrite:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0.54 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 15.4 mg/l  
aquatic invertebrates : Exposure time: 48 h  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic : EC50 ( Scenedesmus capricornutum (fresh water algae)): >  
plants : 100 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

NOEC ( Scenedesmus capricornutum (fresh water algae)):  
100 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

M-Factor (Acute aquatic tox- : 1  
icity)

Toxicity to microorganisms : EC50: 281 mg/l  
Exposure time: 48 h

Toxicity to fish (Chronic tox- : NOEC: 21 mg/l  
icity) : Exposure time: 30 d  
Species: Cyprinus carpio (Carp)  
Method: OECD Test Guideline 210

Toxicity to daphnia and other : NOEC: 9.86 mg/l  
aquatic invertebrates (Chron- : Exposure time: 80 d  
ic toxicity) : Species: Penaeid Shrimp

### Persistence and degradability

No data available

### Bioaccumulative potential

No data available

### Mobility in soil

No data available

# SAFETY DATA SHEET



## Corrugator Krytox™ 226 FG

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue: 09.08.2022  |
| 1.8     | 23.03.2023     | 2306357-00009 | Date of first issue: 05.12.2017 |

### Other adverse effects

No data available

## 13. DISPOSAL CONSIDERATIONS

### Disposal methods

|                        |   |   |
|------------------------|---|---|
| Waste from residues    | : | Dispose of in accordance with local regulations.<br><br>Do not dispose of waste into sewer.   |
| Contaminated packaging | : | Empty containers should be taken to an approved waste handling site for recycling or disposal.<br>If not otherwise specified: Dispose of as unused product. |

## 14. TRANSPORT INFORMATION

### International Regulations

#### UNRTDG

Not regulated as a dangerous good

#### IATA-DGR

Not regulated as a dangerous good

#### IMDG-Code

Not regulated as a dangerous good

### Transport in bulk according to IMO instruments

Not applicable for product as supplied.

### Special precautions for user

Not applicable

## 15. REGULATORY INFORMATION

**Safety, health and environmental regulations/legislation specific for the substance or mixture**

## 16. OTHER INFORMATION

|                   |   |   |
|-------------------|---|---|
| Other information | : | Krytox™ and any associated logos are trademarks or copyrights of The Chemours Company FC, LLC.<br>Chemours™ and the Chemours Logo are trademarks of The Chemours Company.<br>Before use read Chemours safety information.<br>For further information contact the local Chemours office or nominated distributors. |
|-------------------|---|---|

### Further information

|   |   |   |
|---|---|---|
| Sources of key data used to compile the Safety Data Sheet | : | Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <a href="http://echa.europa.eu/">http://echa.europa.eu/</a> |
|---|---|---|

# SAFETY DATA SHEET



## Corrugator Krytox™ 226 FG

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue: 09.08.2022  |
| 1.8     | 23.03.2023     | 2306357-00009 | Date of first issue: 05.12.2017 |

---

### Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

ACGIH / TWA : 8-hour, time-weighted average

ACGIH / STEL : Short-term exposure limit

ACGIH / C : Ceiling limit

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

KW / EN