

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Vazo™ 88

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/14
10.6	2024/01/12	1326124-00046	Date of first issue: 2017/02/27

### 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Vazo™ 88

SDS-Identcode : 130000000407

#### Manufacturer or supplier's details

Company : Chemours Hong Kong Holding Limited

Address : Room 2713, 27/F, Tower 6, The Gateway, 9 Canton Road, 9 Canton Road, Tsimshatsui, Kowloon, Hong Kong

Telephone : (852)-3468-7848

Emergency telephone number : 800-969-793

Telefax : (852)-2110-1559

#### Recommended use of the chemical and restrictions on use

Recommended use : Intermediate

Restrictions on use : For industrial use only.

### 2. HAZARDS IDENTIFICATION

#### GHS Classification

Self-reactive substances and mixtures : Type D

Specific target organ toxicity - single exposure : Category 3

Short-term (acute) aquatic hazard : Category 2

Long-term (chronic) aquatic hazard : Category 2

#### GHS label elements

Hazard pictograms :   

Signal word : Danger

Hazard statements : H242 Heating may cause a fire.

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Vazo™ 88

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/14
10.6	2024/01/12	1326124-00046	Date of first issue: 2017/02/27

H335 May cause respiratory irritation.  
H411 Toxic to aquatic life with long lasting effects.

Precautionary statements

: **Prevention:**

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P234 Keep only in original packaging.  
P235 Keep cool.  
P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.  
P271 Use only outdoors or in a well-ventilated area.  
P273 Avoid release to the environment.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

**Response:**

P304 + P340 + P319 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Get medical help if you feel unwell.  
P391 Collect spillage.

**Storage:**

P403 Store in a well-ventilated place.  
P405 Store locked up.  
P420 Store separately.

**Disposal:**

P501 Dispose of contents/ container to an approved waste disposal plant.

### Other hazards which do not result in classification

Risk of explosion if heated under confinement.  
Dust contact with the eyes can lead to mechanical irritation.  
Contact with dust can cause mechanical irritation or drying of the skin.  
May form explosive dust-air mixture.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Substance  
Substance name : 1,1'-Azodicyclohexanecarbonitrile  
CAS-No. : 2094-98-6

### Components

Chemical name	CAS-No.	Concentration (% w/w)
1,1'-Azodicyclohexanecarbonitrile	2094-98-6	>= 90 - <= 100

## 4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Vazo™ 88

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/14
10.6	2024/01/12	1326124-00046	Date of first issue: 2017/02/27

	advice.
If inhaled	: If inhaled, remove to fresh air. Get medical attention if symptoms occur.
In case of skin contact	: Wash with water and soap. Get medical attention if symptoms occur.
In case of eye contact	: If in eyes, rinse well with water. Get medical attention if irritation develops and persists.
If swallowed	: If swallowed, DO NOT induce vomiting. Get medical attention if symptoms occur. Rinse mouth thoroughly with water.
Most important symptoms and effects, both acute and delayed	: Eye contact may provoke the following symptoms Irritation Redness Discomfort Lachrymation Ingestion may provoke the following symptoms: Lethargy Diarrhoea May cause respiratory irritation. Contact with dust can cause mechanical irritation or drying of the skin. Dust contact with the eyes can lead to mechanical irritation.
Protection of first-aiders	: First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
Notes to physician	: Treat symptomatically and supportively.

## 5. FIREFIGHTING MEASURES

Suitable extinguishing media	: Water spray Alcohol-resistant foam
Unsuitable extinguishing media	: High volume water jet
Specific hazards during fire-fighting	: Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Do not use a solid water stream as it may scatter and spread fire. The product burns violently. Exposure to combustion products may be a hazard to health.
Hazardous combustion products	: Nitrogen oxides (NOx) Carbon oxides
Specific extinguishing method	: Use extinguishing measures that are appropriate to local cir-

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Vazo™ 88

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/14
10.6	2024/01/12	1326124-00046	Date of first issue: 2017/02/27

ods

cumstances and the surrounding environment.  
Use water spray to cool unopened containers.  
Remove undamaged containers from fire area if it is safe to do so.  
Evacuate area.

Special protective equipment : In the event of fire, wear self-contained breathing apparatus.  
for firefighters Use personal protective equipment.

### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Remove all sources of ignition.  
Use personal protective equipment.  
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.  
Prevent further leakage or spillage if safe to do so.  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Clear spills immediately.  
Take any precaution to avoid mixing with combustibles.  
Soak up with inert absorbent material.  
Remove mechanically and with care (e.g. with clean polyethylene plastic shovel).  
Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air).  
Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration.  
Isolate waste and do not reuse.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.  
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

### 7. HANDLING AND STORAGE

#### Handling

Technical measures : Static electricity may accumulate and ignite suspended dust causing an explosion.  
Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.  
If advised by assessment of the local exposure potential, use only in an area equipped with explosion-proof exhaust ventila-

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Vazo™ 88

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/14
10.6	2024/01/12	1326124-00046	Date of first issue: 2017/02/27

---

tion.

- Advice on safe handling :
- Avoid breathing dust, fume, gas, mist, vapours or spray.
  - Do not swallow.
  - Avoid contact with eyes.
  - Avoid prolonged or repeated contact with skin.
  - Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
  - Non-sparking tools should be used.
  - Prevent pressure build-up
  - Keep container tightly closed.
  - Protect from contamination.
  - Keep cool.
  - Already sensitised individuals, and those susceptible to asthma, allergies, chronic or recurrent respiratory disease, should consult their physician regarding working with respiratory irritants or sensitisers.
  - Minimize dust generation and accumulation.
  - Keep container closed when not in use.
  - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
  - Keep away from clothing and other combustible materials.
  - Take precautionary measures against static discharges.
  - Keep only in original packaging.
  - Take care to prevent spills, waste and minimize release to the environment.
- Do not breathe decomposition products.

### Storage

- Conditions for safe storage :
- Keep in properly labelled containers.
  - Store locked up.
  - Keep tightly closed.
  - Keep in a dry, cool and well-ventilated place.
  - Protect from sunlight.
  - Adhere to recommended storage temperature.
  - Store in accordance with the particular national regulations.
  - Keep away from heat and sources of ignition.
- Store in original container.

- Materials to avoid :
- Do not store with the following product types:
  - Oxidizing agents
  - Flammable gases
  - Flammable liquids
  - Flammable solids
  - Pyrophoric liquids
  - Pyrophoric solids
  - Self-heating substances and mixtures
  - Substances and mixtures, which in contact with water, emit flammable gases
  - Poisonous gases
  - Explosives

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Vazo™ 88

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/14
10.6	2024/01/12	1326124-00046	Date of first issue: 2017/02/27

### Corrosive Substances

Recommended storage temperature : < 50 °C

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Components with workplace control parameters

Contains no substances with occupational exposure limit values.

### Occupational exposure limits of decomposition products

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Hydrogen cyanide	74-90-8	OEL-C	4.7 ppm 5 mg/m <sup>3</sup> (Cyanide)	HK OEL
		C	4.7 ppm (Cyanide)	ACGIH
Carbon monoxide	630-08-0	OEL-TWA	25 ppm 29 mg/m <sup>3</sup>	HK OEL
		TWA	25 ppm	ACGIH
Carbon dioxide	124-38-9	OEL-TWA	5,000 ppm 9,000 mg/m <sup>3</sup>	HK OEL
		OEL-STEL	30,000 ppm 54,000 mg/m <sup>3</sup>	HK OEL
		TWA	5,000 ppm	ACGIH
		STEL	30,000 ppm	ACGIH

**Engineering measures** : Processing may form hazardous compounds (see section 10).  
Minimize workplace exposure concentrations.  
Apply measures to prevent dust explosions.  
Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is no leakage from the equipment).  
If sufficient ventilation is unavailable, use with local exhaust ventilation.  
If advised by assessment of the local exposure potential, use only in an area equipped with explosion-proof exhaust ventilation.

### Personal protective equipment

**Respiratory protection** : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

**Filter type** : Self-contained breathing apparatus

**Hand protection**

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Vazo™ 88

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/14
10.6	2024/01/12	1326124-00046	Date of first issue: 2017/02/27

Material	: Chemical-resistant gloves
Remarks	: Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work. Breakthrough time is not determined for the product. Change gloves often! For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday.
Eye protection	: Wear the following personal protective equipment: Safety goggles
Skin and body protection	: Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure potential. Wear the following personal protective equipment: If assessment demonstrates that there is a risk of explosive atmospheres or flash fires, use flame retardant antistatic protective clothing. Skin contact must be avoided by using impervious protective clothing (gloves, aprons, boots, etc).
Hygiene measures	: If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: solid
Colour	: white
Odour	: odourless
Odour Threshold	: No data available
pH	: 7
Melting point/freezing point	: 113.05 °C Do not attempt to verify melting point; decomposition can be violent.
Initial boiling point and boiling range	: No data available
Flash point	: Not applicable

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Vazo™ 88

Version 10.6	Revision Date: 2024/01/12	SDS Number: 1326124-00046	Date of last issue: 2023/04/14 Date of first issue: 2017/02/27
-----------------	------------------------------	------------------------------	---

Evaporation rate	: Not applicable
Flammability (solid, gas)	: May form explosive dust-air mixture.
Upper explosion limit / Upper flammability limit	: No data available
Lower explosion limit / Lower flammability limit	: 0.03 %(V)
Vapour pressure	: 3 hPa (82 °C)
Relative vapour density	: Not applicable
Relative density	: 1.1 (20 °C)
Solubility(ies) Water solubility	: 0.00336 g/l
Partition coefficient: n-octanol/water	: log Pow: 3.3
Auto-ignition temperature	: 320 °C
Decomposition temperature	: The product is a self-reactive substance or mixture classified as type D.
Self-Accelerating decomposition temperature (SADT)	: 80 °C
Viscosity Viscosity, kinematic	: Not applicable
Explosive properties	: Not explosive
Oxidizing properties	: The substance or mixture is not classified as oxidizing.
Particle size	: No data available

### 10. STABILITY AND REACTIVITY

Reactivity	: Heating may cause a fire.
Chemical stability	: Follow precautionary advice and avoid incompatible materials and conditions
Possibility of hazardous reactions	: May form explosive dust-air mixture. Oxidizing material can cause a reaction. Hazardous decomposition products will be formed at elevated temperatures. May explode under confinement.



# SAFETY DATA SHEET

according to the Globally Harmonized System



## Vazo™ 88

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/14
10.6	2024/01/12	1326124-00046	Date of first issue: 2017/02/27

Conditions to avoid : Heat, flames and sparks.  
Protect from contamination.  
Avoid dust formation.  
Temperatures greater than recommended storage temperature.  
Contact with incompatible substances can cause decomposition at or below SADT.

Incompatible materials : Oxidizing agents  
Avoid impurities (e.g. rust, dust, ash), risk of decomposition.  
Flammable materials

### Hazardous decomposition products

Thermal decomposition : Hydrogen cyanide  
Nitrogen  
Carbon monoxide  
Carbon dioxide

## 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Inhalation  
Skin contact  
Ingestion  
Eye contact

### Acute toxicity

Not classified based on available information.

### Components:

#### 1,1'-Azodicyclohexanecarbonitrile:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg  
Method: Expert judgement

Acute inhalation toxicity : Approximate Lethal Concentration (Rat): > 8 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403

### Skin corrosion/irritation

Not classified based on available information.

### Components:

#### 1,1'-Azodicyclohexanecarbonitrile:

Species : Tissue Culture  
Method : OECD Test Guideline 439  
Result : No skin irritation

### Serious eye damage/eye irritation

Not classified based on available information.

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Vazo™ 88

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/14
10.6	2024/01/12	1326124-00046	Date of first issue: 2017/02/27

---

### Components:

#### **1,1'-Azodicyclohexanecarbonitrile:**

Species	:	Not tested on animals
Method	:	OECD Test Guideline 492
Result	:	No eye irritation

### **Respiratory or skin sensitisation**

#### **Skin sensitisation**

Not classified based on available information.

#### **Respiratory sensitisation**

Not classified based on available information.

### Components:

#### **1,1'-Azodicyclohexanecarbonitrile:**

Test Type	:	Direct Peptide Reactivity Assay (DPRA)
Exposure routes	:	Skin contact
Species	:	Not tested on animals
Method	:	OECD Test Guideline 442C
Result	:	negative

Test Type	:	LuSens Assay
Exposure routes	:	Skin contact
Species	:	Not tested on animals
Method	:	OECD Test Guideline 442D
Result	:	negative

### **Germ cell mutagenicity**

Not classified based on available information.

### Components:

#### **1,1'-Azodicyclohexanecarbonitrile:**

Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES)
		Method: OECD Test Guideline 471
		Result: negative

### **Carcinogenicity**

Not classified based on available information.

### **Reproductive toxicity**

Not classified based on available information.

### **STOT - single exposure**

May cause respiratory irritation.

### Components:

#### **1,1'-Azodicyclohexanecarbonitrile:**

Assessment	:	May cause respiratory irritation.
------------	---	-----------------------------------

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Vazo™ 88

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/14
10.6	2024/01/12	1326124-00046	Date of first issue: 2017/02/27

### STOT - repeated exposure

Not classified based on available information.

### Aspiration toxicity

Not classified based on available information.

### Components:

#### 1,1'-Azodicyclohexanecarbonitrile:

No aspiration toxicity classification

## 12. ECOLOGICAL INFORMATION

### Ecotoxicity

#### Components:

#### 1,1'-Azodicyclohexanecarbonitrile:

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 2.54 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : ErC50 ( Desmodesmus subspicatus (green algae)): > 1.95 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

EC10 ( Desmodesmus subspicatus (green algae)): 0.95 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

### Persistence and degradability

#### Components:

#### 1,1'-Azodicyclohexanecarbonitrile:

Biodegradability : Result: Not readily biodegradable.  
Method: OECD Test Guideline 301B

### Bioaccumulative potential

#### Components:

#### 1,1'-Azodicyclohexanecarbonitrile:

Partition coefficient: n-octanol/water : log Pow: 3.36 (20 °C)

### Mobility in soil

No data available

### Other adverse effects

No data available

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Vazo™ 88

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/14
10.6	2024/01/12	1326124-00046	Date of first issue: 2017/02/27

### 13. DISPOSAL CONSIDERATIONS

#### Disposal methods

Waste from residues : Do not dispose of waste into sewer.  
Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
If not otherwise specified: Dispose of as unused product.

### 14. TRANSPORT INFORMATION

#### International Regulations

##### UNRTDG

UN number : UN 3226  
Proper shipping name : SELF-REACTIVE SOLID TYPE D (1,1-AZODI(HEXAHYDROBENZONITRILE))  
Class : 4.1  
Packing group : Not assigned by regulation  
Labels : 4.1  
Environmentally hazardous : no

##### IATA-DGR

UN/ID No. : UN 3226  
Proper shipping name : Self-reactive solid type D (1,1'-Azodi (Hexahydrobenzonitrile))  
Class : 4.1  
Packing group : Not assigned by regulation  
Labels : Flammable Solid, Keep Away From Heat  
Packing instruction (cargo aircraft) : 459  
Packing instruction (passenger aircraft) : 459

##### IMDG-Code

UN number : UN 3226  
Proper shipping name : SELF-REACTIVE SOLID TYPE D (1,1-AZODI(HEXAHYDROBENZONITRILE)) (1,1-Azodi(hexahydrobenzonitrile))  
Class : 4.1  
Packing group : Not assigned by regulation  
Labels : 4.1  
EmS Code : F-J, S-G  
Marine pollutant : yes

#### Transport in bulk according to IMO instruments

Not applicable for product as supplied.

#### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Vazo™ 88

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/14
10.6	2024/01/12	1326124-00046	Date of first issue: 2017/02/27

Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

### 15. REGULATORY INFORMATION

#### National regulatory information

Waste Disposal (Chemical Waste) (General) Regulation  
Dangerous Goods Ordinance  
Occupational Safety and Health Ordinance  
Factories and Industrial Undertakings (Dangerous Substances) Regulations

### 16. OTHER INFORMATION

Revision Date : 2024/01/12

Other information : Vazo™ and any associated logos are trademarks or copyrights of The Chemours Company FC, LLC.  
Chemours™ and the Chemours Logo are trademarks of The Chemours Company.  
Before use read Chemours safety information.  
For further information contact the local Chemours office or nominated distributors.

#### Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Date format : yyyy/mm/dd

#### Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)  
HK OEL : Code of Practice on Control of Air Impurities (Chemical Substances) in the Workplace

ACGIH / TWA : 8-hour, time-weighted average  
ACGIH / STEL : Short-term exposure limit  
ACGIH / C : Ceiling limit  
HK OEL / OEL-TWA : Time weighted Average  
HK OEL / OEL-STEEL : Short-Term Exposure Limit  
HK OEL / OEL-C : Ceiling

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Vazo™ 88

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/14
10.6	2024/01/12	1326124-00046	Date of first issue: 2017/02/27

- International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

HK / EN