

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Formacel™ B 50 Foam Expansion Agent

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2023
9.0	12/11/2023	1331518-00048	Date of first issue: 02/27/2017

### SECTION 1. IDENTIFICATION

Product name : Formacel™ B 50 Foam Expansion Agent

SDS-Identcode : 130000028307

Other means of identification : No data available

#### Manufacturer or supplier's details

Company name of supplier : The Chemours Canada Company

Address : 151 Bloor Street West - 12th Floor  
Toronto, ON M5S 1S4 Canada

Telephone : 1-844-773-CHEM (2436)

Emergency telephone : 1-866-595-1473 (24 hours)

#### Recommended use of the chemical and restrictions on use

Recommended use : Foam expansion agent

Restrictions on use : For professional users only.

### SECTION 2. HAZARDS IDENTIFICATION

#### GHS classification in accordance with the Hazardous Products Regulations

Flammable gases : Category 1A

Gases under pressure : Liquefied gas

Simple Asphyxiant : Category 1

#### GHS label elements

Hazard pictograms :



Signal Word : Danger

Hazard Statements : H220 Extremely flammable gas.  
H280 Contains gas under pressure; may explode if heated.  
May displace oxygen and cause rapid suffocation.

Precautionary Statements : **Prevention:**  
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Formacel™ B 50 Foam Expansion Agent

Version 9.0      Revision Date: 12/11/2023      SDS Number: 1331518-00048      Date of last issue: 04/14/2023  
Date of first issue: 02/27/2017

### Response:

P377 Leaking gas fire: Do not extinguish, unless leak can be stopped safely.

P381 In case of leakage, eliminate all ignition sources.

### Storage:

P410 + P403 Protect from sunlight. Store in a well-ventilated place.

### Other hazards

Vapors are heavier than air and can cause suffocation by reducing oxygen available for breathing. Misuse or intentional inhalation abuse may cause death without warning symptoms, due to cardiac effects.

Rapid evaporation of the product may cause frostbite.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

### Components

Chemical name	Common Name/Synonym	CAS-No.	Concentration (% w/w)
1,1-Difluoroethane	HFC-152a	75-37-6	>= 30 - < 60 *
1,1,1,2-Tetrafluoroethane#	HFC-134a	811-97-2	>= 30 - < 60
1,1,2,2-Tetrafluoroethane#	No data available	359-35-3	>= 10 - < 30

# Voluntarily-disclosed substance

\* Actual concentration or concentration range is withheld as a trade secret

## SECTION 4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.  
If not breathing, give artificial respiration.  
If breathing is difficult, give oxygen.  
Get medical attention immediately.

In case of skin contact : Thaw frosted parts with lukewarm water. Do not rub affected area.  
Get medical attention immediately.

In case of eye contact : Get medical attention immediately.

If swallowed : Ingestion is not considered a potential route of exposure.

|| Most important symptoms : May cause cardiac arrhythmia.

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Formacel™ B 50 Foam Expansion Agent

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2023
9.0	12/11/2023	1331518-00048	Date of first issue: 02/27/2017

and effects, both acute and delayed

Other symptoms potentially related to misuse or inhalation abuse are  
Cardiac sensitization  
Anaesthetic effects  
Light-headedness  
Dizziness  
confusion  
Lack of coordination  
Drowsiness  
Unconsciousness  
May displace oxygen and cause rapid suffocation.  
Gas reduces oxygen available for breathing.  
Contact with liquid or refrigerated gas can cause cold burns and frostbite.

Protection of first-aiders : No special precautions are necessary for first aid responders.

Notes to physician : Because of possible disturbances of cardiac rhythm, catecholamine drugs, such as epinephrine, that may be used in situations of emergency life support should be used with special caution.

### SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Water spray  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical

Unsuitable extinguishing media : None known.

Specific hazards during fire fighting : Vapors may form flammable mixture with air  
Exposure to combustion products may be a hazard to health.  
If the temperature rises there is danger of the vessels bursting due to the high vapor pressure.

Hazardous combustion products : Hydrogen fluoride  
carbonyl fluoride  
Carbon oxides

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Fight fire remotely due to the risk of explosion.  
Use water spray to cool unopened containers.  
Leaking gas fire: Do not extinguish, unless leak can be stopped safely.  
Remove undamaged containers from fire area if it is safe to do so.  
Evacuate area.

Special protective equipment for fire-fighters : Wear self-contained breathing apparatus for firefighting if necessary.  
Use personal protective equipment.

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Formacel™ B 50 Foam Expansion Agent

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2023
9.0	12/11/2023	1331518-00048	Date of first issue: 02/27/2017

### SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Evacuate personnel to safe areas.  
Only trained personnel should re-enter the area.  
Remove all sources of ignition.  
Avoid skin contact with leaking liquid (danger of frostbite).  
Ventilate the area.  
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
- Environmental precautions : Avoid release to the environment.  
Prevent further leakage or spillage if safe to do so.  
Retain and dispose of contaminated wash water.
- Methods and materials for containment and cleaning up : Ventilate the area.  
Non-sparking tools should be used.  
Suppress (knock down) gases/vapors/mists with a water spray jet.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.  
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

### SECTION 7. HANDLING AND STORAGE

- Technical measures : Use equipment rated for cylinder pressure. Use a backflow preventative device in piping. Close valve after each use and when empty.
- Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.  
If advised by assessment of the local exposure potential, use only in an area equipped with explosion-proof exhaust ventilation.
- Advice on safe handling : Avoid breathing gas.  
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
Keep container tightly closed.  
Wear cold insulating gloves/ face shield/ eye protection.  
Valve protection caps and valve outlet threaded plugs must remain in place unless container is secured with valve outlet piped to use point.  
Prevent backflow into the gas tank.  
Use a check valve or trap in the discharge line to prevent hazardous back flow into the cylinder.  
Use a pressure reducing regulator when connecting cylinder to lower pressure (<3000 psig) piping or systems.

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Formacel™ B 50 Foam Expansion Agent

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2023
9.0	12/11/2023	1331518-00048	Date of first issue: 02/27/2017

Close valve after each use and when empty. Do NOT change or force fit connections.  
Prevent the intrusion of water into the gas tank.  
Never attempt to lift cylinder by its cap.  
Do not drag, slide or roll cylinders.  
Use a suitable hand truck for cylinder movement.  
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
Take precautionary measures against static discharges.  
Take care to prevent spills, waste and minimize release to the environment.

Conditions for safe storage : Cylinders should be stored upright and firmly secured to prevent falling or being knocked over.  
Separate full containers from empty containers.  
Do not store near combustible materials.  
Avoid area where salt or other corrosive materials are present.  
Keep in properly labeled containers.  
Keep tightly closed.  
Keep in a cool, well-ventilated place.  
Keep away from direct sunlight.  
Store in accordance with the particular national regulations.  
Keep away from heat and sources of ignition.

Materials to avoid : Do not store with the following product types:  
Self-reactive substances and mixtures  
Organic peroxides  
Oxidizing agents  
Flammable liquids  
Flammable solids  
Pyrophoric liquids  
Pyrophoric solids  
Self-heating substances and mixtures  
Substances and mixtures which in contact with water emit flammable gases  
Explosives  
Very acutely toxic substances and mixtures  
Acutely toxic substances and mixtures  
Substances and mixtures with chronic toxicity

Recommended storage temperature : < 52 °C

Storage period : > 10 y

Further information on storage stability : The product has an indefinite shelf life when stored properly.

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Formacel™ B 50 Foam Expansion Agent

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2023
9.0	12/11/2023	1331518-00048	Date of first issue: 02/27/2017

**Engineering measures** : Minimize workplace exposure concentrations.  
If sufficient ventilation is unavailable, use with local exhaust ventilation.  
If advised by assessment of the local exposure potential, use only in an area equipped with explosion-proof exhaust ventilation.

### Personal protective equipment

**Respiratory protection** : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

**Filter type** : Organic gas and low boiling vapor type

**Hand protection**

**Remarks** : Choose gloves to protect hands against chemicals depending on the concentration specific to place of work. Take note that the product is flammable, which may impact the selection of hand protection. Take note that the product is extremely cold, which may impact the selection of hand protection. Wash hands before breaks and at the end of workday.

**Eye protection** : Wear the following personal protective equipment:  
Chemical resistant goggles must be worn.  
Face-shield

**Skin and body protection** : Wear the following personal protective equipment:  
If assessment demonstrates that there is a risk of explosive atmospheres or flash fires, use flame retardant antistatic protective clothing.

**Protective measures** : Wear cold insulating gloves/ face shield/ eye protection.

**Hygiene measures** : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.  
When using do not eat, drink or smoke.  
Wash contaminated clothing before re-use.

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

**Appearance** : Liquefied gas

**Color** : clear, colorless

**Odor** : slight, ether-like

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Formacel™ B 50 Foam Expansion Agent

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2023
9.0	12/11/2023	1331518-00048	Date of first issue: 02/27/2017

---

Odor Threshold	:	No data available
pH	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	-23.9 °C
Flash point	:	Not applicable
Evaporation rate	:	Not applicable
Flammability (solid, gas)	:	Flammable
Upper explosion limit / Upper flammability limit	:	Upper flammability limit 17.8 %(V) Method: ASTM E681
Lower explosion limit / Lower flammability limit	:	Lower flammability limit 5.8 %(V) Method: ASTM E681
Vapor pressure	:	6,085 hPa (25 °C)
Relative vapor density	:	No data available
Density	:	1.03 g/cm <sup>3</sup> (25 °C) (as liquid)
Solubility(ies) Water solubility	:	13.5 g/l (25 °C)
Partition coefficient: n-octanol/water	:	Not applicable
Autoignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity Viscosity, kinematic	:	Not applicable
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Particle size	:	Not applicable

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Formacel™ B 50 Foam Expansion Agent

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2023
9.0	12/11/2023	1331518-00048	Date of first issue: 02/27/2017

### SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Not classified as a reactivity hazard.
Chemical stability	: Stable if used as directed. Follow precautionary advice and avoid incompatible materials and conditions.
Possibility of hazardous reactions	: Vapors may form flammable mixture with air Can react with strong oxidizing agents. Extremely flammable gas.
Conditions to avoid	: Heat, flames and sparks.
Incompatible materials	: Oxidizing agents
Hazardous decomposition products	: No hazardous decomposition products are known.

### SECTION 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

Inhalation  
Skin contact  
Eye contact

#### Acute toxicity

|| Not classified based on available information.

#### Components:

##### **1,1-Difluoroethane:**

Acute oral toxicity	: Assessment: The substance or mixture has no acute oral toxicity
Acute inhalation toxicity	: LC50 (Rat): > 437500 ppm Exposure time: 4 h Test atmosphere: gas  No observed adverse effect concentration (Dog): 50000 ppm Test atmosphere: gas Method: Cardiac sensitization study  Lowest observed adverse effect concentration (Dog): 150000 ppm Test atmosphere: gas Method: Cardiac sensitization study  Cardiac sensitisation threshold limit (Dog): 405,000 mg/m <sup>3</sup> Test atmosphere: gas Method: Cardiac sensitization study
Acute dermal toxicity	: Assessment: The substance or mixture has no acute dermal toxicity



# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Formacel™ B 50 Foam Expansion Agent

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2023
9.0	12/11/2023	1331518-00048	Date of first issue: 02/27/2017

### 1,1,1,2-Tetrafluoroethane:

Acute oral toxicity : Assessment: The substance or mixture has no acute oral toxicity

Acute inhalation toxicity : LC50 (Rat): > 567000 ppm  
Exposure time: 4 h  
Test atmosphere: gas  
Method: OECD Test Guideline 403

No observed adverse effect concentration (Dog): 40000 ppm  
Test atmosphere: gas  
Remarks: Cardiac sensitization

Lowest observed adverse effect concentration (Dog): 80000 ppm  
Test atmosphere: gas  
Symptoms: May cause cardiac arrhythmia.

Cardiac sensitisation threshold limit (Dog): 334,000 mg/m<sup>3</sup>  
Test atmosphere: gas  
Symptoms: May cause cardiac arrhythmia.

Acute dermal toxicity : Assessment: The substance or mixture has no acute dermal toxicity

### 1,1,2,2-Tetrafluoroethane:

Acute inhalation toxicity : LC50 (Rat): > 244000 ppm  
Exposure time: 4 h  
Test atmosphere: gas

Lowest observed adverse effect concentration (Dog): 100000 ppm  
Test atmosphere: gas  
Symptoms: Cardiac sensitization

No observed adverse effect concentration (Dog): 75000 ppm  
Test atmosphere: gas  
Symptoms: Cardiac sensitization

Cardiac sensitisation threshold limit (Dog): 420,000 mg/m<sup>3</sup>  
Test atmosphere: gas  
Symptoms: Cardiac sensitization

### Skin corrosion/irritation

Not classified based on available information.

### Components:

#### 1,1-Difluoroethane:

Result : No skin irritation

#### 1,1,1,2-Tetrafluoroethane:

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Formacel™ B 50 Foam Expansion Agent

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2023
9.0	12/11/2023	1331518-00048	Date of first issue: 02/27/2017

---

|| Result : No skin irritation

### Serious eye damage/eye irritation

|| Not classified based on available information.

### Components:

#### 1,1-Difluoroethane:

|| Result : No eye irritation

#### 1,1,1,2-Tetrafluoroethane:

|| Result : No eye irritation

### Respiratory or skin sensitization

#### Skin sensitization

|| Not classified based on available information.

#### Respiratory sensitization

|| Not classified based on available information.

### Components:

#### 1,1-Difluoroethane:

|| Routes of exposure : Skin contact  
|| Result : negative

|| Routes of exposure : Inhalation  
|| Species : Rat  
|| Result : negative

#### 1,1,1,2-Tetrafluoroethane:

|| Routes of exposure : Skin contact  
|| Result : negative

|| Routes of exposure : Inhalation  
|| Species : Rat  
|| Result : negative

|| Routes of exposure : Inhalation  
|| Species : Humans  
|| Result : negative

#### 1,1,2,2-Tetrafluoroethane:

|| Routes of exposure : Skin contact  
|| Species : Not tested on animals  
|| Result : negative

### Germ cell mutagenicity

|| Not classified based on available information.

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Formacel™ B 50 Foam Expansion Agent

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2023
9.0	12/11/2023	1331518-00048	Date of first issue: 02/27/2017

### Components:

#### **1,1-Difluoroethane:**

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Method: OECD Test Guideline 471 Result: negative  Test Type: Chromosome aberration test in vitro Method: OECD Test Guideline 473 Result: positive
Genotoxicity in vivo	: Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Rat Application Route: inhalation (gas) Method: OECD Test Guideline 474 Result: negative
Germ cell mutagenicity - Assessment	: Weight of evidence does not support classification as a germ cell mutagen.

#### **1,1,1,2-Tetrafluoroethane:**

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Method: OECD Test Guideline 471 Result: negative  Test Type: Chromosome aberration test in vitro Method: OECD Test Guideline 473 Result: negative
Genotoxicity in vivo	: Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Mouse Application Route: inhalation (gas) Method: OECD Test Guideline 474 Result: negative  Test Type: Unscheduled DNA synthesis (UDS) test with mammalian liver cells in vivo Species: Rat Application Route: inhalation (gas) Method: OECD Test Guideline 486 Result: negative
Germ cell mutagenicity - Assessment	: Weight of evidence does not support classification as a germ cell mutagen.

#### **1,1,2,2-Tetrafluoroethane:**

Germ cell mutagenicity - Assessment	: Weight of evidence does not support classification as a germ cell mutagen.
-------------------------------------	--

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Formacel™ B 50 Foam Expansion Agent

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2023
9.0	12/11/2023	1331518-00048	Date of first issue: 02/27/2017

### Carcinogenicity

|| Not classified based on available information.

#### Components:

##### 1,1-Difluoroethane:

Species	: Rat
Application Route	: inhalation (gas)
Exposure time	: 104 weeks
Method	: OECD Test Guideline 453
Result	: negative

Carcinogenicity - Assessment	: Weight of evidence does not support classification as a carcinogen
------------------------------	--

##### 1,1,1,2-Tetrafluoroethane:

Species	: Rat
Application Route	: inhalation (gas)
Exposure time	: 2 Years
Method	: OECD Test Guideline 453
Result	: negative

Carcinogenicity - Assessment	: Weight of evidence does not support classification as a carcinogen
------------------------------	--

### Reproductive toxicity

|| Not classified based on available information.

#### Components:

##### 1,1-Difluoroethane:

Effects on fertility	: Test Type: Rodent dominant lethal test (germ cell) (in vivo) Species: Mouse Application Route: inhalation (gas) Method: OECD Test Guideline 478 Result: negative Remarks: Based on data from similar materials
----------------------	---

Test Type: Combined Chronic Toxicity/Carcinogenicity Studies Species: Rat Application Route: inhalation (gas) Method: OECD Test Guideline 453 Result: negative
--

Effects on fetal development	: Test Type: Prenatal development toxicity study (teratogenicity) Species: Rat Application Route: inhalation (vapor) Method: OECD Test Guideline 414 Result: negative
------------------------------	---

Test Type: Prenatal development toxicity study (teratogenicity) Species: Rabbit
--

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Formacel™ B 50 Foam Expansion Agent

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2023
9.0	12/11/2023	1331518-00048	Date of first issue: 02/27/2017

Application Route: inhalation (gas)  
Method: OECD Test Guideline 414  
Result: negative  
Remarks: Based on data from similar materials

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

### 1,1,1,2-Tetrafluoroethane:

Effects on fertility : Species: Mouse  
Application Route: Inhalation  
Result: negative

Effects on fetal development : Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test  
Species: Rabbit  
Application Route: inhalation (gas)  
Method: OECD Test Guideline 414  
Result: negative

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

### STOT-single exposure

May displace oxygen and cause rapid suffocation.

#### Components:

### 1,1-Difluoroethane:

Routes of exposure : inhalation (gas)  
Assessment : No significant health effects observed in animals at concentrations of 20000 ppmV/4h or less

Routes of exposure : Skin contact  
Assessment : No significant health effects observed in animals at concentrations of 2000 mg/kg bw or less

Routes of exposure : Ingestion  
Assessment : No significant health effects observed in animals at concentrations of 2000 mg/kg bw or less

### 1,1,1,2-Tetrafluoroethane:

Routes of exposure : inhalation (gas)  
Assessment : No significant health effects observed in animals at concentrations of 20000 ppmV/4h or less

### STOT-repeated exposure

Not classified based on available information.

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Formacel™ B 50 Foam Expansion Agent

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2023
9.0	12/11/2023	1331518-00048	Date of first issue: 02/27/2017

### Components:

#### **1,1-Difluoroethane:**

Routes of exposure	: inhalation (gas)
Assessment	: No significant health effects observed in animals at concentrations of 250 ppmV/6h/d or less.

Routes of exposure	: Skin contact
Assessment	: No significant health effects observed in animals at concentrations of 200 mg/kg bw or less.

Routes of exposure	: Ingestion
Assessment	: No significant health effects observed in animals at concentrations of 100 mg/kg bw or less.

#### **1,1,1,2-Tetrafluoroethane:**

Routes of exposure	: inhalation (gas)
Assessment	: No significant health effects observed in animals at concentrations of 250 ppmV/6h/d or less.

#### **1,1,2,2-Tetrafluoroethane:**

Assessment	: No significant health effects observed in animals at concentrations of 250 ppmV/6h/d or less.
------------	---

### **Repeated dose toxicity**

### Components:

#### **1,1-Difluoroethane:**

Species	: Rat, male and female
NOAEL	: 25000 ppm
LOAEL	: >25000 ppm
Application Route	: inhalation (gas)
Exposure time	: 104 Weeks
Method	: OECD Test Guideline 453

#### **1,1,1,2-Tetrafluoroethane:**

Species	: Rat, male and female
NOAEL	: 50000 ppm
LOAEL	: >50000 ppm
Application Route	: inhalation (gas)
Exposure time	: 2 y
Method	: OECD Test Guideline 453

#### **1,1,2,2-Tetrafluoroethane:**

Species	: Rat
NOAEL	: 50000 ppm
Application Route	: inhalation (gas)
Exposure time	: 28 d
Method	: OECD Test Guideline 412

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Formacel™ B 50 Foam Expansion Agent

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2023
9.0	12/11/2023	1331518-00048	Date of first issue: 02/27/2017

||Remarks : No significant adverse effects were reported

### Aspiration toxicity

|| Not classified based on available information.

### Components:

#### 1,1-Difluoroethane:

|| No aspiration toxicity classification

#### 1,1,1,2-Tetrafluoroethane:

|| No aspiration toxicity classification

## SECTION 12. ECOLOGICAL INFORMATION

### Ecotoxicity

### Components:

#### 1,1-Difluoroethane:

Toxicity to fish	: LC50 (Fish): 295.783 mg/l Exposure time: 96 h Method: ECOSAR (Ecological Structure Activity Relationships)
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia): 146.695 mg/l Exposure time: 48 h Method: ECOSAR (Ecological Structure Activity Relationships)
Toxicity to algae/aquatic plants	: EC50 (algae): 47.755 mg/l Method: ECOSAR (Ecological Structure Activity Relationships)

### Ecotoxicology Assessment

Acute aquatic toxicity	: This product has no known ecotoxicological effects.
Chronic aquatic toxicity	: This product has no known ecotoxicological effects.

#### 1,1,1,2-Tetrafluoroethane:

Toxicity to fish	: LC50 (Oncorhynchus mykiss (rainbow trout)): 450 mg/l Exposure time: 96 h Method: Regulation (EC) No. 440/2008, Annex, C.1
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 980 mg/l Exposure time: 48 h Method: Regulation (EC) No. 440/2008, Annex, C.2
Toxicity to algae/aquatic plants	: ErC50 (green algae): > 100 mg/l Exposure time: 96 h

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Formacel™ B 50 Foam Expansion Agent

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2023
9.0	12/11/2023	1331518-00048	Date of first issue: 02/27/2017

Remarks: Based on data from similar materials

### 1,1,2,2-Tetrafluoroethane:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 450 mg/l  
Exposure time: 96 h  
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 980 mg/l  
Exposure time: 48 h  
Remarks: Based on data from similar materials

Toxicity to algae/aquatic plants : ErC50 (algae): 142 mg/l  
Exposure time: 96 h  
Remarks: Based on data from similar materials

NOEC (Pseudokirchneriella subcapitata (green algae)): 13.2 mg/l  
Exposure time: 72 h  
Remarks: Based on data from similar materials

### Persistence and degradability

#### Components:

##### 1,1-Difluoroethane:

Biodegradability : Result: Not readily biodegradable.

##### 1,1,1,2-Tetrafluoroethane:

Biodegradability : Result: Not readily biodegradable.  
Method: OECD Test Guideline 301D

### Bioaccumulative potential

#### Components:

##### 1,1-Difluoroethane:

Bioaccumulation : Remarks: Bioaccumulation is unlikely.

Partition coefficient: n-octanol/water : log Pow: 1.13 (25 °C)

##### 1,1,1,2-Tetrafluoroethane:

Bioaccumulation : Remarks: Bioaccumulation is unlikely.

Partition coefficient: n-octanol/water : log Pow: 1.06

### Mobility in soil

No data available



# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Formacel™ B 50 Foam Expansion Agent

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2023
9.0	12/11/2023	1331518-00048	Date of first issue: 02/27/2017

### Other adverse effects

No data available

## SECTION 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues : Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
Empty pressure vessels should be returned to the supplier.  
If not otherwise specified: Dispose of as unused product.

## SECTION 14. TRANSPORT INFORMATION

### International Regulations

#### UNRTDG

UN number : UN 3161

Proper shipping name : LIQUEFIED GAS, FLAMMABLE, N.O.S.  
(1,1-Difluoroethane, 1,1,1,2-Tetrafluoroethane)

Class : 2.1

Packing group : Not assigned by regulation

Labels : 2.1

Environmentally hazardous : no

#### IATA-DGR

UN/ID No. : UN 3161

Proper shipping name : Liquefied gas, flammable, n.o.s.  
(1,1-Difluoroethane, 1,1,1,2-Tetrafluoroethane)

Class : 2.1

Packing group : Not assigned by regulation

Labels : Flammable Gas

Packing instruction (cargo aircraft) : 200

Packing instruction (passenger aircraft) : Not permitted for transport

#### IMDG-Code

UN number : UN 3161

Proper shipping name : LIQUEFIED GAS, FLAMMABLE, N.O.S.  
(1,1-Difluoroethane, 1,1,1,2-Tetrafluoroethane)

Class : 2.1

Packing group : Not assigned by regulation

Labels : 2.1

EmS Code : F-D, S-U

Marine pollutant : no

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### Domestic regulation

#### TDG

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Formacel™ B 50 Foam Expansion Agent

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2023
9.0	12/11/2023	1331518-00048	Date of first issue: 02/27/2017

UN number	:	UN 3161
Proper shipping name	:	LIQUEFIED GAS, FLAMMABLE, N.O.S. (1,1-Difluoroethane, 1,1,1,2-Tetrafluoroethane)
Class	:	2.1
Packing group	:	Not assigned by regulation
Labels	:	2.1
ERG Code	:	115
Marine pollutant	:	no

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

## SECTION 15. REGULATORY INFORMATION

### International Regulations

Montreal Protocol	:	1,1-Difluoroethane 1,1,1,2-Tetrafluoroethane 1,1,2,2-Tetrafluoroethane
-------------------	---	--

## SECTION 16. OTHER INFORMATION

Formacel™ and any associated logos are trademarks or copyrights of The Chemours Company FC, LLC.

Chemours™ and the Chemours Logo are trademarks of The Chemours Company.

Before use read Chemours safety information.

For further information contact the local Chemours office or nominated distributors.

### Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Formacel™ B 50 Foam Expansion Agent

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2023
9.0	12/11/2023	1331518-00048	Date of first issue: 02/27/2017

---

Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Revision Date : 12/11/2023  
Date format : mm/dd/yyyy

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

CA / Z8