

# SAFETY DATA SHEET



## Biasill™ XL Staurolite Sand

Version 10.3      Revision Date: 09/16/2022      SDS Number: 1331983-00046      Date of last issue: 03/29/2022  
Date of first issue: 02/27/2017

### SECTION 1. IDENTIFICATION

Product name : Biasill™ XL Staurolite Sand

SDS-Identcode : 130000030936

#### Manufacturer or supplier's details

Company name of supplier : The Chemours Company FC, LLC

Address : 1007 Market Street  
Wilmington, DE 19801 United States of America (USA)

Telephone : 1-844-773-CHEM (outside the U.S. 1-302-773-1000)

Emergency telephone : Medical emergency: 1-866-595-1473 (outside the U.S. 1-302-773-2000) ; Transport emergency: +1-800-424-9300 (outside the U.S. +1-703-527-3887)

#### Recommended use of the chemical and restrictions on use

Recommended use : Abrasive blasting  
Sand blasting  
Foundry mould

Restrictions on use : For industrial use only.

### SECTION 2. HAZARDS IDENTIFICATION

#### GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Not a hazardous substance or mixture.

#### GHS label elements

Not a hazardous substance or mixture.

#### Other hazards

None known.

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

#### Components

| Chemical name              | CAS-No.    | Concentration (% w/w) |
|----------------------------|------------|-----------------------|
| Staurolite#                | 12182-56-8 | >= 70 - < 90          |
| Leucoxene                  | 12173-81-8 | >= 1 - < 5            |
| Quartz                     | 14808-60-7 | >= 0.1 - < 1          |
| Rutile (TiO <sub>2</sub> ) | 1317-80-2  | >= 0.1 - < 1          |

# Voluntarily-disclosed substance

Actual concentration is withheld as a trade secret

# SAFETY DATA SHEET



## Biasill™ XL Staurolite Sand

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue: 03/29/2022  |
| 10.3    | 09/16/2022     | 1331983-00046 | Date of first issue: 02/27/2017 |

### SECTION 4. FIRST AID MEASURES

- |                                                             |   |                                                                                                                         |
|-------------------------------------------------------------|---|-------------------------------------------------------------------------------------------------------------------------|
| If inhaled                                                  | : | If inhaled, remove to fresh air.<br>Get medical attention if symptoms occur.                                            |
| In case of skin contact                                     | : | Wash with water and soap as a precaution.<br>Get medical attention if symptoms occur.                                   |
| In case of eye contact                                      | : | Flush eyes with water as a precaution.<br>Get medical attention if irritation develops and persists.                    |
| If swallowed                                                | : | If swallowed, DO NOT induce vomiting.<br>Get medical attention if symptoms occur.<br>Rinse mouth thoroughly with water. |
| Most important symptoms and effects, both acute and delayed | : | irritant effects                                                                                                        |
| Protection of first-aiders                                  | : | No special precautions are necessary for first aid responders.                                                          |
| Notes to physician                                          | : | Treat symptomatically and supportively.                                                                                 |

### SECTION 5. FIRE-FIGHTING MEASURES

- |                                                |   |                                                                                                                                                                                                                                                 |
|------------------------------------------------|---|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Suitable extinguishing media                   | : | Not applicable<br>Will not burn                                                                                                                                                                                                                 |
| Unsuitable extinguishing media                 | : | Not applicable<br>Will not burn                                                                                                                                                                                                                 |
| Specific hazards during fire fighting          | : | Exposure to combustion products may be a hazard to health.                                                                                                                                                                                      |
| Hazardous combustion products                  | : | No hazardous combustion products are known                                                                                                                                                                                                      |
| Specific extinguishing methods                 | : | Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.<br>Use water spray to cool unopened containers.<br>Remove undamaged containers from fire area if it is safe to do so.<br>Evacuate area. |
| Special protective equipment for fire-fighters | : | Wear self-contained breathing apparatus for firefighting if necessary.<br>Use personal protective equipment.                                                                                                                                    |

### SECTION 6. ACCIDENTAL RELEASE MEASURES

- |                                                                     |   |                                                                                                                |
|---------------------------------------------------------------------|---|----------------------------------------------------------------------------------------------------------------|
| Personal precautions, protective equipment and emergency procedures | : | Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8). |
|---------------------------------------------------------------------|---|----------------------------------------------------------------------------------------------------------------|

# SAFETY DATA SHEET



## Biasill™ XL Staurolite Sand

Version 10.3      Revision Date: 09/16/2022      SDS Number: 1331983-00046      Date of last issue: 03/29/2022  
Date of first issue: 02/27/2017

- Environmental precautions : Avoid release to the environment.  
Prevent further leakage or spillage if safe to do so.  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.
- Methods and materials for containment and cleaning up : Sweep up or vacuum up spillage and collect in suitable container for disposal.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.  
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

### SECTION 7. HANDLING AND STORAGE

- Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
- Local/Total ventilation : Use only with adequate ventilation.
- Advice on safe handling : Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
Take care to prevent spills, waste and minimize release to the environment.
- Conditions for safe storage : Keep in properly labeled containers.  
Store in accordance with the particular national regulations.
- Materials to avoid : No special restrictions on storage with other products.

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Ingredients with workplace control parameters

| Components | CAS-No.    | Value type<br>(Form of exposure)    | Control parameters / Permissible concentration | Basis    |
|------------|------------|-------------------------------------|------------------------------------------------|----------|
| Leucoxene  | 12173-81-8 | TWA                                 | 10 mg/m <sup>3</sup><br>(Titanium dioxide)     | ACGIH    |
| Quartz     | 14808-60-7 | TWA (Respirable dust)               | 0.05 mg/m <sup>3</sup>                         | OSHA Z-1 |
|            |            | TWA (respirable)                    | 10 mg/m <sup>3</sup><br>/ %SiO <sub>2</sub> +2 | OSHA Z-3 |
|            |            | TWA (respirable)                    | 250 mppcf<br>/ %SiO <sub>2</sub> +5            | OSHA Z-3 |
|            |            | TWA (Respirable particulate matter) | 0.025 mg/m <sup>3</sup><br>(Silica)            | ACGIH    |

# SAFETY DATA SHEET



## Biasill™ XL Staurolite Sand

Version 10.3      Revision Date: 09/16/2022      SDS Number: 1331983-00046      Date of last issue: 03/29/2022  
Date of first issue: 02/27/2017

|                            |           |                                     |                                          |           |
|----------------------------|-----------|-------------------------------------|------------------------------------------|-----------|
|                            |           | TWA (Respirable dust)               | 0.05 mg/m <sup>3</sup> (Silica)          | NIOSH REL |
|                            |           | PEL (respirable)                    | 0.05 mg/m <sup>3</sup>                   | OSHA CARC |
| Rutile (TiO <sub>2</sub> ) | 1317-80-2 | TWA (Respirable particulate matter) | 2.5 mg/m <sup>3</sup> (Titanium dioxide) | ACGIH     |
|                            |           | TWA (Respirable particulate matter) | 0.2 mg/m <sup>3</sup> (Titanium dioxide) | ACGIH     |

**This substance(s) is not bioavailable and therefore does not contribute to a dust inhalation hazard.**

Quartz

**Engineering measures** : If using this product as an abrasive blast agent in confined areas, airborne dust levels should be controlled by physical enclosure of the abrasive blasting operation. The enclosure should be exhaust ventilated.

Dust formation may be relevant in the processing of this product. In addition to substance-specific OELs, general limitations of concentrations of particulates in the air at workplaces have to be considered in workplace risk assessment. Relevant limits include: OSHA PEL for Particulates Not Otherwise Regulated of 15 mg/m<sup>3</sup> - total dust, 5 mg/m<sup>3</sup> - respirable fraction; and ACGIH TWA for Particles (insoluble or poorly soluble) Not Otherwise Specified of 3 mg/m<sup>3</sup> - respirable particles, 10 mg/m<sup>3</sup> - inhalable particles.

### Personal protective equipment

**Respiratory protection** : General and local exhaust ventilation is recommended to maintain vapor exposures below recommended limits. Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstance where air purifying respirators may not provide adequate protection.

**Hand protection**  
**Material** : Protective gloves

**Remarks** : Choose gloves to protect hands against chemicals depending on the concentration specific to place of work. For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of

# SAFETY DATA SHEET



## Biasill™ XL Staurolite Sand

|                 |                              |                              |                                                                   |
|-----------------|------------------------------|------------------------------|-------------------------------------------------------------------|
| Version<br>10.3 | Revision Date:<br>09/16/2022 | SDS Number:<br>1331983-00046 | Date of last issue: 03/29/2022<br>Date of first issue: 02/27/2017 |
|-----------------|------------------------------|------------------------------|-------------------------------------------------------------------|

workday. Breakthrough time is not determined for the product. Change gloves often!

|                          |   |                                                                                                                                                                                                                          |
|--------------------------|---|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Eye protection           | : | Wear the following personal protective equipment:<br>Safety glasses                                                                                                                                                      |
| Skin and body protection | : | Skin should be washed after contact.                                                                                                                                                                                     |
| Hygiene measures         | : | If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.<br>When using do not eat, drink or smoke.<br>Wash contaminated clothing before re-use. |

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

|                                                  |   |                     |
|--------------------------------------------------|---|---------------------|
| Appearance                                       | : | solid, crystalline  |
| Color                                            | : | red brown           |
| Odor                                             | : | odorless            |
| Odor Threshold                                   | : | No data available   |
| pH                                               | : | No data available   |
| Melting point/freezing point                     | : | 2,498 °F / 1,370 °C |
| Initial boiling point and boiling range          | : | No data available   |
| Flash point                                      | : | Not applicable      |
| Evaporation rate                                 | : | Not applicable      |
| Flammability (solid, gas)                        | : | Will not burn       |
| Upper explosion limit / Upper flammability limit | : | No data available   |
| Lower explosion limit / Lower flammability limit | : | No data available   |
| Vapor pressure                                   | : | Not applicable      |
| Relative vapor density                           | : | Not applicable      |
| Relative density                                 | : | 3.7                 |
| Solubility(ies)                                  | : |                     |

# SAFETY DATA SHEET



## Biasill™ XL Staurolite Sand

|                 |                              |                              |                                                                   |
|-----------------|------------------------------|------------------------------|-------------------------------------------------------------------|
| Version<br>10.3 | Revision Date:<br>09/16/2022 | SDS Number:<br>1331983-00046 | Date of last issue: 03/29/2022<br>Date of first issue: 02/27/2017 |
|-----------------|------------------------------|------------------------------|-------------------------------------------------------------------|

|                                        |   |                                                           |
|----------------------------------------|---|-----------------------------------------------------------|
| Water solubility                       | : | insoluble                                                 |
| Partition coefficient: n-octanol/water | : | Not applicable                                            |
| Autoignition temperature               | : | No data available                                         |
| Decomposition temperature              | : | The substance or mixture is not classified self-reactive. |
| Viscosity                              | : |                                                           |
| Viscosity, kinematic                   | : | Not applicable                                            |
| Explosive properties                   | : | Not explosive                                             |
| Oxidizing properties                   | : | The substance or mixture is not classified as oxidizing.  |
| Particle size                          | : | No data available                                         |

### SECTION 10. STABILITY AND REACTIVITY

|                                    |   |                                                |
|------------------------------------|---|------------------------------------------------|
| Reactivity                         | : | Not classified as a reactivity hazard.         |
| Chemical stability                 | : | Stable under normal conditions.                |
| Possibility of hazardous reactions | : | None known.                                    |
| Conditions to avoid                | : | None known.                                    |
| Incompatible materials             | : | None.                                          |
| Hazardous decomposition products   | : | No hazardous decomposition products are known. |

### SECTION 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

Skin contact  
Ingestion  
Eye contact

#### Acute toxicity

Not classified based on available information.

#### Components:

##### **Staurolite:**

|                           |   |                                                                          |
|---------------------------|---|--------------------------------------------------------------------------|
| Acute oral toxicity       | : | LD50 (Rat): > 5,000 mg/kg                                                |
| Acute inhalation toxicity | : | LC50 (Rat): > 5 mg/l<br>Exposure time: 4 h<br>Test atmosphere: dust/mist |

# SAFETY DATA SHEET



## Biasill™ XL Staurolite Sand

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue: 03/29/2022  |
| 10.3    | 09/16/2022     | 1331983-00046 | Date of first issue: 02/27/2017 |

---

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

### Leucoxene:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg  
Method: OECD Test Guideline 401  
Remarks: Based on data from similar materials

### Quartz:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

### Rutile (TiO<sub>2</sub>):

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg  
Method: OECD Test Guideline 425  
Remarks: Based on data from similar materials

### Skin corrosion/irritation

Not classified based on available information.

### Components:

#### Leucoxene:

Species : Rabbit  
Result : No skin irritation  
Remarks : Based on data from similar materials

#### Rutile (TiO<sub>2</sub>):

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation  
Remarks : Information given is based on data obtained from similar substances.

### Serious eye damage/eye irritation

Not classified based on available information.

### Components:

#### Leucoxene:

Species : Rabbit  
Result : No eye irritation  
Method : OECD Test Guideline 405  
Remarks : Based on data from similar materials

#### Rutile (TiO<sub>2</sub>):

Species : Rabbit  
Result : No eye irritation  
Method : OECD Test Guideline 405  
Remarks : Based on data from similar materials

# SAFETY DATA SHEET



## Biasill™ XL Staurolite Sand

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue: 03/29/2022  |
| 10.3    | 09/16/2022     | 1331983-00046 | Date of first issue: 02/27/2017 |

---

### Respiratory or skin sensitization

#### Skin sensitization

Not classified based on available information.

#### Respiratory sensitization

Not classified based on available information.

#### Components:

##### Leucoxene:

|                    |                                        |
|--------------------|----------------------------------------|
| Test Type          | : Buehler Test                         |
| Routes of exposure | : Skin contact                         |
| Species            | : Guinea pig                           |
| Method             | : OECD Test Guideline 406              |
| Result             | : negative                             |
| Remarks            | : Based on data from similar materials |

##### Rutile (TiO<sub>2</sub>):

|                    |                                        |
|--------------------|----------------------------------------|
| Routes of exposure | : Skin contact                         |
| Species            | : Mouse                                |
| Method             | : OECD Test Guideline 429              |
| Result             | : negative                             |
| Remarks            | : Based on data from similar materials |

### Germ cell mutagenicity

Not classified based on available information.

#### Components:

##### Leucoxene:

|                       |                                                                                                                                                                                                                         |
|-----------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Genotoxicity in vitro | : Test Type: Chromosome aberration test in vitro<br>Method: OECD Test Guideline 473<br>Result: negative<br>Remarks: Based on data from similar materials                                                                |
| Genotoxicity in vivo  | : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)<br>Species: Mouse<br>Application Route: Intraperitoneal injection<br>Result: negative<br>Remarks: Based on data from similar materials |

##### Rutile (TiO<sub>2</sub>):

|                                     |                                                                              |
|-------------------------------------|------------------------------------------------------------------------------|
| Germ cell mutagenicity - Assessment | : Weight of evidence does not support classification as a germ cell mutagen. |
|-------------------------------------|------------------------------------------------------------------------------|

### Carcinogenicity

Not classified based on available information.

#### Components:

##### Quartz:

|         |          |
|---------|----------|
| Species | : Humans |
|---------|----------|



# SAFETY DATA SHEET



## Biasill™ XL Staurolite Sand

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue: 03/29/2022  |
| 10.3    | 09/16/2022     | 1331983-00046 | Date of first issue: 02/27/2017 |

Application Route : inhalation (dust/mist/fume)  
Result : positive  
Remarks : This substance(s) is not bioavailable and therefore does not contribute to a dust inhalation hazard.

Carcinogenicity - Assessment : Positive evidence from human epidemiological studies (inhalation)

### Rutile (TiO<sub>2</sub>):

Carcinogenicity - Assessment : Weight of evidence does not support classification as a carcinogen

|             |                                                                                   |            |
|-------------|-----------------------------------------------------------------------------------|------------|
| <b>IARC</b> | Group 1: Carcinogenic to humans<br>Quartz<br>(Silica dust, crystalline)           | 14808-60-7 |
|             | Group 2B: Possibly carcinogenic to humans<br>Rutile (TiO <sub>2</sub> )           | 1317-80-2  |
| <b>OSHA</b> | OSHA specifically regulated carcinogen<br>Quartz<br>(crystalline silica)          | 14808-60-7 |
| <b>NTP</b>  | Known to be human carcinogen<br>Quartz<br>(Silica, Crystalline (Respirable Size)) | 14808-60-7 |

### Reproductive toxicity

Not classified based on available information.

### Components:

#### Rutile (TiO<sub>2</sub>):

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

### STOT-single exposure

Not classified based on available information.

### STOT-repeated exposure

Not classified based on available information.

### Components:

#### Quartz:

Routes of exposure : inhalation (dust/mist/fume)  
Target Organs : Lungs  
Assessment : Shown to produce significant health effects in animals at concentrations of 0.02 mg/l/6h/d or less.

#### Rutile (TiO<sub>2</sub>):

Assessment : No significant health effects observed in animals at concentrations of 100 mg/kg bw or less.

# SAFETY DATA SHEET



## Biasill™ XL Staurolite Sand

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue: 03/29/2022  |
| 10.3    | 09/16/2022     | 1331983-00046 | Date of first issue: 02/27/2017 |

---

### Repeated dose toxicity

#### Components:

##### **Leucoxene:**

|                   |                                        |
|-------------------|----------------------------------------|
| Species           | : Rat                                  |
| NOAEL             | : > 100 mg/kg                          |
| Application Route | : Ingestion                            |
| Exposure time     | : 90 Days                              |
| Remarks           | : Based on data from similar materials |

##### **Quartz:**

|                   |                                                                                                        |
|-------------------|--------------------------------------------------------------------------------------------------------|
| Species           | : Humans                                                                                               |
| LOAEL             | : 0.053 mg/m <sup>3</sup>                                                                              |
| Application Route | : inhalation (dust/mist/fume)                                                                          |
| Remarks           | : This substance(s) is not bioavailable and therefore does not contribute to a dust inhalation hazard. |

##### **Rutile (TiO<sub>2</sub>):**

|                   |                                                                                        |
|-------------------|----------------------------------------------------------------------------------------|
| Species           | : Rat                                                                                  |
| NOAEL             | : 24,000 mg/kg                                                                         |
| LOAEL             | : > 24,000 mg/kg                                                                       |
| Application Route | : Ingestion                                                                            |
| Exposure time     | : 28 d                                                                                 |
| Remarks           | : No significant adverse effects were reported<br>Based on data from similar materials |

### Aspiration toxicity

Not classified based on available information.

---

## SECTION 12. ECOLOGICAL INFORMATION

### Ecotoxicity

#### Components:

##### **Leucoxene:**

|                                                     |                                                                                                                                        |
|-----------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------|
| Toxicity to fish                                    | : LC50 (Cyprinodon variegatus (sheepshead minnow)): > 100 mg/l<br>Exposure time: 96 h<br>Remarks: Based on data from similar materials |
| Toxicity to daphnia and other aquatic invertebrates | : LC50 (Daphnia magna (Water flea)): > 100 mg/l<br>Exposure time: 48 h<br>Remarks: Based on data from similar materials                |

##### **Quartz:**

#### **Ecotoxicology Assessment**

|                        |                                           |
|------------------------|-------------------------------------------|
| Acute aquatic toxicity | : No toxicity at the limit of solubility. |
|------------------------|-------------------------------------------|

# SAFETY DATA SHEET



## Biasill™ XL Staurolite Sand

|                 |                              |                              |                                                                   |
|-----------------|------------------------------|------------------------------|-------------------------------------------------------------------|
| Version<br>10.3 | Revision Date:<br>09/16/2022 | SDS Number:<br>1331983-00046 | Date of last issue: 03/29/2022<br>Date of first issue: 02/27/2017 |
|-----------------|------------------------------|------------------------------|-------------------------------------------------------------------|

Chronic aquatic toxicity : No toxicity at the limit of solubility.

### **Rutile (TiO<sub>2</sub>):**

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 1,000 mg/l  
Exposure time: 96 h  
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202  
Remarks: Based on data from similar materials

Toxicity to algae/aquatic plants : ErC50 (algae): > 10,000 mg/l  
Exposure time: 72 h  
Remarks: Based on data from similar materials

NOEC (algae): 5,600 mg/l  
Exposure time: 72 h  
Remarks: Based on data from similar materials

### **Persistence and degradability**

No data available

### **Bioaccumulative potential**

#### **Components:**

### **Rutile (TiO<sub>2</sub>):**

Bioaccumulation : Remarks: Bioaccumulation is unlikely.  
Based on data from similar materials

### **Mobility in soil**

No data available

### **Other adverse effects**

No data available

## SECTION 13. DISPOSAL CONSIDERATIONS

### **Disposal methods**

Waste from residues : Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
If not otherwise specified: Dispose of as unused product.

## SECTION 14. TRANSPORT INFORMATION

### **International Regulations**

#### **UNRTDG**

Not regulated as a dangerous good

# SAFETY DATA SHEET



## Biasill™ XL Staurolite Sand

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue: 03/29/2022  |
| 10.3    | 09/16/2022     | 1331983-00046 | Date of first issue: 02/27/2017 |

---

### IATA-DGR

Not regulated as a dangerous good

### IMDG-Code

Not regulated as a dangerous good

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### Domestic regulation

#### 49 CFR

Not regulated as a dangerous good

### Special precautions for user

Not applicable

---

## SECTION 15. REGULATORY INFORMATION

### CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

### SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

**SARA 311/312 Hazards** : No SARA Hazards

**SARA 313** : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

### US State Regulations

#### Pennsylvania Right To Know

|            |            |
|------------|------------|
| Staurolite | 12182-56-8 |
| Tourmaline | 1317-93-7  |
| Leucosene  | 12173-81-8 |

#### California Prop. 65

WARNING: This product can expose you to chemicals including Quartz, which is/are known to the State of California to cause cancer. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

#### California Regulated Carcinogens

|        |            |
|--------|------------|
| Quartz | 14808-60-7 |
|--------|------------|

---

## SECTION 16. OTHER INFORMATION

### Further information


# SAFETY DATA SHEET



## Biasill™ XL Staurolite Sand

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue: 03/29/2022  |
| 10.3    | 09/16/2022     | 1331983-00046 | Date of first issue: 02/27/2017 |

### NFPA 704:



### HMIS® IV:

|                 |   |   |
|-----------------|---|---|
| HEALTH          | / | 0 |
| FLAMMABILITY    |   | 0 |
| PHYSICAL HAZARD |   | 0 |

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "\*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Biasill™ and any associated logos are trademarks or copyrights of The Chemours Company FC, LLC.

Chemours™ and the Chemours Logo are trademarks of The Chemours Company.

Before use read Chemours safety information.

For further information contact the local Chemours office or nominated distributors.

Do not use or resell Chemours™ materials in medical applications involving implantation in the human body or contact with internal body fluids or tissues unless agreed to by Seller in a written agreement covering such use. For further information, please contact your Chemours representative.

For a total dust with aerodynamic diameter of 1  $\mu\text{m}$ , the calculated reference dust level is 1.1  $\text{mg}/\text{m}^3$ . For a total dust with aerodynamic diameter of 5  $\mu\text{m}$ , the calculated reference dust level is 1.5  $\text{mg}/\text{m}^3$ . For a total dust with aerodynamic diameter of 10  $\mu\text{m}$ , the calculated reference dust level is 2.4  $\text{mg}/\text{m}^3$ .

The main radiological hazard from the product is internal exposure from small amounts of alpha particles given off by inhaled dust. Industrial hygiene practices aimed at control of airborne dust can lessen the potential for exposure. Overexposure by inhalation to inhaled dusts containing radioactive uranium, thorium, and radium may cause lung cancer. Low level gamma radiation in proximity to bulk or bagged stockpiles of these products may present a lesser, external exposure that can be managed by limiting close proximity for long time periods to large volumes of material. With respect to dust exposure, evaluation and calculation based upon dosimetry (ICRP 68) yield the following guidance to ensure that inhalation intake is less than a 100 mrem/yr public dose reference point for radionuclides.

For a total dust with aerodynamic diameter of 1  $\mu\text{m}$ , the calculated reference dust level is 17.4  $\text{mg}/\text{m}^3$ . For a total dust with aerodynamic diameter of 5  $\mu\text{m}$ , the calculated reference dust level is 27.0  $\text{mg}/\text{m}^3$ . For a total dust with aerodynamic diameter of 10  $\mu\text{m}$ , the calculated reference dust level is 39.8  $\text{mg}/\text{m}^3$ .

The calculations noted above are based upon 8 hr/day TWAs. It should be noted that for these products, the actual particle physical diameter is approximately 1/2 the effective aerodynamic diameter. For these products, as shipped, with essentially no particles as small as calculated above, the highest total dust level can provide a conservative limit. However, if during handling or use the particles are broken down to finer particle sizes, lower levels of total dust would apply.

These reference calculations for radionuclides may or may not provide the most conservative recommendation vs. other trace contaminants as compared to specific country dust contaminant limit calculations. It is recommended that the user compare and calculate or measure for specific

# SAFETY DATA SHEET



## Biasill™ XL Staurolite Sand

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue: 03/29/2022  |
| 10.3    | 09/16/2022     | 1331983-00046 | Date of first issue: 02/27/2017 |

contaminants vs. reference limits, especially if particles are broken down, to determine the most appropriate standard for protection.

This product contains Naturally Occurring Radioactive Materials (NORMs) at levels below U.S. Nuclear Regulatory Commission licensing requirements at 10 CFR 40. Many local jurisdictions are developing new regulations for the disposal of waste containing Naturally Occurring Radioactive Materials (NORM) or Technologically Enhanced Naturally Occurring Radioactive Materials (TENORM) above background levels. Consult and comply with current regulations.

### Full text of other abbreviations

|                 |                                                                                             |
|-----------------|---------------------------------------------------------------------------------------------|
| ACGIH           | : USA. ACGIH Threshold Limit Values (TLV)                                                   |
| NIOSH REL       | : USA. NIOSH Recommended Exposure Limits                                                    |
| OSHA CARC       | : OSHA Specifically Regulated Chemicals/Carcinogens                                         |
| OSHA Z-1        | : USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants          |
| OSHA Z-3        | : USA. Occupational Exposure Limits (OSHA) - Table Z-3 Mineral Dusts                        |
| ACGIH / TWA     | : 8-hour, time-weighted average                                                             |
| NIOSH REL / TWA | : Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek |
| OSHA CARC / PEL | : Permissible exposure limit (PEL)                                                          |
| OSHA Z-1 / TWA  | : 8-hour time weighted average                                                              |
| OSHA Z-3 / TWA  | : 8-hour time weighted average                                                              |

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECS - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECL - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act

# SAFETY DATA SHEET



## Biasill™ XL Staurolite Sand

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue: 03/29/2022  |
| 10.3    | 09/16/2022     | 1331983-00046 | Date of first issue: 02/27/2017 |

---

(United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Revision Date : 09/16/2022

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

US / Z8