

SAFETY DATA SHEET



Vazo™ 56 WSP

Version 3.4	Revision Date: 2023/12/11	SDS Number: 4070504-00019	Date of last issue: 2023/08/11 Date of first issue: 2019/03/07
----------------	------------------------------	------------------------------	---

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Vazo™ 56 WSP

SDS-Identcode : 130000000566

Other means of identification : None

Recommended use of the chemical and restrictions on use

Recommended use : Intermediate

Restrictions on use : For industrial use only.

Manufacturer or supplier's details

Company : The Chemours (Taiwan) Company Limited

Address : 14th Floor, Hung Kuo Building, 167 Tun Hwa North Road, Taipei, Taiwan

Telephone : 0080-112-7758

Emergency telephone number : 0800 055 119 (in case of chemical spill, fire or poisoning accident)

Telefax : 02-2719-8516

2. HAZARDS IDENTIFICATION

GHS Classification

Self-heating substances and mixtures : Category 1

Acute toxicity (Oral) : Category 4

Serious eye damage/eye irritation : Category 2B

Skin sensitisation : Category 1

Short-term (acute) aquatic hazard : Category 1

Long-term (chronic) aquatic hazard : Category 1

SAFETY DATA SHEET



Vazo™ 56 WSP

Version	Revision Date:	SDS Number:	Date of last issue:
3.4	2023/12/11	4070504-00019	2023/08/11
			Date of first issue: 2019/03/07

GHS label elements

Hazard pictograms



Signal word

: Danger

Hazard statements

: H251 Self-heating: may catch fire.
H302 Harmful if swallowed.
H317 May cause an allergic skin reaction.
H320 Causes eye irritation.
H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements

: **Prevention:**

P235 + P410 Keep cool. Protect from sunlight.
P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.
P264 Wash skin thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P272 Contaminated work clothing should not be allowed out of the workplace.
P273 Avoid release to the environment.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:

P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth.
P302 + P352 IF ON SKIN: Wash with plenty of water.
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.
P337 + P313 If eye irritation persists: Get medical advice/ attention.
P362 + P364 Take off contaminated clothing and wash it before reuse.
P391 Collect spillage.

Storage:

P407 Maintain air gap between stacks/ pallets.
P413 Store bulk masses greater than 12 KG/ 26 LB at temperatures not exceeding < 25 °C/ < 77 °F.
P420 Store away from other materials.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

SAFETY DATA SHEET



Vazo™ 56 WSP

Version 3.4	Revision Date: 2023/12/11	SDS Number: 4070504-00019	Date of last issue: 2023/08/11 Date of first issue: 2019/03/07
----------------	------------------------------	------------------------------	---

Other hazards which do not result in classification

Risk of explosion if heated under confinement.
Contact with dust can cause mechanical irritation or drying of the skin.
May form explosive dust-air mixture.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture	: Substance
Substance name	: 2,2'-Azobis[2-methylpropionamidine] dihydrochloride
CAS-No.	: 2997-92-4
Synonyms	: Propanimidamide, 2,2'-(1,2-diazenediyl)bis[2-methyl-, hydrochloride (1:2)

Components

Hazardous ingredients	CAS-No.	Concentration (% w/w)
2,2'-Azobis[2-methylpropionamidine] dihydrochloride	2997-92-4	>= 90 -<= 100

4. FIRST AID MEASURES

General advice	: In the case of accident or if you feel unwell, seek medical advice immediately. When symptoms persist or in all cases of doubt seek medical advice.
----------------	--

First aid measures for different exposure routes

If inhaled	: If inhaled, remove to fresh air. Get medical attention if symptoms occur.
In case of skin contact	: In case of contact, immediately flush skin with soap and plenty of water. Remove contaminated clothing and shoes. Get medical attention. Wash clothing before reuse. Thoroughly clean shoes before reuse.
In case of eye contact	: In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. If easy to do, remove contact lens, if worn. Get medical attention.
If swallowed	: If swallowed, DO NOT induce vomiting unless directed to do so by medical personnel. Get medical attention. Rinse mouth thoroughly with water. Never give anything by mouth to an unconscious person.

SAFETY DATA SHEET



Vazo™ 56 WSP

Version 3.4	Revision Date: 2023/12/11	SDS Number: 4070504-00019	Date of last issue: 2023/08/11 Date of first issue: 2019/03/07
----------------	------------------------------	------------------------------	---

- Most important symptoms and effects, both acute and delayed : Skin contact may provoke the following symptoms:
Sensitisation
Rash
Swelling of tissue
Itching
Discomfort
Redness
Eye contact may provoke the following symptoms
Pain
tearing
Swelling of tissue
Redness
Impairment of vision
Harmful if swallowed.
May cause an allergic skin reaction.
Causes eye irritation.
Contact with dust can cause mechanical irritation or drying of the skin.
- Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
- Notes to physician : Treat symptomatically and supportively.

5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Water spray
Alcohol-resistant foam
- Unsuitable extinguishing media : High volume water jet
- Specific hazards during fire-fighting : Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.
Do not use a solid water stream as it may scatter and spread fire.
Exposure to combustion products may be a hazard to health.
- Hazardous combustion products : Nitrogen oxides (NOx)
Carbon oxides
Chlorine compounds
- Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Use water spray to cool unopened containers.
Remove undamaged containers from fire area if it is safe to do so.
Evacuate area.
- Special protective equipment : In the event of fire, wear self-contained breathing apparatus.

SAFETY DATA SHEET



Vazo™ 56 WSP

Version 3.4	Revision Date: 2023/12/11	SDS Number: 4070504-00019	Date of last issue: 2023/08/11 Date of first issue: 2019/03/07
----------------	------------------------------	------------------------------	---

for firefighters

Use personal protective equipment.

6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Only trained personnel should re-enter the area.
Use personal protective equipment.
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
- Environmental precautions : Avoid release to the environment.
Prevent further leakage or spillage if safe to do so.
Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages cannot be contained.
- Methods and materials for containment and cleaning up : Sweep up and shovel into suitable containers for disposal.
Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air).
Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

7. HANDLING AND STORAGE

Handling

- Technical measures : Static electricity may accumulate and ignite suspended dust causing an explosion.
Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres.
- Local/Total ventilation : Use only with adequate ventilation.
If advised by assessment of the local exposure potential, use only in an area equipped with explosion-proof exhaust ventilation.
- Advice on safe handling : Do not get on skin or clothing.
Avoid breathing dust, fume, gas, mist, vapours or spray.
Do not swallow.
Do not get in eyes.
Wash skin thoroughly after handling.
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
Prevent pressure build-up

SAFETY DATA SHEET



Vazo™ 56 WSP

Version	Revision Date:	SDS Number:	Date of last issue:
3.4	2023/12/11	4070504-00019	2023/08/11
			Date of first issue: 2019/03/07

Minimize dust generation and accumulation.
Keep container closed when not in use.
Keep away from heat and sources of ignition.
Take precautionary measures against static discharges.
Keep away from combustible material.
Do not eat, drink or smoke when using this product.
Take care to prevent spills, waste and minimize release to the environment.

Storage

Conditions for safe storage : Keep in properly labelled containers.
Keep in a cool, well-ventilated place.
Store in accordance with the particular national regulations.
Maintain air gap between stacks/ pallets.

Materials to avoid : Do not store with the following product types:
Strong oxidizing agents

Recommended storage temperature : < 25 °C

Bulk storage mass : 12 kg

Further information on storage stability : Keep away from direct sunlight.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Contains no substances with occupational exposure limit values.

Biological occupational exposure limits

Contains no substances with biological exposure indices.

Engineering measures : Ensure adequate ventilation, especially in confined areas.
Minimize workplace exposure concentrations.
Apply measures to prevent dust explosions.
Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is no leakage from the equipment).
If advised by assessment of the local exposure potential, use only in an area equipped with explosion-proof exhaust ventilation.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

SAFETY DATA SHEET



Vazo™ 56 WSP

Version 3.4	Revision Date: 2023/12/11	SDS Number: 4070504-00019	Date of last issue: 2023/08/11 Date of first issue: 2019/03/07
----------------	------------------------------	------------------------------	---

Filter type	: Particulates type
Hand protection Material	: Natural Rubber
Remarks	: Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work. For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday. Breakthrough time is not determined for the product. Change gloves often!
Eye protection	: Wear the following personal protective equipment: Safety goggles
Skin and body protection	: Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure potential. Wear the following personal protective equipment: If assessment demonstrates that there is a risk of explosive atmospheres or flash fires, use flame retardant antistatic protective clothing. Skin contact must be avoided by using impervious protective clothing (gloves, aprons, boots, etc).
Hygiene measures	: If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before re-use.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: solid, crystalline
Colour	: white
Odour	: odourless
Odour Threshold	: No data available
pH	: 7

SAFETY DATA SHEET



Vazo™ 56 WSP

Version 3.4	Revision Date: 2023/12/11	SDS Number: 4070504-00019	Date of last issue: 2023/08/11 Date of first issue: 2019/03/07
----------------	------------------------------	------------------------------	---

Melting point/freezing point	: > 163 °C Do not attempt to verify melting point; decomposition can be violent.
Initial boiling point and boiling range	: No data available
Flash point	: Not applicable
Evaporation rate	: Not applicable
Flammability (solid, gas)	: May form explosive dust-air mixture.
Self-ignition	: The substance or mixture is classified as self heating with the category 1.
Upper explosion limit / Upper flammability limit	: No data available
Lower explosion limit / Lower flammability limit	: No data available
Vapour pressure	: Not applicable
Relative vapour density	: Not applicable
Relative density	: No data available
Bulk density	: 380 kg/m ³
Solubility(ies) Water solubility	: 215 g/l (20 °C)
Partition coefficient: n-octanol/water	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: The substance or mixture is not classified self-reactive.
Self-Accelerating decomposition temperature (SADT)	: > 75 °C
Viscosity Viscosity, kinematic	: Not applicable
Explosive properties	: Not explosive
Oxidizing properties	: The substance or mixture is not classified as oxidizing.

SAFETY DATA SHEET



Vazo™ 56 WSP

Version 3.4	Revision Date: 2023/12/11	SDS Number: 4070504-00019	Date of last issue: 2023/08/11 Date of first issue: 2019/03/07
----------------	------------------------------	------------------------------	---

Self-heating substances : Self-heating: may catch fire.

Particle size : No data available

10. STABILITY AND REACTIVITY

Reactivity : Self-heating: may catch fire.

Chemical stability : Follow precautionary advice and avoid incompatible materials and conditions

Possibility of hazardous reactions : May form explosive dust-air mixture.
Can react with strong oxidizing agents.
May explode under confinement.

Conditions to avoid : Heat, flames and sparks.
Avoid dust formation.

Incompatible materials : Oxidizing agents

Hazardous decomposition products : No hazardous decomposition products are known.

11. TOXICOLOGICAL INFORMATION

Exposure routes : Inhalation
Skin contact
Ingestion
Eye contact

Symptoms of Overexposure : Skin contact may provoke the following symptoms:
Sensitisation
Rash
Swelling of tissue
Itching
Discomfort
Redness
Eye contact may provoke the following symptoms
Pain
tearing
Swelling of tissue
Redness
Impairment of vision

Acute toxicity

Harmful if swallowed.

SAFETY DATA SHEET



Vazo™ 56 WSP

Version	Revision Date:	SDS Number:	Date of last issue: 2023/08/11
3.4	2023/12/11	4070504-00019	Date of first issue: 2019/03/07

Product:

Acute oral toxicity : Acute toxicity estimate: 410 mg/kg
Method: Calculation method

Components:

2,2'-Azobis[2-methylpropionamidine] dihydrochloride:

Acute oral toxicity : LD50 (Rat): 410 mg/kg
Acute dermal toxicity : LD50 (Rat): > 3,780 mg/kg
Remarks: Based on data from similar materials

Skin corrosion/irritation

Not classified based on available information.

Components:

2,2'-Azobis[2-methylpropionamidine] dihydrochloride:

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation

Serious eye damage/eye irritation

Causes eye irritation.

Components:

2,2'-Azobis[2-methylpropionamidine] dihydrochloride:

Species : Rabbit
Result : Irritation to eyes, reversing within 7 days
Method : OECD Test Guideline 405

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

Respiratory sensitisation

Not classified based on available information.

Components:

2,2'-Azobis[2-methylpropionamidine] dihydrochloride:

Test Type : Maximisation Test
Exposure routes : Skin contact
Species : Guinea pig
Result : positive
Assessment : Probability or evidence of skin sensitisation in humans

SAFETY DATA SHEET



Vazo™ 56 WSP

Version	Revision Date:	SDS Number:	Date of last issue: 2023/08/11
3.4	2023/12/11	4070504-00019	Date of first issue: 2019/03/07

Chronic toxicity

Germ cell mutagenicity

Not classified based on available information.

Components:

2,2'-Azobis[2-methylpropionamidine] dihydrochloride:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Test Type: In vitro mammalian cell gene mutation test
Method: OECD Test Guideline 476
Result: negative

Test Type: in vitro micronucleus test
Method: OECD Test Guideline 487
Result: negative

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

Components:

2,2'-Azobis[2-methylpropionamidine] dihydrochloride:

Effects on fertility : Test Type: Reproduction/Developmental toxicity screening test
Species: Rat
Application Route: Ingestion
Method: OECD Test Guideline 421
Result: negative

Effects on foetal development : Test Type: Reproduction/Developmental toxicity screening test
Species: Rat
Application Route: Ingestion
Method: OECD Test Guideline 421
Result: negative

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Components:

2,2'-Azobis[2-methylpropionamidine] dihydrochloride:

Assessment : No significant health effects observed in animals at concentrations of 100 mg/kg bw or less.

SAFETY DATA SHEET



Vazo™ 56 WSP

Version	Revision Date:	SDS Number:	Date of last issue: 2023/08/11
3.4	2023/12/11	4070504-00019	Date of first issue: 2019/03/07

Repeated dose toxicity

Components:

2,2'-Azobis[2-methylpropionamidine] dihydrochloride:

Species	: Rat
NOAEL	: 25 mg/kg
Application Route	: Ingestion
Exposure time	: 28 Days
Method	: OECD Test Guideline 407

Aspiration toxicity

Not classified based on available information.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

2,2'-Azobis[2-methylpropionamidine] dihydrochloride:

Toxicity to fish	: LC50 (Leuciscus idus (Golden orfe)): 570 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 3.5 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	: EC50 (Pseudokirchneriella subcapitata (green algae)): 0.5 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 NOEC (Pseudokirchneriella subcapitata (green algae)): 0.1 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
M-Factor (Acute aquatic toxicity)	: 1
M-Factor (Chronic aquatic toxicity)	: 1
Toxicity to microorganisms	: EC50: 360 mg/l Exposure time: 3 h Method: OECD Test Guideline 209

SAFETY DATA SHEET



Vazo™ 56 WSP

Version	Revision Date:	SDS Number:	Date of last issue: 2023/08/11
3.4	2023/12/11	4070504-00019	Date of first issue: 2019/03/07

Persistence and degradability

Components:

2,2'-Azobis[2-methylpropionamidine] dihydrochloride:

Biodegradability : Result: Not readily biodegradable.
Biodegradation: 11 %
Exposure time: 28 d
Method: OECD Test Guideline 301E

Bioaccumulative potential

Components:

2,2'-Azobis[2-methylpropionamidine] dihydrochloride:

Partition coefficient: n- : log Pow: < 0.3
octanol/water

Mobility in soil

No data available

Other adverse effects

No data available

13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Do not dispose of waste into sewer.
Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.
If not otherwise specified: Dispose of as unused product.

14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 3088
Proper shipping name : SELF-HEATING SOLID, ORGANIC, N.O.S.
(2,2'-Azobis[2-methylpropionamidine] dihydrochloride)
Class : 4.2
Packing group : II
Labels : 4.2
Environmentally hazardous : no

IATA-DGR

UN/ID No. : UN 3088

SAFETY DATA SHEET



Vazo™ 56 WSP

Version	Revision Date:	SDS Number:	Date of last issue:
3.4	2023/12/11	4070504-00019	2023/08/11
			Date of first issue: 2019/03/07

Proper shipping name : Self-heating solid, organic, n.o.s.
(2,2'-Azobis[2-methylpropionamidine] dihydrochloride)
Class : 4.2
Packing group : II
Labels : Spontaneously Combustible
Packing instruction (cargo aircraft) : 470
Packing instruction (passenger aircraft) : 467

IMDG-Code

UN number : UN 3088
Proper shipping name : SELF-HEATING SOLID, ORGANIC, N.O.S.
(2,2'-Azobis[2-methylpropionamidine] dihydrochloride)
Class : 4.2
Packing group : II
Labels : 4.2
EmS Code : F-A, S-J
Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

15. REGULATORY INFORMATION

National regulatory information

Regulations on Occupational Safety and Health Facilities
Standards for the Storage, Cleanup, Handling and Disposal of Industrial Waste
Regulations on Labelling and Hazard Communication of Hazardous Chemicals
Rules on Road Traffic Safety

16. OTHER INFORMATION

Other information : Vazo™ and any associated logos are trademarks or copyrights of The Chemours Company FC, LLC.
Chemours™ and the Chemours Logo are trademarks of The Chemours Company.
Before use read Chemours safety information.
For further information contact the local Chemours office or nominated distributors.

Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

SAFETY DATA SHEET



Vazo™ 56 WSP

Version	Revision Date:	SDS Number:	Date of last issue:
3.4	2023/12/11	4070504-00019	2023/08/11
			Date of first issue: 2019/03/07

Responsible Department : 130000000566
The Chemours (Taiwan) Company Limited
Product Sustainability Department
14th Floor, Hung Kuo Building, 167 Tun Hwa North Road,
Taipei, Taiwan

Prepared by : 0080-112-7758
Zhenwen Tu / Product Stewardship and Regulatory Compliance Expert

Revision Date : 2023/12/11

Date format : yyyy/mm/dd

Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

SAFETY DATA SHEET



Vazo™ 56 WSP

Version	Revision Date:	SDS Number:	Date of last issue: 2023/08/11
3.4	2023/12/11	4070504-00019	Date of first issue: 2019/03/07

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

TW / EN