

# SAFETY DATA SHEET

## Glycolic Acid - Commercial Grade



Version	Revision Date:	SDS Number:	Date of last issue: 2023/10/30
12.1	2024/01/03	1337779-00051	Date of first issue: 2017/02/27

---

### 1. PRODUCT AND COMPANY IDENTIFICATION

Chemical product name : Glycolic Acid - Commercial Grade

SDS-Identcode : 130000052572

#### Supplier's company name, address and phone number

Company name of supplier : Maruwa Bussan Kabushiki Kaisha(Import distributor)(Manufacturer-PureTech Scientific LLC)

Address : Shimbashi Tokyu building, 4-21-3, Shimbashi, Minato-ku, Tokyo, Japan

Telephone : 03-3437-0801

E-mail address : sds-support@puretechscientific.com

Emergency telephone number : +81 368908677 access code 336264

Prepared by : Industrial Chemical Division

#### Recommended use of the chemical and restrictions on use

Recommended use : various

Restrictions on use : Not applicable

---

### 2. HAZARDS IDENTIFICATION

#### GHS classification of chemical product

Acute toxicity (Inhalation) : Category 4

Skin corrosion/irritation : Category 1

Serious eye damage/eye irritation : Category 1

Short-term (acute) aquatic hazard : Category 3

#### GHS label elements

# SAFETY DATA SHEET

## Glycolic Acid - Commercial Grade



Version	Revision Date:	SDS Number:	Date of last issue: 2023/10/30
12.1	2024/01/03	1337779-00051	Date of first issue: 2017/02/27

Hazard pictograms



Signal word

: Danger

Hazard statements

: H314 Causes severe skin burns and eye damage.  
H332 Harmful if inhaled.  
H402 Harmful to aquatic life.

Precautionary statements

: **Prevention:**

P261 Avoid breathing mist or vapours.  
P264 Wash skin thoroughly after handling.  
P271 Use only outdoors or in a well-ventilated area.  
P273 Avoid release to the environment.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

**Response:**

P301 + P330 + P331 + P310 IF SWALLOWED: Rinse mouth.  
Do NOT induce vomiting. Immediately call a POISON CENTER/ doctor.  
P303 + P361 + P353 + P310 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. Immediately call a POISON CENTER/ doctor.  
P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor.  
P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.  
P363 Wash contaminated clothing before reuse.

**Storage:**

P405 Store locked up.

**Disposal:**

P501 Dispose of contents/ container to an approved waste disposal plant.

### Other hazards which do not result in classification

Important symptoms and out- : Corrosive to the respiratory tract.  
lines of the emergency as-  
sumed

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture

: Mixture

# SAFETY DATA SHEET

## Glycolic Acid - Commercial Grade



Version 12.1      Revision Date: 2024/01/03      SDS Number: 1337779-00051      Date of last issue: 2023/10/30  
Date of first issue: 2017/02/27

### Components

Chemical name	CAS-No.	Concentration (% w/w)	ENCS No.
Glycolic acid	79-14-1	70	2-1346
Methoxyacetic acid	625-45-6	> 0 - < 10	2-3484
Formic acid	64-18-6	>= 0.1 - < 1	2-670

### 4. FIRST AID MEASURES

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.
- If inhaled : If inhaled, remove to fresh air.  
If not breathing, give artificial respiration.  
If breathing is difficult, give oxygen.  
Get medical attention immediately.
- In case of skin contact : In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.  
Get medical attention immediately.  
Wash clothing before reuse.  
Thoroughly clean shoes before reuse.
- In case of eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.  
If easy to do, remove contact lens, if worn.  
Get medical attention immediately.
- If swallowed : If swallowed, DO NOT induce vomiting.  
If vomiting occurs have person lean forward.  
Call a physician or poison control centre immediately.  
Rinse mouth thoroughly with water.  
Never give anything by mouth to an unconscious person.
- Most important symptoms and effects, both acute and delayed : Causes serious eye damage.  
Harmful if inhaled.  
Causes severe burns.  
Causes digestive tract burns.  
Corrosive to respiratory system.
- Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

# SAFETY DATA SHEET

## Glycolic Acid - Commercial Grade



Version	Revision Date:	SDS Number:	Date of last issue: 2023/10/30
12.1	2024/01/03	1337779-00051	Date of first issue: 2017/02/27

Notes to physician : Treat symptomatically and supportively.

### 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Water spray  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical
- Unsuitable extinguishing media : None known.
- Specific hazards during fire-fighting : Exposure to combustion products may be a hazard to health.
- Hazardous combustion products : Carbon oxides
- Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Use water spray to cool unopened containers.  
Remove undamaged containers from fire area if it is safe to do so.  
Evacuate area.
- Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment.

### 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.  
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
- Environmental precautions : Avoid release to the environment.  
Prevent further leakage or spillage if safe to do so.  
Prevent spreading over a wide area (e.g. by containment or oil barriers).  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.
- Methods and materials for containment and cleaning up : Soak up with inert absorbent material.  
For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container.  
Clean up remaining materials from spill with suitable absorbent.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items

# SAFETY DATA SHEET

## Glycolic Acid - Commercial Grade



Version 12.1	Revision Date: 2024/01/03	SDS Number: 1337779-00051	Date of last issue: 2023/10/30 Date of first issue: 2017/02/27
-----------------	------------------------------	------------------------------	---

employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

### 7. HANDLING AND STORAGE

#### Handling

- |                         |   |  |
|-------------------------|---|--|
| Technical measures      | : | See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.  |
| Local/Total ventilation | : | If sufficient ventilation is unavailable, use with local exhaust ventilation.  |
| Advice on safe handling | : | Do not get on skin or clothing.<br>Avoid breathing mist or vapours.<br>Do not swallow.<br>Do not get in eyes.<br>Wash skin thoroughly after handling.<br>Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment<br>Keep container tightly closed.<br>Take care to prevent spills, waste and minimize release to the environment.<br><br>Do not breathe decomposition products. |
| Avoidance of contact    | : | Oxidizing agents<br>Bases  |
| Hygiene measures        | : | If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.<br>When using do not eat, drink or smoke.<br>Wash contaminated clothing before re-use.   |

#### Storage

- |                             |   |  |
|-----------------------------|---|--|
| Conditions for safe storage | : | Keep in properly labelled containers.<br>Store locked up.<br>Keep tightly closed.<br>Keep in a cool, well-ventilated place.<br>Store in accordance with the particular national regulations. |
|-----------------------------|---|--|

Reacts with many metals to liberate hydrogen gas which can form explosive mixtures with air. Hydrogen, a highly flammable gas, can accumulate to explosive concentrations inside drums, or any types of steel containers or tanks upon storage.

# SAFETY DATA SHEET

## Glycolic Acid - Commercial Grade



Version 12.1      Revision Date: 2024/01/03      SDS Number: 1337779-00051      Date of last issue: 2023/10/30  
Date of first issue: 2017/02/27

Materials to avoid : Do not store with the following product types:  
Strong oxidizing agents

Recommended storage temperature : < 50 °C

Packaging material : Unsuitable material: None known.

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Threshold limit value and permissible exposure limits for each component in the work environment

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Reference concentration / Permissible concentration	Basis
Formic acid	64-18-6	OEL-M	5 ppm 9.4 mg/m <sup>3</sup>	JP OEL JSOH
		TWA	5 ppm	ACGIH
		STEL	10 ppm	ACGIH

#### Occupational exposure limits of decomposition products

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Carbon dioxide	124-38-9	OEL-M	5,000 ppm 9,000 mg/m <sup>3</sup>	JP OEL JSOH
		TWA	5,000 ppm	ACGIH
		STEL	30,000 ppm	ACGIH

**Engineering measures** : Processing may form hazardous compounds (see section 10).  
Minimize workplace exposure concentrations.  
If sufficient ventilation is unavailable, use with local exhaust ventilation.

#### Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Inorganic gas/vapour type

#### Hand protection

Material : Chloroprene  
Break through time : > 480 min  
Glove thickness : 0.6 mm

# SAFETY DATA SHEET

## Glycolic Acid - Commercial Grade



Version 12.1	Revision Date: 2024/01/03	SDS Number: 1337779-00051	Date of last issue: 2023/10/30 Date of first issue: 2017/02/27
-----------------	------------------------------	------------------------------	---

- |                          |   |
|--------------------------|---|
| Remarks                  | : Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work. For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday. |
| Eye protection           | : Wear the following personal protective equipment:<br>Chemical resistant goggles must be worn.<br>If splashes are likely to occur, wear:<br>Face-shield  |
| Skin and body protection | : Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure potential.<br>Skin contact must be avoided by using impervious protective clothing (gloves, aprons, boots, etc).   |

### 9. PHYSICAL AND CHEMICAL PROPERTIES

- |  |                         |
|--|-------------------------|
| Physical state   | : liquid                |
| Colour   | : amber                 |
| Odour  | : mild, of burnt sugar  |
| Odour Threshold  | : No data available     |
| Melting point/freezing point   | : 10 °C                 |
| Boiling point, initial boiling point and boiling range               | : 112 °C<br>(1,013 hPa) |
| Flammability (solid, gas)  | : Not applicable        |
| Flammability (liquids)   | : No data available     |
| Lower explosion limit and upper explosion limit / flammability limit |                         |
| Upper explosion limit / Upper flammability limit                     | : No data available     |
| Lower explosion limit / Lower flammability limit                     | : No data available     |

# SAFETY DATA SHEET

## Glycolic Acid - Commercial Grade



Version	Revision Date:	SDS Number:	Date of last issue: 2023/10/30
12.1	2024/01/03	1337779-00051	Date of first issue: 2017/02/27

---

Flash point	:	> 100 °C
Decomposition temperature	:	No data available
pH	:	0.1
Evaporation rate	:	No data available
Auto-ignition temperature	:	No data available
Viscosity		
Viscosity, dynamic	:	6.149 mPa.s (23 °C)
Viscosity, kinematic	:	No data available
Solubility(ies)		
Water solubility	:	> 300 g/l (for a component of this mixture) (22 °C)
Partition coefficient: n-octanol/water	:	log Pow: -1.11 (19 °C)
Vapour pressure	:	0.017 hPa (25 °C)
Density and / or relative density		
Density	:	1.25 g/cm <sup>3</sup> (26 °C)
Relative vapour density	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Particle characteristics		
Particle size	:	Not applicable

---

### 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	Can react with strong oxidizing agents. Hazardous decomposition products will be formed at elevated temperatures.
Conditions to avoid	:	None known.



# SAFETY DATA SHEET

## Glycolic Acid - Commercial Grade



Version 12.1	Revision Date: 2024/01/03	SDS Number: 1337779-00051	Date of last issue: 2023/10/30 Date of first issue: 2017/02/27
-----------------	------------------------------	------------------------------	---

Incompatible materials : Oxidizing agents  
Bases

### Hazardous decomposition products

Thermal decomposition : Carbon dioxide

## 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Inhalation  
Skin contact  
Ingestion  
Eye contact

### Acute toxicity

Harmful if inhaled.

#### Product:

Acute inhalation toxicity : Acute toxicity estimate: 4.92 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: Calculation method

#### Components:

##### **Glycolic acid:**

Acute oral toxicity : LD50 (Rat): 2,040 mg/kg  
Method: US EPA Test Guideline OPP 81-1

Acute inhalation toxicity : LC50 (Rat): 3.6 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403  
Assessment: Corrosive to the respiratory tract.

Acute dermal toxicity : Assessment: The substance or mixture has no acute dermal toxicity

##### **Methoxyacetic acid:**

Acute oral toxicity : LD50 (Rat): 1,000 mg/kg

##### **Formic acid:**

Acute oral toxicity : LD50 (Rat): 730 mg/kg  
Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat): 7.85 mg/l  
Exposure time: 4 h  
Test atmosphere: vapour  
Method: OECD Test Guideline 403

# SAFETY DATA SHEET

## Glycolic Acid - Commercial Grade



Version	Revision Date:	SDS Number:	Date of last issue: 2023/10/30
12.1	2024/01/03	1337779-00051	Date of first issue: 2017/02/27

---

Assessment: Corrosive to the respiratory tract.

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg  
Remarks: Based on data from similar materials

### Skin corrosion/irritation

Causes severe burns.

#### Components:

##### **Glycolic acid:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : Corrosive after 3 minutes to 1 hour of exposure

##### **Methoxyacetic acid:**

Species : Rabbit  
Result : Corrosive after 3 minutes to 1 hour of exposure

##### **Formic acid:**

Result : Corrosive after 3 minutes or less of exposure  
Remarks : Based on national or regional regulation.

### Serious eye damage/eye irritation

Causes serious eye damage.

#### Components:

##### **Glycolic acid:**

Species : Rabbit  
Result : Irreversible effects on the eye  
Method : OECD Test Guideline 405

##### **Methoxyacetic acid:**

Result : Irreversible effects on the eye  
Remarks : Based on skin corrosivity.

##### **Formic acid:**

Result : Irreversible effects on the eye  
Remarks : Based on skin corrosivity.

### Respiratory or skin sensitisation

#### **Skin sensitisation**

Not classified based on available information.

#### **Respiratory sensitisation**

Not classified based on available information.

# SAFETY DATA SHEET

## Glycolic Acid - Commercial Grade



Version	Revision Date:	SDS Number:	Date of last issue: 2023/10/30
12.1	2024/01/03	1337779-00051	Date of first issue: 2017/02/27

---

### **Components:**

#### **Glycolic acid:**

Test Type	: Buehler Test
Exposure routes	: Skin contact
Species	: Guinea pig
Method	: OECD Test Guideline 406
Result	: negative

#### **Formic acid:**

Test Type	: Buehler Test
Exposure routes	: Skin contact
Species	: Guinea pig
Method	: OECD Test Guideline 406
Result	: negative

### **Germ cell mutagenicity**

Not classified based on available information.

### **Components:**

#### **Glycolic acid:**

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Method: OECD Test Guideline 471 Result: negative
-----------------------	---

Test Type: Chromosome aberration test in vitro  
Method: OECD Test Guideline 473  
Result: negative

Test Type: In vitro mammalian cell gene mutation test  
Method: OECD Test Guideline 476  
Result: negative

Genotoxicity in vivo	: Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Mouse Application Route: Ingestion Method: OECD Test Guideline 474 Result: negative
----------------------	---

Germ cell mutagenicity - Assessment	: Weight of evidence does not support classification as a germ cell mutagen.
-------------------------------------	--

#### **Methoxyacetic acid:**

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Result: negative
-----------------------	--

Test Type: In vitro mammalian cell gene mutation test  
Result: negative

# SAFETY DATA SHEET

## Glycolic Acid - Commercial Grade



Version	Revision Date:	SDS Number:	Date of last issue: 2023/10/30
12.1	2024/01/03	1337779-00051	Date of first issue: 2017/02/27

---

### Formic acid:

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Method: OECD Test Guideline 471 Result: negative
Genotoxicity in vivo	: Test Type: Sex-linked recessive lethal test in Drosophila melanogaster (in vivo) Application Route: Ingestion Method: OECD Test Guideline 477 Result: negative

### Carcinogenicity

Not classified based on available information.

### Components:

#### Glycolic acid:

Species	: Mouse
Application Route	: Skin contact
Exposure time	: 40 weeks
Result	: negative
Carcinogenicity - Assessment	: Weight of evidence does not support classification as a carcinogen

### Formic acid:

Species	: Rat
Application Route	: Ingestion
Exposure time	: 104 weeks
Result	: negative
Remarks	: Based on data from similar materials

### Reproductive toxicity

Not classified based on available information.

### Product:

Reproductive toxicity - Assessment	: No evidence of adverse effects on sexual function and fertility, or on development, based on animal experiments.
------------------------------------	--

### Components:

#### Glycolic acid:

Effects on fertility	: Test Type: One-generation reproduction toxicity study Species: Rat Application Route: Ingestion Method: Regulation (EC) No. 440/2008, Annex, B.34 Result: negative
----------------------	--

# SAFETY DATA SHEET

## Glycolic Acid - Commercial Grade



Version	Revision Date:	SDS Number:	Date of last issue: 2023/10/30
12.1	2024/01/03	1337779-00051	Date of first issue: 2017/02/27

---

Effects on foetal development : Test Type: Embryo-foetal development  
Species: Rat  
Application Route: Ingestion  
Method: OECD Test Guideline 414  
Result: negative

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

### **Methoxyacetic acid:**

Effects on fertility : Test Type: Two-generation reproduction toxicity study  
Species: Mouse  
Application Route: Ingestion  
Result: positive

Effects on foetal development : Test Type: Embryo-foetal development  
Species: Rat  
Application Route: Ingestion  
Result: positive

Reproductive toxicity - Assessment : Clear evidence of adverse effects on sexual function and fertility, based on animal experiments., Clear evidence of adverse effects on development, based on animal experiments.

### **Formic acid:**

Effects on fertility : Test Type: Two-generation reproduction toxicity study  
Species: Rat  
Application Route: Ingestion  
Method: OECD Test Guideline 416  
Result: negative  
Remarks: Based on data from similar materials

Effects on foetal development : Test Type: Embryo-foetal development  
Species: Rabbit  
Application Route: Ingestion  
Method: OECD Test Guideline 414  
Result: negative  
Remarks: Based on data from similar materials

### **STOT - single exposure**

Not classified based on available information.

### **Components:**

#### **Methoxyacetic acid:**

Assessment : May cause respiratory irritation.  
Remarks : Based on harmonised classification in EU regulation 1272/2008, Annex VI

# SAFETY DATA SHEET

## Glycolic Acid - Commercial Grade



Version	Revision Date:	SDS Number:	Date of last issue: 2023/10/30
12.1	2024/01/03	1337779-00051	Date of first issue: 2017/02/27

---

### STOT - repeated exposure

Not classified based on available information.

### Repeated dose toxicity

#### Components:

##### **Glycolic acid:**

Species	: Rat, male and female
NOAEL	: 150 mg/kg
LOAEL	: 300 mg/kg
Application Route	: Ingestion
Exposure time	: 90 Days
Method	: OECD Test Guideline 408

##### **Formic acid:**

Species	: Rat
NOAEL	: 400 mg/kg
Application Route	: Ingestion
Exposure time	: 52 Weeks
Remarks	: Based on data from similar materials

### Aspiration toxicity

Not classified based on available information.

---

## 12. ECOLOGICAL INFORMATION

### Ecotoxicity

#### Components:

##### **Glycolic acid:**

Toxicity to fish	: LC50 (Pimephales promelas (fathead minnow)): 114.8 mg/l Exposure time: 96 h
------------------	--

Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 99.6 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
---	--

Toxicity to algae/aquatic plants	: ErC50 (Pseudokirchneriella subcapitata (green algae)): 31.2 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
----------------------------------	--

	NOEC (Pseudokirchneriella subcapitata (green algae)): 14.4 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
--	---

##### **Methoxyacetic acid:**

# SAFETY DATA SHEET

## Glycolic Acid - Commercial Grade



Version	Revision Date:	SDS Number:	Date of last issue: 2023/10/30
12.1	2024/01/03	1337779-00051	Date of first issue: 2017/02/27

---

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 500 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

Toxicity to algae/aquatic plants : ErC50 (Desmodesmus subspicatus (green algae)): 66.2 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

Toxicity to microorganisms : EC50: > 1,000 mg/l  
Exposure time: 30 min  
Method: OECD Test Guideline 209

### Formic acid:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): 130 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203  
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 365 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202  
Remarks: Based on data from similar materials

Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (green algae)): 1,240 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
Remarks: Based on data from similar materials

EC10 (Pseudokirchneriella subcapitata (green algae)): 295 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): > 100 mg/l  
Exposure time: 21 d  
Method: OECD Test Guideline 211

Toxicity to microorganisms : NOEC: 72 mg/l  
Exposure time: 13 d

### Persistence and degradability

#### Components:

#### Glycolic acid:

Biodegradability : Result: Readily biodegradable.  
Method: OECD Test Guideline 301B

# SAFETY DATA SHEET

## Glycolic Acid - Commercial Grade



Version	Revision Date:	SDS Number:	Date of last issue: 2023/10/30
12.1	2024/01/03	1337779-00051	Date of first issue: 2017/02/27

---

### Methoxyacetic acid:

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 98 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301A

### Formic acid:

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 100 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301C

### Bioaccumulative potential

#### Components:

##### Glycolic acid:

Partition coefficient: n-octanol/water : log Pow: -1.07

##### Methoxyacetic acid:

Partition coefficient: n-octanol/water : log Pow: -0.68  
Remarks: Calculation

##### Formic acid:

Partition coefficient: n-octanol/water : log Pow: -2.1

### Mobility in soil

No data available

### Hazardous to the ozone layer

Not applicable

### Other adverse effects

No data available

---

## 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues : Dispose of in accordance with local regulations.  
Do not dispose of waste into sewer.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
If not otherwise specified: Dispose of as unused product.



# SAFETY DATA SHEET

## Glycolic Acid - Commercial Grade



Version	Revision Date:	SDS Number:	Date of last issue: 2023/10/30
12.1	2024/01/03	1337779-00051	Date of first issue: 2017/02/27

### 14. TRANSPORT INFORMATION

#### International Regulations

##### UNRTDG

UN number	: UN 3265
Proper shipping name	: CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (Glycolic acid)
Class	: 8
Packing group	: II
Labels	: 8
Environmentally hazardous	: no

##### IATA-DGR

UN/ID No.	: UN 3265
Proper shipping name	: Corrosive liquid, acidic, organic, n.o.s. (Glycolic acid)
Class	: 8
Packing group	: II
Labels	: Corrosive
Packing instruction (cargo aircraft)	: 855
Packing instruction (passenger aircraft)	: 851

##### IMDG-Code

UN number	: UN 3265
Proper shipping name	: CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (Glycolic acid)
Class	: 8
Packing group	: II
Labels	: 8
EmS Code	: F-A, S-B
Marine pollutant	: no

#### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

#### National Regulations

Refer to section 15 for specific national regulation.

#### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

ERG Code	: 153
----------	-------

# SAFETY DATA SHEET

## Glycolic Acid - Commercial Grade



Version	Revision Date:	SDS Number:	Date of last issue: 2023/10/30
12.1	2024/01/03	1337779-00051	Date of first issue: 2017/02/27

### 15. REGULATORY INFORMATION

#### Related Regulations

##### Fire Service Law

Not applicable to dangerous materials / designated flammables.

##### Chemical Substance Control Law

Not applicable for Specified Chemical Substance, Monitoring Chemical Substance and Priority Assessment Chemical Substance.

##### Industrial Safety and Health Law

##### Harmful Substances Prohibited from Manufacture

Not applicable

##### Harmful Substances Required Permission for Manufacture

Not applicable

##### Substances Prevented From Impairment of Health

Not applicable

##### Circular concerning Information on Chemicals having Mutagenicity - Annex 2: Information on Existing Chemicals having Mutagenicity

Not applicable

##### Circular concerning Information on Chemicals having Mutagenicity - Annex 1: Information on Notified Substances having Mutagenicity

Not applicable

##### Substances Subject to be Notified Names

Article 57-2 (Enforcement Order Table 9)

Chemical name	Concentration (%)	Remarks
glycollic acid	$\geq 70 - < 80$	From April 1st, 2025
methoxyacetic acid	$> 0 - < 10$	From April 1st, 2024

##### Substances Subject to be Indicated Names

Article 57 (Enforcement Order Article 18)

Chemical name	Remarks
glycollic acid	From April 1st, 2025
methoxyacetic acid	From April 1st, 2024

##### Carcinogenic Substances (Article 577-2 of the Occupational Health and Safety Regulations)

Not applicable

##### Ordinance on Prevention of Hazards Due to Specified Chemical Substances

Not applicable

##### Ordinance on Prevention of Lead Poisoning

Not applicable

##### Ordinance on Prevention of Tetraalkyl Lead Poisoning

Not applicable

# SAFETY DATA SHEET

## Glycolic Acid - Commercial Grade



Version	Revision Date:	SDS Number:	Date of last issue: 2023/10/30
12.1	2024/01/03	1337779-00051	Date of first issue: 2017/02/27

### Ordinance on Prevention of Organic Solvent Poisoning

Not applicable

### Enforcement Order of the Industrial Safety and Health Law - Attached table 1 (Dangerous Substances)

Not applicable

### Poisonous and Deleterious Substances Control Law

Deleterious substance

Chemical name	Cabinet Order Number
Glycolic acid and preparations containing it	24.2

### Act on Confirmation, etc. of Release Amounts of Specific Chemical Substances in the Environment and Promotion of Improvements to the Management Thereof

Not applicable

### High Pressure Gas Safety Act

Not applicable

### Explosive Control Law

Not applicable

### Vessel Safety Law

Corrosive substances (Article 2 and 3 of rules on shipping and storage of dangerous goods and its Attached Table 1)

### Aviation Law

Corrosive substances (Article 194 of The Enforcement Rules of Aviation Law and its Attached Table 1)

### Marine Pollution and Sea Disaster Prevention etc Law

Bulk transportation : Noxious liquid substance(Category Z)

Pack transportation : Not classified as marine pollutant

### Narcotics and Psychotropics Control Act

Narcotic or Psychotropic Raw Material (Export / Import Permission)

Not applicable

Specific Narcotic or Psychotropic Raw Material (Export / Import permission)

Not applicable

### Waste Disposal and Public Cleansing Law

Specially Controlled Industrial Waste

## 16. OTHER INFORMATION

Other information : Before use read PureTech Scientific LLC safety information. For further information contact the local PureTech Scientific LLC office or nominated distributors.

# SAFETY DATA SHEET

## Glycolic Acid - Commercial Grade



Version	Revision Date:	SDS Number:	Date of last issue: 2023/10/30
12.1	2024/01/03	1337779-00051	Date of first issue: 2017/02/27

---

### Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Date format : yyyy/mm/dd

### Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)  
JP OEL JSOH : Japan. The Japan Society for Occupational Health. Recommendation of Occupational Exposure Limits

ACGIH / TWA : 8-hour, time-weighted average  
ACGIH / STEL : Short-term exposure limit  
JP OEL JSOH / OEL-M : Occupational Exposure Limit-Mean

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only

# SAFETY DATA SHEET

## Glycolic Acid - Commercial Grade



Version	Revision Date:	SDS Number:	Date of last issue: 2023/10/30
12.1	2024/01/03	1337779-00051	Date of first issue: 2017/02/27

---

to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

JP / EN