

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Glyclean™ D70

Version	Revision Date:	SDS Number:	Date of last issue: 2023/08/11
4.1	2023/10/30	9169325-00008	Date of first issue: 2021/08/10

### 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Glyclean™ D70

SDS-Identcode : 130000148723

#### Manufacturer or supplier's details

Company : PureTech Scientific LLC

Address : 901 West DuPont Avenue, Belle, VW 25015, United States of America

Telephone : 1-877-215-5999

Emergency telephone number : +86 4001 2001 74 access code 336264

E-mail address : sds-support@puretechscientific.com

Telefax : 1-304-357-1364

#### Recommended use of the chemical and restrictions on use

Recommended use : Cleansing agents, acidic.  
Disinfectants

Restrictions on use : For industrial use only.

### 2. HAZARDS IDENTIFICATION

#### Emergency Overview

<b>Appearance</b>	: liquid
<b>Colour</b>	: amber
<b>Odour</b>	: of burnt sugar

May be harmful if swallowed. Causes severe skin burns and eye damage. Harmful if inhaled.  
Harmful to aquatic life.

#### GHS Classification

Acute toxicity (Oral) : Category 5

Acute toxicity (Inhalation) : Category 4

Skin corrosion/irritation : Category 1

Serious eye damage/eye irritation : Category 1

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Glyclean™ D70

Version	Revision Date:	SDS Number:	Date of last issue: 2023/08/11
4.1	2023/10/30	9169325-00008	Date of first issue: 2021/08/10

---

Short-term (acute) aquatic hazard : Category 3

### GHS label elements

Hazard pictograms :

Signal word : Danger

Hazard statements : H303 May be harmful if swallowed.  
H314 Causes severe skin burns and eye damage.  
H332 Harmful if inhaled.  
H402 Harmful to aquatic life.

Precautionary statements :

**Prevention:**  
P261 Avoid breathing mist or vapours.  
P264 Wash skin thoroughly after handling.  
P271 Use only outdoors or in a well-ventilated area.  
P273 Avoid release to the environment.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

**Response:**  
P301 + P330 + P331 + P310 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER/ doctor.  
P303 + P361 + P353 + P310 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower. Immediately call a POISON CENTER/ doctor.  
P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor.  
P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.  
P312 Call a POISON CENTER/ doctor if you feel unwell.  
P363 Wash contaminated clothing before reuse.

**Storage:**  
P405 Store locked up.

**Disposal:**  
P501 Dispose of contents/ container to an approved waste disposal plant.

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Glyclean™ D70

Version	Revision Date:	SDS Number:	Date of last issue: 2023/08/11
4.1	2023/10/30	9169325-00008	Date of first issue: 2021/08/10

### Physical and chemical hazards

Not classified based on available information.

### Health hazards

May be harmful if swallowed. Harmful if inhaled. Causes severe skin burns and eye damage.  
Causes serious eye damage.

### Environmental hazards

Harmful to aquatic life.

### Other hazards which do not result in classification

Corrosive to the respiratory tract.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

### Components

Chemical name	CAS-No.	Concentration (% w/w)
Glycolic acid	79-14-1	$\geq 50$ -< 70
Formic acid	64-18-6	$\geq 0.1$ -< 1
Methoxyacetic acid	625-45-6	$\geq 0.3$ -< 1

## 4. FIRST AID MEASURES

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.
- If inhaled : If inhaled, remove to fresh air.  
If not breathing, give artificial respiration.  
If breathing is difficult, give oxygen.  
Get medical attention immediately.
- In case of skin contact : In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.  
Get medical attention immediately.  
Wash clothing before reuse.  
Thoroughly clean shoes before reuse.
- In case of eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.  
If easy to do, remove contact lens, if worn.  
Get medical attention immediately.
- If swallowed : If swallowed, DO NOT induce vomiting.  
If vomiting occurs have person lean forward.  
Call a physician or poison control centre immediately.

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Glyclean™ D70

Version	Revision Date:	SDS Number:	Date of last issue: 2023/08/11
4.1	2023/10/30	9169325-00008	Date of first issue: 2021/08/10

Rinse mouth thoroughly with water.  
Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and delayed : Inhalation may provoke the following symptoms:  
Cough  
Shortness of breath  
Pain  
Irritation  
Skin contact may provoke the following symptoms:  
Irritation  
Rash  
Necrosis  
Discomfort  
Eye contact may provoke the following symptoms  
Corrosion  
Ulceration  
Severe irritation  
Ingestion may provoke the following symptoms:  
Gastrointestinal discomfort  
Nausea  
Vomiting  
Diarrhoea  
May be harmful if swallowed.  
Causes serious eye damage.  
Harmful if inhaled.  
Causes severe burns.  
Causes digestive tract burns.  
Corrosive to respiratory system.

Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Notes to physician : Treat symptomatically and supportively.

## 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Water spray  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical

Unsuitable extinguishing media : None known.

Specific hazards during fire-fighting : Exposure to combustion products may be a hazard to health.

Hazardous combustion products : Carbon oxides

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Glyclean™ D70

Version	Revision Date:	SDS Number:	Date of last issue: 2023/08/11
4.1	2023/10/30	9169325-00008	Date of first issue: 2021/08/10

- Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Use water spray to cool unopened containers.  
Remove undamaged containers from fire area if it is safe to do so.  
Evacuate area.
- Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment.

### 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.  
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
- Environmental precautions : Avoid release to the environment.  
Prevent further leakage or spillage if safe to do so.  
Prevent spreading over a wide area (e.g. by containment or oil barriers).  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.
- Methods and materials for containment and cleaning up : Soak up with inert absorbent material.  
For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container.  
Clean up remaining materials from spill with suitable absorbent.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.  
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

### 7. HANDLING AND STORAGE

#### Handling

- Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
- Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.
- Advice on safe handling : Do not get on skin or clothing.  
Avoid breathing mist or vapours.  
Do not swallow.

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Glyclean™ D70

Version	Revision Date:	SDS Number:	Date of last issue: 2023/08/11
4.1	2023/10/30	9169325-00008	Date of first issue: 2021/08/10

Do not get in eyes.  
Wash skin thoroughly after handling.  
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
Keep container tightly closed.  
Take care to prevent spills, waste and minimize release to the environment.

Do not breathe decomposition products.

Avoidance of contact : Oxidizing agents  
Bases

### Storage

Conditions for safe storage : Keep in properly labelled containers.  
Store locked up.  
Keep tightly closed.  
Keep in a cool, well-ventilated place.  
Store in accordance with the particular national regulations.

Reacts with many metals to liberate hydrogen gas which can form explosive mixtures with air. Hydrogen, a highly flammable gas, can accumulate to explosive concentrations inside drums, or any types of steel containers or tanks upon storage.

Materials to avoid : Do not store with the following product types:  
Self-reactive substances and mixtures  
Organic peroxides  
Oxidizing agents  
Explosives

Recommended storage temperature : > 10 °C

Packaging material : Unsuitable material: None known.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Formic acid	64-18-6	PC-TWA	10 mg/m3	CN OEL
		PC-STEL	20 mg/m3	CN OEL
		TWA	5 ppm	ACGIH
		STEL	10 ppm	ACGIH

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Glyclean™ D70

Version	Revision Date:	SDS Number:	Date of last issue:
4.1	2023/10/30	9169325-00008	2023/08/11
			Date of first issue: 2021/08/10

### Occupational exposure limits of decomposition products

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Carbon dioxide	124-38-9	PC-TWA	9,000 mg/m3	CN OEL
		PC-STEL	18,000 mg/m3	CN OEL
		TWA	5,000 ppm	ACGIH
		STEL	30,000 ppm	ACGIH

**Engineering measures** : Processing may form hazardous compounds (see section 10).  
Minimize workplace exposure concentrations.  
If sufficient ventilation is unavailable, use with local exhaust ventilation.

### Personal protective equipment

**Respiratory protection** : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

**Filter type** : Inorganic gas/vapour type

**Eye/face protection** : Wear the following personal protective equipment:  
Chemical resistant goggles must be worn.  
If splashes are likely to occur, wear:  
Face-shield

**Skin and body protection** : Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure potential.  
Skin contact must be avoided by using impervious protective clothing (gloves, aprons, boots, etc).

**Hand protection**  
**Material** : Chloroprene  
**Break through time** : > 480 min  
**Glove thickness** : 0.6 mm

**Remarks** : Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work. For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday.

**Hygiene measures** : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Glyclean™ D70

Version	Revision Date:	SDS Number:	Date of last issue: 2023/08/11
4.1	2023/10/30	9169325-00008	Date of first issue: 2021/08/10

When using do not eat, drink or smoke.  
Wash contaminated clothing before re-use.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: liquid
Colour	: amber
Odour	: of burnt sugar
Odour Threshold	: No data available
pH	: 0.1 (25 °C)
Melting point/freezing point	: 10 °C
Initial boiling point and boiling range	: No data available
Flash point	: > 100 °C
Evaporation rate	: No data available
Flammability (solid, gas)	: Not applicable
Flammability (liquids)	: No data available
Upper explosion limit / Upper flammability limit	: No data available
Lower explosion limit / Lower flammability limit	: No data available
Vapour pressure	: No data available
Relative vapour density	: No data available
Relative density	: 1.25 (26 °C)
Solubility(ies)	
Water solubility	: > 300 g/l (for a component of this mixture) (22 °C)
Partition coefficient: n-octanol/water	: Not applicable

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Glyclean™ D70

Version	Revision Date:	SDS Number:	Date of last issue: 2023/08/11
4.1	2023/10/30	9169325-00008	Date of first issue: 2021/08/10

---

Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity	:	
Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Particle size	:	Not applicable

---

### 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	Can react with strong oxidizing agents. Hazardous decomposition products will be formed at elevated temperatures.
Conditions to avoid	:	None known.
Incompatible materials	:	Oxidizing agents Bases

#### Hazardous decomposition products

Thermal decomposition	:	Carbon dioxide
-----------------------	---	----------------

---

### 11. TOXICOLOGICAL INFORMATION

Exposure routes	:	Inhalation Skin contact Ingestion Eye contact
-----------------	---	--

#### Acute toxicity

May be harmful if swallowed.  
Harmful if inhaled.

#### Product:

Acute oral toxicity	:	Acute toxicity estimate: 2,982 mg/kg Method: Calculation method
---------------------	---	--

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Glyclean™ D70

Version	Revision Date:	SDS Number:	Date of last issue: 2023/08/11
4.1	2023/10/30	9169325-00008	Date of first issue: 2021/08/10

Acute inhalation toxicity : Acute toxicity estimate: 4.91 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: Calculation method

### **Components:**

#### **Glycolic acid:**

Acute oral toxicity : LD50 (Rat): 2,040 mg/kg  
Method: US EPA Test Guideline OPP 81-1

Acute inhalation toxicity : LC50 (Rat): 3.6 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403  
Assessment: Corrosive to the respiratory tract.

Acute dermal toxicity : Assessment: The substance or mixture has no acute dermal toxicity

#### **Formic acid:**

Acute oral toxicity : LD50 (Rat): 730 mg/kg  
Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat): 7.85 mg/l  
Exposure time: 4 h  
Test atmosphere: vapour  
Method: OECD Test Guideline 403  
Assessment: Corrosive to the respiratory tract.

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg  
Remarks: Based on data from similar materials

#### **Methoxyacetic acid:**

Acute oral toxicity : LD50 (Rat): 1,000 mg/kg

### **Skin corrosion/irritation**

Causes severe burns.

### **Components:**

#### **Glycolic acid:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : Corrosive after 3 minutes to 1 hour of exposure

#### **Formic acid:**

Result : Corrosive after 3 minutes or less of exposure

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Glyclean™ D70

Version	Revision Date:	SDS Number:	Date of last issue: 2023/08/11
4.1	2023/10/30	9169325-00008	Date of first issue: 2021/08/10

---

Remarks : Based on national or regional regulation.

### Methoxyacetic acid:

Species : Rabbit  
Result : Corrosive after 3 minutes to 1 hour of exposure

### Serious eye damage/eye irritation

Causes serious eye damage.

### Components:

#### Glycolic acid:

Species : Rabbit  
Result : Irreversible effects on the eye  
Method : OECD Test Guideline 405

#### Formic acid:

Result : Irreversible effects on the eye  
Remarks : Based on skin corrosivity.

### Methoxyacetic acid:

Result : Irreversible effects on the eye  
Remarks : Based on skin corrosivity.

### Respiratory or skin sensitisation

#### Skin sensitisation

Not classified based on available information.

#### Respiratory sensitisation

Not classified based on available information.

### Components:

#### Glycolic acid:

Test Type : Buehler Test  
Exposure routes : Skin contact  
Species : Guinea pig  
Method : OECD Test Guideline 406  
Result : negative

#### Formic acid:

Test Type : Buehler Test  
Exposure routes : Skin contact  
Species : Guinea pig  
Method : OECD Test Guideline 406  
Result : negative

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Glyclean™ D70

Version	Revision Date:	SDS Number:	Date of last issue: 2023/08/11
4.1	2023/10/30	9169325-00008	Date of first issue: 2021/08/10

---

### Germ cell mutagenicity

Not classified based on available information.

#### Components:

##### **Glycolic acid:**

- |                                     |  |
|-------------------------------------|--|
| Genotoxicity in vitro               | : Test Type: Bacterial reverse mutation assay (AMES)<br>Method: OECD Test Guideline 471<br>Result: negative<br><br>Test Type: Chromosome aberration test in vitro<br>Method: OECD Test Guideline 473<br>Result: negative<br><br>Test Type: In vitro mammalian cell gene mutation test<br>Method: OECD Test Guideline 476<br>Result: negative |
| Genotoxicity in vivo                | : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)<br>Species: Mouse<br>Application Route: Ingestion<br>Method: OECD Test Guideline 474<br>Result: negative  |
| Germ cell mutagenicity - Assessment | : Weight of evidence does not support classification as a germ cell mutagen.   |

##### **Formic acid:**

- |                       |   |
|-----------------------|---|
| Genotoxicity in vitro | : Test Type: Bacterial reverse mutation assay (AMES)<br>Method: OECD Test Guideline 471<br>Result: negative   |
| Genotoxicity in vivo  | : Test Type: Sex-linked recessive lethal test in Drosophila melanogaster (in vivo)<br>Application Route: Ingestion<br>Method: OECD Test Guideline 477<br>Result: negative |

##### **Methoxyacetic acid:**

- |                       |   |
|-----------------------|---|
| Genotoxicity in vitro | : Test Type: Bacterial reverse mutation assay (AMES)<br>Result: negative<br><br>Test Type: In vitro mammalian cell gene mutation test<br>Result: negative |
|-----------------------|---|

### Carcinogenicity

Not classified based on available information.

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Glyclean™ D70

Version	Revision Date:	SDS Number:	Date of last issue: 2023/08/11
4.1	2023/10/30	9169325-00008	Date of first issue: 2021/08/10

---

### **Components:**

#### **Glycolic acid:**

Species	: Mouse
Application Route	: Skin contact
Exposure time	: 40 weeks
Result	: negative

Carcinogenicity - Assessment	: Weight of evidence does not support classification as a carcinogen
------------------------------	--

#### **Formic acid:**

Species	: Rat
Application Route	: Ingestion
Exposure time	: 104 weeks
Result	: negative
Remarks	: Based on data from similar materials

### **Reproductive toxicity**

Not classified based on available information.

### **Product:**

Reproductive toxicity - Assessment	: No evidence of adverse effects on sexual function and fertility, or on development, based on animal experiments.
------------------------------------	--

### **Components:**

#### **Glycolic acid:**

Effects on fertility	: Test Type: One-generation reproduction toxicity study Species: Rat Application Route: Ingestion Method: Regulation (EC) No. 440/2008, Annex, B.34 Result: negative
----------------------	--

Effects on foetal development	: Test Type: Embryo-foetal development Species: Rat Application Route: Ingestion Method: OECD Test Guideline 414 Result: negative
-------------------------------	---

Reproductive toxicity - Assessment	: Weight of evidence does not support classification for reproductive toxicity
------------------------------------	--

#### **Formic acid:**

Effects on fertility	: Test Type: Two-generation reproduction toxicity study Species: Rat Application Route: Ingestion Method: OECD Test Guideline 416 Result: negative
----------------------	--

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Glyclean™ D70

Version 4.1	Revision Date: 2023/10/30	SDS Number: 9169325-00008	Date of last issue: 2023/08/11 Date of first issue: 2021/08/10
----------------	------------------------------	------------------------------	---

Remarks: Based on data from similar materials

Effects on foetal development : Test Type: Embryo-foetal development  
Species: Rabbit  
Application Route: Ingestion  
Method: OECD Test Guideline 414  
Result: negative  
Remarks: Based on data from similar materials

### Methoxyacetic acid:

Effects on fertility : Test Type: Two-generation reproduction toxicity study  
Species: Mouse  
Application Route: Ingestion  
Result: positive

Effects on foetal development : Test Type: Embryo-foetal development  
Species: Rat  
Application Route: Ingestion  
Result: positive

Reproductive toxicity - Assessment : Clear evidence of adverse effects on sexual function and fertility, based on animal experiments., Clear evidence of adverse effects on development, based on animal experiments.

### STOT - single exposure

Not classified based on available information.

### Components:

#### Methoxyacetic acid:

Assessment : May cause respiratory irritation.  
Remarks : Based on harmonised classification in EU regulation 1272/2008, Annex VI

### STOT - repeated exposure

Not classified based on available information.

### Repeated dose toxicity

### Components:

#### Glycolic acid:

Species : Rat, male and female  
NOAEL : 150 mg/kg  
LOAEL : 300 mg/kg  
Application Route : Ingestion  
Exposure time : 90 Days  
Method : OECD Test Guideline 408

#### Formic acid:

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Glyclean™ D70

Version	Revision Date:	SDS Number:	Date of last issue: 2023/08/11
4.1	2023/10/30	9169325-00008	Date of first issue: 2021/08/10

Species	:	Rat
NOAEL	:	400 mg/kg
Application Route	:	Ingestion
Exposure time	:	52 Weeks
Remarks	:	Based on data from similar materials

### Aspiration toxicity

Not classified based on available information.

## 12. ECOLOGICAL INFORMATION

### Ecotoxicity

#### Components:

##### **Glycolic acid:**

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 114.8 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 99.6 mg/l  
aquatic invertebrates Exposure time: 48 h  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic : ErC50 (Pseudokirchneriella subcapitata (green algae)): 31.2  
plants mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 14.4  
mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

##### **Formic acid:**

Toxicity to fish : LC50 (Danio rerio (zebra fish)): 130 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203  
Remarks: Based on data from similar materials

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 365 mg/l  
aquatic invertebrates Exposure time: 48 h  
Method: OECD Test Guideline 202  
Remarks: Based on data from similar materials

Toxicity to algae/aquatic : ErC50 (Pseudokirchneriella subcapitata (green algae)): 1,240  
plants mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
Remarks: Based on data from similar materials

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Glyclean™ D70

Version	Revision Date:	SDS Number:	Date of last issue: 2023/08/11
4.1	2023/10/30	9169325-00008	Date of first issue: 2021/08/10

---

EC10 (Pseudokirchneriella subcapitata (green algae)): 295 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): > 100 mg/l  
Exposure time: 21 d  
Method: OECD Test Guideline 211

Toxicity to microorganisms : NOEC: 72 mg/l  
Exposure time: 13 d

### Methoxyacetic acid:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 500 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

Toxicity to algae/aquatic plants : ErC50 (Desmodesmus subspicatus (green algae)): 66.2 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

Toxicity to microorganisms : EC50: > 1,000 mg/l  
Exposure time: 30 min  
Method: OECD Test Guideline 209

### Persistence and degradability

#### Components:

##### Glycolic acid:

Biodegradability : Result: Readily biodegradable.  
Method: OECD Test Guideline 301B

##### Formic acid:

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 100 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301C

##### Methoxyacetic acid:

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 98 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301A

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Glyclean™ D70

Version	Revision Date:	SDS Number:	Date of last issue: 2023/08/11
4.1	2023/10/30	9169325-00008	Date of first issue: 2021/08/10

---

### Bioaccumulative potential

#### Components:

##### **Glycolic acid:**

Partition coefficient: n-octanol/water : log Pow: -1.07

##### **Formic acid:**

Partition coefficient: n-octanol/water : log Pow: -2.1

##### **Methoxyacetic acid:**

Partition coefficient: n-octanol/water : log Pow: -0.68  
Remarks: Calculation

### **Mobility in soil**

No data available

### **Other adverse effects**

No data available

---

## 13. DISPOSAL CONSIDERATIONS

### **Disposal methods**

Waste from residues	:	It is best to use all of the product in accordance with label directions. If it is necessary to dispose of unused product, please follow container label instructions and applicable local guidelines. Do not dispose of waste into sewer.
Contaminated packaging	:	Follow advice on product label and/or leaflet. Empty containers retain residue and can be dangerous. Do not re-use empty containers.

---

## 14. TRANSPORT INFORMATION

### **International Regulations**

#### **UNRTDG**

UN number	:	UN 3265
Proper shipping name	:	CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (Glycolic acid, Formic acid)
Class	:	8
Packing group	:	II
Labels	:	8
Environmentally hazardous	:	no

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Glyclean™ D70

Version	Revision Date:	SDS Number:	Date of last issue: 2023/08/11
4.1	2023/10/30	9169325-00008	Date of first issue: 2021/08/10

### IATA-DGR

UN/ID No.	: UN 3265
Proper shipping name	: Corrosive liquid, acidic, organic, n.o.s. (Glycolic acid, Formic acid)
Class	: 8
Packing group	: II
Labels	: Corrosive
Packing instruction (cargo aircraft)	: 855
Packing instruction (passenger aircraft)	: 851

### IMDG-Code

UN number	: UN 3265
Proper shipping name	: CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (Glycolic acid, Formic acid)
Class	: 8
Packing group	: II
Labels	: 8
EmS Code	: F-A, S-B
Marine pollutant	: no

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### National Regulations

#### GB 6944/12268

UN number	: UN 3265
Proper shipping name	: CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (Glycolic acid, Formic acid)
Class	: 8
Packing group	: II
Labels	: 8
Marine pollutant	: no

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

## 15. REGULATORY INFORMATION

### National regulatory information

#### Law on the Prevention and Control of Occupational Diseases

#### Yangtze River Protection Law

This product does not contain any dangerous chemicals prohibited for inland river transport.

## 16. OTHER INFORMATION

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Glyclean™ D70

Version	Revision Date:	SDS Number:	Date of last issue:
4.1	2023/10/30	9169325-00008	2023/08/11
			Date of first issue: 2021/08/10

Revision Date : 2023/10/30

Other information : Glyclean™ and any associated logos are trademarks or copyrights of PureTech Scientific LLC.  
Before use read PureTech Scientific LLC safety information.  
For further information contact the local PureTech Scientific LLC office or nominated distributors.

### Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Date format : yyyy/mm/dd

### Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)  
CN OEL : Occupational exposure limits for hazardous agents in the workplace - Chemical hazardous agents.

ACGIH / TWA : 8-hour, time-weighted average  
ACGIH / STEL : Short-term exposure limit  
CN OEL / PC-TWA : Permissible concentration - time weighted average  
CN OEL / PC-STEEL : Permissible concentration - short term exposure limit

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Tem-

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Glyclean™ D70

Version	Revision Date:	SDS Number:	Date of last issue: 2023/08/11
4.1	2023/10/30	9169325-00008	Date of first issue: 2021/08/10

---

perature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

CN / EN