

# SAFETY DATA SHEET

## Potassium Cyanide Granular

Draslovka

Version	Revision Date:	SDS Number:	Date of last issue: 07.04.2022
2.8	30.06.2022	2818296-00010	Date of first issue: 23.05.2018

---

### SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Potassium Cyanide Granular

SDS-Identcode : 130000027494

#### Manufacturer or supplier's details

Company name of supplier : Covoro Mining Solutions Mexico – A Draslovka Company

Address : Boulevard Miguel de Cervantes Saavedra 251, int. 202, Col.  
Granada  
Miguel Hidalgo, CP 11520 Mexico

Telephone : (901) 357-1546

Emergency telephone : CHEMTREC 1-800-681-9531 (ANIQ – SETIQ: 55 5559  
1588en la CDMX y área metropolitana; 800 002 1400 del  
interior de la República)

#### Recommended use of the chemical and restrictions on use

Recommended use : Chemical intermediate  
Metal surface treatment products, including galvanic and  
electroplating products  
Hardener  
Plating agents and metal surface treating agents  
Recycling  
Processing aid, mining

Restrictions on use : Use in production of weapons or narcotics, For professional  
users only.

---

### SECTION 2. HAZARDS IDENTIFICATION

#### GHS Classification

Corrosive to Metals : Category 1

Acute toxicity (Oral) : Category 2

Acute toxicity (Inhalation) : Category 1

Acute toxicity (Dermal) : Category 1

Specific target organ toxicity : Category 1 (Thyroid)  
- repeated exposure

#### GHS label elements

# SAFETY DATA SHEET

## Potassium Cyanide Granular

Draslovka

Version 2.8	Revision Date: 30.06.2022	SDS Number: 2818296-00010	Date of last issue: 07.04.2022 Date of first issue: 23.05.2018
----------------	------------------------------	------------------------------	---

Hazard pictograms

:



Signal Word

:

Danger

Hazard Statements

:

H290 May be corrosive to metals.  
H300 + H310 + H330 Fatal if swallowed, in contact with skin or if inhaled.  
H372 Causes damage to organs (Thyroid) through prolonged or repeated exposure.

Precautionary Statements

:

### Prevention:

P234 Keep only in original container.  
P260 Do not breathe dust/ fume/ gas/ mist/ vapors/ spray.  
P262 Do not get in eyes, on skin, or on clothing.  
P264 Wash skin thoroughly after handling.  
P270 Do not eat, drink or smoke when using this product.  
P271 Use only outdoors or in a well-ventilated area.  
P280 Wear protective gloves/ protective clothing.  
P284 Wear respiratory protection.

### Response:

P301 + P310 + P330 IF SWALLOWED: Immediately call a POISON CENTER or doctor/ physician. Rinse mouth.  
P302 + P352 + P310 IF ON SKIN: Wash with plenty of water. Immediately call a POISON CENTER/ doctor.  
P304 + P340 + P310 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/ physician.  
P314 Get medical advice/ attention if you feel unwell.  
P320 Specific treatment is urgent (see supplemental first aid instructions on this label).  
P361 + P364 Take off immediately all contaminated clothing and wash it before reuse.  
P390 Absorb spillage to prevent material damage.

### Storage:

P405 Store locked up.

### Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

### Other hazards

Contact with acids liberates very toxic gas.  
Contact with water liberates toxic gas.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture

:

Substance

Substance name

:

Potassium Cyanide

# SAFETY DATA SHEET

## Potassium Cyanide Granular

Draslovka

Version 2.8      Revision Date: 30.06.2022      SDS Number: 2818296-00010      Date of last issue: 07.04.2022  
Date of first issue: 23.05.2018

CAS-No. : 151-50-8

### Components

Chemical name	CAS-No.	Concentration (% w/w)
Potassium Cyanide	151-50-8	>= 90 -<= 100

### SECTION 4. FIRST AID MEASURES

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.
- If inhaled : If inhaled, remove to fresh air.  
If not breathing, give artificial respiration.  
If breathing is difficult, give oxygen.  
Get medical attention immediately.
- In case of skin contact : In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.  
Get medical attention immediately.  
Wash clothing before reuse.  
Destroy contaminated shoes.
- In case of eye contact : Flush eyes with water as a precaution.  
Get medical attention if irritation develops and persists.
- If swallowed : If swallowed, DO NOT induce vomiting unless directed to do so by medical personnel.  
Call a physician or poison control center immediately.  
Rinse mouth thoroughly with water.  
Never give anything by mouth to an unconscious person.
- Most important symptoms and effects, both acute and delayed : Redness  
Rash  
Nausea  
Headache  
Breathing difficulties  
Palpitation  
Weakness  
Fatal if swallowed, in contact with skin or if inhaled.  
Causes damage to organs through prolonged or repeated exposure.
- Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
- Notes to physician : If the victim is conscious and shows symptoms of exposure, administer oxygen. If the victim is unconscious but breathing, administer oxygen and antidote. If victim is not breathing, use

# SAFETY DATA SHEET

## Potassium Cyanide Granular

Draslovka

Version 2.8	Revision Date: 30.06.2022	SDS Number: 2818296-00010	Date of last issue: 07.04.2022 Date of first issue: 23.05.2018
----------------	------------------------------	------------------------------	---

resuscitator and administer the antidote simultaneously. Call a physician. Keep victim under supervision according the physician's advice. If victim has swallowed cyanide and is conscious: Rinse the mouth with water. Administer activated charcoal slurry.

### SECTION 5. FIRE-FIGHTING MEASURES

- |  |  |
|--|--|
| Suitable extinguishing media                   | : Alcohol-resistant foam<br>Dry chemical   |
| Unsuitable extinguishing media                 | : Carbon dioxide (CO <sub>2</sub> )<br>Water   |
| Specific hazards during fire fighting          | : Exposure to combustion products may be a hazard to health.<br>Contact with water liberates toxic gas.  |
| Hazardous combustion products                  | : Carbon oxides<br>Nitrogen oxides (NO <sub>x</sub> )<br>Metal oxides  |
| Specific extinguishing methods                 | : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.<br>Collect contaminated fire extinguishing water separately. This must not be discharged into drains.<br>Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.<br>Remove undamaged containers from fire area if it is safe to do so.<br>Evacuate area. |
| Special protective equipment for fire-fighters | : In the event of fire, wear self-contained breathing apparatus.<br>Use personal protective equipment.   |

### SECTION 6. ACCIDENTAL RELEASE MEASURES

- |   |  |
|---|--|
| Personal precautions, protective equipment and emergency procedures | : Evacuate personnel to safe areas.<br>Only trained personnel should re-enter the area.<br>Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).  |
| Environmental precautions   | : Avoid release to the environment.<br>Prevent further leakage or spillage if safe to do so.<br>Retain and dispose of contaminated wash water.<br>Local authorities should be advised if significant spillages cannot be contained.  |
| Methods and materials for containment and cleaning up               | : Surround spill with absorbents and place a damp covering over the area to minimize entry of the material into the air.<br>Add excess liquid to allow the material to enter into solution.<br>Soak up with inert absorbent material.<br>Clean up remaining materials from spill with suitable absorbent.<br>Local or national regulations may apply to releases and disposal. |

# SAFETY DATA SHEET

## Potassium Cyanide Granular

Draslovka

Version 2.8	Revision Date: 30.06.2022	SDS Number: 2818296-00010	Date of last issue: 07.04.2022 Date of first issue: 23.05.2018
----------------	------------------------------	------------------------------	---

sal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.  
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

### SECTION 7. HANDLING AND STORAGE

- |                             |  |
|-----------------------------|--|
| Technical measures          | : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.  |
| Local/Total ventilation     | : If sufficient ventilation is unavailable, use with local exhaust ventilation.  |
| Advice on safe handling     | :<br>Do not get on skin or clothing.<br>Do not breathe dust, fume, gas, mist, vapors or spray.<br>Do not swallow.<br>Do not get in eyes.<br>Wash skin thoroughly after handling.<br>Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment<br>Keep container tightly closed.<br>Keep away from water.<br>Protect from moisture.<br>Keep away from metals. Store in original container or corrosive resistant and/or lined container.<br>Do not eat, drink or smoke when using this product.<br>Keep only in original packaging.<br>Take care to prevent spills, waste and minimize release to the environment. |
| Hygiene measures            | : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.<br>When using do not eat, drink or smoke.<br>Wash contaminated clothing before re-use.   |
| Conditions for safe storage | : Keep in properly labeled containers.<br>Store in original container.<br>Store in a closed container.<br>Store locked up.<br>Keep tightly closed.<br>Keep in a dry place.<br>Keep in a cool, well-ventilated place.<br>Store in accordance with the particular national regulations.  |
| Materials to avoid          | : Do not store with the following product types:<br>Strong oxidizing agents<br>Self-reactive substances and mixtures<br>Organic peroxides<br>Flammable liquids<br>Flammable solids<br>Pyrophoric liquids   |

# SAFETY DATA SHEET

## Potassium Cyanide Granular

Draslovka

Version 2.8      Revision Date: 30.06.2022      SDS Number: 2818296-00010      Date of last issue: 07.04.2022  
Date of first issue: 23.05.2018

Pyrophoric solids  
Self-heating substances and mixtures  
Substances and mixtures which in contact with water emit flammable gases  
Explosives  
Gases

Further information on storage stability : No decomposition if stored and applied as directed.

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Potassium Cyanide	151-50-8	VLE-P	5 mg/m <sup>3</sup>	NOM-010-STPS-2014
		C	5 mg/m <sup>3</sup> (Cyanide)	ACGIH

**Engineering measures** : Minimize workplace exposure concentrations.  
If sufficient ventilation is unavailable, use with local exhaust ventilation.

#### Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Particulates type

Hand protection  
Material : butyl-rubber

Remarks : Choose gloves to protect hands against chemicals depending on the concentration specific to place of work. For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday. Breakthrough time is not determined for the product. Change gloves often!

Eye protection : Wear the following personal protective equipment:  
Safety glasses  
If splashes are likely to occur, wear:  
Face-shield

Skin and body protection : Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure

# SAFETY DATA SHEET

## Potassium Cyanide Granular

Draslovka

Version 2.8	Revision Date: 30.06.2022	SDS Number: 2818296-00010	Date of last issue: 07.04.2022 Date of first issue: 23.05.2018
----------------	------------------------------	------------------------------	---

potential.  
Skin contact must be avoided by using impervious protective clothing (gloves, aprons, boots, etc).

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: solid, granular, pellets
Color	: white
Odor	: odorless
Odor Threshold	: No data available
pH	: 10.8 (as aqueous solution)
Melting point/freezing point	: 634.5 °C
Initial boiling point and boiling range	: No data available
Flash point	: Not applicable
Evaporation rate	: Not applicable
Flammability (solid, gas)	: Will not burn
Upper explosion limit / Upper flammability limit	: No data available
Lower explosion limit / Lower flammability limit	: No data available
Vapor pressure	: Not applicable
Relative vapor density	: Not applicable
Relative density	: 1.52 (20 °C)
Solubility(ies) Water solubility	: 417 g/l (20 °C)
Partition coefficient: n-octanol/water	: No data available
Autoignition temperature	: No data available
Decomposition temperature	: No data available

# SAFETY DATA SHEET

## Potassium Cyanide Granular

Draslovka

Version 2.8	Revision Date: 30.06.2022	SDS Number: 2818296-00010	Date of last issue: 07.04.2022 Date of first issue: 23.05.2018
----------------	------------------------------	------------------------------	---

Viscosity	
Viscosity, kinematic	: Not applicable
Explosive properties	: Not explosive
Oxidizing properties	: The substance or mixture is not classified as oxidizing.
Metal corrosion rate	: Corrosive to metals
Particle size	: No data available

### SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Contact with water liberates toxic gas.
Chemical stability	: Stable if used as directed. Follow precautionary advice and avoid incompatible materials and conditions.
Possibility of hazardous reactions	: Can react with strong oxidizing agents. Reacts with water. May be corrosive to metals.
Conditions to avoid	: Exposure to moisture.
Incompatible materials	: Oxidizing agents Acids Water
Hazardous decomposition products	: No hazardous decomposition products are known.

### SECTION 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

Skin contact  
Ingestion  
Eye contact

#### Acute toxicity

Fatal if swallowed, in contact with skin or if inhaled.

#### Product:

Acute oral toxicity	: Acute toxicity estimate: 7.54 mg/kg Method: Calculation method
Acute inhalation toxicity	: Acute toxicity estimate: 0.005 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Calculation method
Acute dermal toxicity	: Acute toxicity estimate: 14.38 mg/kg Method: Calculation method



# SAFETY DATA SHEET

## Potassium Cyanide Granular

Draslovka

Version	Revision Date:	SDS Number:	Date of last issue: 07.04.2022
2.8	30.06.2022	2818296-00010	Date of first issue: 23.05.2018

---

### **Components:**

#### **Potassium Cyanide:**

Acute oral toxicity	:	LD50 (Rat): 7.49 mg/kg
Acute inhalation toxicity	:	Acute toxicity estimate: 0.005 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Expert judgment Remarks: Based on data from similar materials
Acute dermal toxicity	:	LD50 (Rabbit): 14.29 mg/kg

#### **Skin corrosion/irritation**

Not classified based on available information.

#### **Serious eye damage/eye irritation**

Not classified based on available information.

#### **Respiratory or skin sensitization**

##### **Skin sensitization**

Not classified based on available information.

##### **Respiratory sensitization**

Not classified based on available information.

##### **Germ cell mutagenicity**

Not classified based on available information.

### **Components:**

#### **Potassium Cyanide:**

Genotoxicity in vitro	:	Test Type: In vitro mammalian cell gene mutation test Result: negative
Genotoxicity in vivo	:	Test Type: Mammalian bone marrow sister chromatid exchange Species: Rat Application Route: Ingestion Result: negative Remarks: Based on data from similar materials

#### **Carcinogenicity**

Not classified based on available information.

### **Components:**

#### **Potassium Cyanide:**

Species	:	Rat
Application Route	:	Ingestion
Exposure time	:	2 Years
Result	:	negative
Remarks	:	Based on data from similar materials

# SAFETY DATA SHEET

## Potassium Cyanide Granular

Draslovka

Version 2.8	Revision Date: 30.06.2022	SDS Number: 2818296-00010	Date of last issue: 07.04.2022 Date of first issue: 23.05.2018
----------------	------------------------------	------------------------------	---

### Reproductive toxicity

Not classified based on available information.

#### Components:

##### Potassium Cyanide:

Effects on fertility : Test Type: Fertility  
Species: Rat  
Application Route: inhalation (dust/mist/fume)  
Result: negative  
Remarks: Based on data from similar materials

Effects on fetal development : Test Type: Embryo-fetal development  
Species: Rat  
Application Route: Ingestion  
Result: negative

### STOT-single exposure

Not classified based on available information.

### STOT-repeated exposure

Causes damage to organs (Thyroid) through prolonged or repeated exposure.

#### Components:

##### Potassium Cyanide:

Routes of exposure : Ingestion  
Target Organs : Thyroid  
Assessment : Shown to produce significant health effects in animals at concentrations of 10 mg/kg bw or less.

### Repeated dose toxicity

#### Components:

##### Potassium Cyanide:

Species : Rat  
NOAEL : 0.3 mg/kg  
LOAEL : 0.9 mg/kg  
Application Route : Ingestion  
Exposure time : 15 Days

### Aspiration toxicity

Not classified based on available information.

## SECTION 12. ECOLOGICAL INFORMATION

### Ecotoxicity

#### Components:

##### Potassium Cyanide:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 27 µg/l

# SAFETY DATA SHEET

## Potassium Cyanide Granular

Draslovka

Version	Revision Date:	SDS Number:	Date of last issue: 07.04.2022
2.8	30.06.2022	2818296-00010	Date of first issue: 23.05.2018

Exposure time: 96 h  
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia pulex (Water flea)): 8 mg/l  
Exposure time: 48 h

Toxicity to microorganisms : EC50: 2.3 mg/l  
Exposure time: 30 min

### Persistence and degradability

#### Components:

#### Potassium Cyanide:

Biodegradability : Result: Inherently biodegradable.  
Biodegradation: 99 %  
Exposure time: 42 d  
Remarks: Based on data from similar materials

#### Bioaccumulative potential

No data available

#### Mobility in soil

No data available

#### Other adverse effects

No data available

## SECTION 13. DISPOSAL CONSIDERATIONS

#### Disposal methods

Waste from residues : Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
If not otherwise specified: Dispose of as unused product.

## SECTION 14. TRANSPORT INFORMATION

#### International Regulations

##### UNRTDG

UN number : UN 1680  
Proper shipping name : POTASSIUM CYANIDE, SOLID  
Class : 6.1  
Packing group : I  
Labels : 6.1

##### IATA-DGR

UN/ID No. : UN 1680  
Proper shipping name : Potassium cyanide, solid  
Class : 6.1  
Packing group : I

# SAFETY DATA SHEET

## Potassium Cyanide Granular

Draslovka

Version 2.8	Revision Date: 30.06.2022	SDS Number: 2818296-00010	Date of last issue: 07.04.2022 Date of first issue: 23.05.2018
----------------	------------------------------	------------------------------	---

Labels : Toxic  
Packing instruction (cargo aircraft) : 673  
Packing instruction (passenger aircraft) : 666

### IMDG-Code

UN number : UN 1680  
Proper shipping name : POTASSIUM CYANIDE, SOLID (Potassium Cyanide)  
Class : 6.1  
Packing group : I  
Labels : 6.1  
EmS Code : F-A, S-A  
Marine pollutant : yes

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### Domestic regulation

#### NOM-002-SCT

UN number : UN 1680  
Proper shipping name : POTASSIUM CYANIDE, SOLID  
Class : 6.1  
Packing group : I  
Labels : 6.1

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

## SECTION 15. REGULATORY INFORMATION

### Safety, health and environmental regulations/legislation specific for the substance or mixture

NOM-165-SEMARNAT-2013, Norm establishing a list of substances subject to report for the Registry of Emissions and Pollutant Transfer

Components	CAS-No.	MPU (kg/year)	Transfer/Release (kg/year)
Potassium Cyanide	151-50-8	2500 kg/year	100 kg/year

MPU: Applicable reporting threshold when the substance, pure or in mixture in a composition of more than 1% by weight, is used for industrial activities at facilities that are subject to report or are produced by them

Federal Law for the control of chemical precursors, : Not applicable  
essential chemical products and machinery for producing capsules, tablets and pills.

## SECTION 16. OTHER INFORMATION

Before use read Draslovka safety information.

# SAFETY DATA SHEET

## Potassium Cyanide Granular

Draslovka

Version	Revision Date:	SDS Number:	Date of last issue: 07.04.2022
2.8	30.06.2022	2818296-00010	Date of first issue: 23.05.2018

For further information contact the local Draslovka office or nominated distributors.

### Full text of other abbreviations

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
NOM-010-STPS-2014	:	Mexico. Norm NOM-010-STPS-2014 on Chemicals Polluting the Work Environment - Identification, Assessment and Control - Appendix 1 Occupational Exposure Limits
ACGIH / C	:	Ceiling limit
NOM-010-STPS-2014 / VLE-	:	Ceiling value
P		

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECl - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Sources of key data used to compile the Material Safety Data Sheet	:	Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <a href="http://echa.europa.eu/">http://echa.europa.eu/</a>
--	---	---

Revision Date	:	30.06.2022
---------------	---	------------

The information is considered as correct, but not exhaustive, and will be used only as a guide, which is based in the current knowledge of the substance or mixture, and is applicable to proper safety precautions for the product.

# SAFETY DATA SHEET

## Potassium Cyanide Granular

Draslovka

Version	Revision Date:	SDS Number:	Date of last issue: 07.04.2022
2.8	30.06.2022	2818296-00010	Date of first issue: 23.05.2018

---

MX / Z8