

SAFETY DATA SHEET

Glypure™ 70



| | | | |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 2023/10/10 |
| 17.0 | 2023/10/25 | 1326500-00053 | Date of first issue: 2017/02/27 |

1. PRODUCT AND COMPANY IDENTIFICATION

Chemical product name : Glypure™ 70

SDS-Identcode : 130000000519

Supplier's company name, address and phone number

Company name of supplier : Maruwa Bussan Kabushiki Kaisha(Import distributor)(Manufacturer-PureTech Scientific LLC)

Address : Shimbashi Tokyu building, 4-21-3, Shimbashi, Minato-ku, Tokyo, Japan

Telephone : 03-3437-0801

E-mail address : sds-support@puretechscientific.com

Emergency telephone number : +81 368908677 access code 336264

Prepared by : Industrial Chemical Division

Recommended use of the chemical and restrictions on use

Recommended use : Formulation of preparations
Personal care
Cosmetics

Restrictions on use : For industrial use only.

2. HAZARDS IDENTIFICATION

GHS classification of chemical product

Skin corrosion/irritation : Category 1

Serious eye damage/eye irritation : Category 1

Short-term (acute) aquatic hazard : Category 3

GHS label elements

SAFETY DATA SHEET

Glypure™ 70



| | | | |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 2023/10/10 |
| 17.0 | 2023/10/25 | 1326500-00053 | Date of first issue: 2017/02/27 |

Hazard pictograms

:



Signal word

:

Danger

Hazard statements

:

H314 Causes severe skin burns and eye damage.
H402 Harmful to aquatic life.

Precautionary statements

:

Prevention:

P264 Wash skin thoroughly after handling.
P273 Avoid release to the environment.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:

P301 + P330 + P331 + P310 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER/ doctor.
P303 + P361 + P353 + P310 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. Immediately call a POISON CENTER/ doctor.
P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor.
P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.
P363 Wash contaminated clothing before reuse.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

Important symptoms and outlines of the emergency assumed : Corrosive to the respiratory tract.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture

:

Mixture

SAFETY DATA SHEET

Glypure™ 70



Version 17.0 Revision Date: 2023/10/25 SDS Number: 1326500-00053 Date of last issue: 2023/10/10
Date of first issue: 2017/02/27

Components

| Chemical name | CAS-No. | Concentration (% w/w) | ENCS No. |
|---------------|---------|-----------------------|----------|
| Glycolic acid | 79-14-1 | 71.4708 | 2-1346 |

4. FIRST AID MEASURES

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
When symptoms persist or in all cases of doubt seek medical advice.
- If inhaled : If inhaled, remove to fresh air.
If not breathing, give artificial respiration.
If breathing is difficult, give oxygen.
Get medical attention immediately.
- In case of skin contact : In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.
Get medical attention immediately.
Wash clothing before reuse.
Thoroughly clean shoes before reuse.
- In case of eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.
If easy to do, remove contact lens, if worn.
Get medical attention immediately.
- If swallowed : If swallowed, DO NOT induce vomiting.
If vomiting occurs have person lean forward.
Call a physician or poison control centre immediately.
Rinse mouth thoroughly with water.
Never give anything by mouth to an unconscious person.
- Most important symptoms and effects, both acute and delayed : Inhalation may provoke the following symptoms:
Cough
Shortness of breath
Pain
Irritation
Skin contact may provoke the following symptoms:
Irritation
Rash
Necrosis
Discomfort
Eye contact may provoke the following symptoms
Corrosion
Ulceration
Severe irritation
Ingestion may provoke the following symptoms:

SAFETY DATA SHEET

Glypure™ 70



| | | | |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 2023/10/10 |
| 17.0 | 2023/10/25 | 1326500-00053 | Date of first issue: 2017/02/27 |

Gastrointestinal discomfort
Nausea
Vomiting
Diarrhoea
Causes serious eye damage.
Causes severe burns.
Causes digestive tract burns.
Corrosive to respiratory system.

Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Notes to physician : Treat symptomatically and supportively.

5. FIREFIGHTING MEASURES

Suitable extinguishing media : Water spray
Alcohol-resistant foam
Carbon dioxide (CO₂)
Dry chemical

Unsuitable extinguishing media : None known.

Specific hazards during fire-fighting : Exposure to combustion products may be a hazard to health.

Hazardous combustion products : Carbon oxides

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Use water spray to cool unopened containers.
Remove undamaged containers from fire area if it is safe to do so.
Evacuate area.

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.
Use personal protective equipment.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.
Prevent further leakage or spillage if safe to do so.
Prevent spreading over a wide area (e.g. by containment or oil

SAFETY DATA SHEET

Glypure™ 70



| | | | |
|-----------------|------------------------------|------------------------------|---|
| Version 17.0 | Revision Date: 2023/10/25 | SDS Number: 1326500-00053 | Date of last issue: 2023/10/10 Date of first issue: 2017/02/27 |
|-----------------|------------------------------|------------------------------|---|

barriers).
Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Soak up with inert absorbent material.
For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absorbent.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

7. HANDLING AND STORAGE

Handling

Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.

Advice on safe handling : Do not get on skin or clothing.
Do not breathe vapours or spray mist.
Do not swallow.
Do not get in eyes.
Wash skin thoroughly after handling.
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
Keep container tightly closed.
Take care to prevent spills, waste and minimize release to the environment.

Do not breathe decomposition products.

Avoidance of contact : Oxidizing agents
Bases

Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.
When using do not eat, drink or smoke.
Wash contaminated clothing before re-use.

SAFETY DATA SHEET

Glypure™ 70



Version 17.0 Revision Date: 2023/10/25 SDS Number: 1326500-00053 Date of last issue: 2023/10/10
Date of first issue: 2017/02/27

Storage

Conditions for safe storage : Keep in properly labelled containers.
Store locked up.
Keep tightly closed.
Store in accordance with the particular national regulations.

Reacts with many metals to liberate hydrogen gas which can form explosive mixtures with air. Hydrogen, a highly flammable gas, can accumulate to explosive concentrations inside drums, or any types of steel containers or tanks upon storage.

Materials to avoid : Do not store with the following product types:
Strong oxidizing agents

Recommended storage temperature : > 10 °C

Packaging material : Unsuitable material: None known.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Threshold limit value and permissible exposure limits for each component in the work environment

Contains no substances with occupational exposure limit values.

Occupational exposure limits of decomposition products

| Components | CAS-No. | Value type (Form of exposure) | Control parameters / Permissible concentration | Basis |
|----------------|----------|----------------------------------|--|----------------|
| Carbon dioxide | 124-38-9 | OEL-M | 5,000 ppm 9,000 mg/m ³ | JP OEL JSOH |
| | | TWA | 5,000 ppm | ACGIH |
| | | STEL | 30,000 ppm | ACGIH |

Engineering measures : Processing may form hazardous compounds (see section 10).
Minimize workplace exposure concentrations.
If sufficient ventilation is unavailable, use with local exhaust ventilation.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Inorganic gas/vapour type

Hand protection

SAFETY DATA SHEET

Glypure™ 70



| | | | |
|-----------------|------------------------------|------------------------------|---|
| Version 17.0 | Revision Date: 2023/10/25 | SDS Number: 1326500-00053 | Date of last issue: 2023/10/10 Date of first issue: 2017/02/27 |
|-----------------|------------------------------|------------------------------|---|

Material : Chemical-resistant gloves

Remarks : Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work. Breakthrough time is not determined for the product. Change gloves often! For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday.

Eye protection : Wear the following personal protective equipment:
Chemical resistant goggles must be worn.
If splashes are likely to occur, wear:
Face-shield

Skin and body protection : Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure potential.
Skin contact must be avoided by using impervious protective clothing (gloves, aprons, boots, etc).

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state : liquid

Colour : colourless

Odour : slight

Odour Threshold : No data available

Melting point/freezing point : 10 °C

Boiling point, initial boiling point and boiling range : 112 °C
(1,013 hPa)

Flammability (solid, gas) : Not applicable

Flammability (liquids) : No data available

Lower explosion limit and upper explosion limit / flammability limit
Upper explosion limit / Upper flammability limit : No data available

SAFETY DATA SHEET

Glypure™ 70



| | | | |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 2023/10/10 |
| 17.0 | 2023/10/25 | 1326500-00053 | Date of first issue: 2017/02/27 |

| | | |
|---|---|---|
| Lower explosion limit / Lower flammability limit | : | No data available |
| Flash point | : | > 100 °C Method: ASTM D 56 |
| Decomposition temperature | : | No data available |
| pH | : | 0.1 (25 °C) |
| Evaporation rate | : | No data available |
| Auto-ignition temperature | : | No data available |
| Viscosity | | |
| Viscosity, dynamic | : | 11.28 mPa.s (16 °C) |
| Viscosity, kinematic | : | 6.149 mm ² /s (23 °C) |
| Solubility(ies) | | |
| Water solubility | : | > 300 g/l (for a component of this mixture) (22 °C) |
| Partition coefficient: n- octanol/water | : | log Pow: -1.07 (20 °C) (for a component of this mixture) |
| Vapour pressure | : | 0.0041 hPa (25 °C) (for a component of this mixture) |
| Density and / or relative density | | |
| Relative density | : | 1.26 (20 °C) |
| Relative vapour density | : | No data available |
| Explosive properties | : | Not explosive |
| Oxidizing properties | : | The substance or mixture is not classified as oxidizing. |
| Particle characteristics | | |
| Particle size | : | Not applicable |

10. STABILITY AND REACTIVITY

| | | |
|--------------------------------|---|---|
| Reactivity | : | Not classified as a reactivity hazard. |
| Chemical stability | : | Stable under normal conditions. |
| Possibility of hazardous reac- | : | Can react with strong oxidizing agents. |

Glypure™ 70



| | | |
|---|---|---|
| Reactions | : | Hazardous decomposition products will be formed at elevated temperatures. |
| Conditions to avoid | : | None known. |
| Incompatible materials | : | Oxidizing agents Bases |
| Hazardous decomposition products | | |
| Thermal decomposition | : | Carbon dioxide |

| | |
|--|--|
| Information on likely routes of exposure | Inhalation Skin contact Ingestion Eye contact |
|--|--|

Not classified based on available information.

Acute inhalation toxicity : Acute toxicity estimate: > 5 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: Calculation method

Glycolic acid:

| | | |
|---------------------------|---|--|
| Acute oral toxicity | : | LD50 (Rat): 2,040 mg/kg Method: US EPA Test Guideline OPP 81-1 |
| Acute inhalation toxicity | : | LC50 (Rat): 3.6 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403 Assessment: Corrosive to the respiratory tract. |
| Acute dermal toxicity | : | Assessment: The substance or mixture has no acute dermal toxicity |

Causes severe burns.

Glycolic acid:

Species : Rabbit

SAFETY DATA SHEET

Glypure™ 70



| | | | |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 2023/10/10 |
| 17.0 | 2023/10/25 | 1326500-00053 | Date of first issue: 2017/02/27 |

| | |
|--------|---|
| Method | : OECD Test Guideline 404 |
| Result | : Corrosive after 3 minutes to 1 hour of exposure |

Serious eye damage/eye irritation

Causes serious eye damage.

Components:

Glycolic acid:

| | |
|---------|-----------------------------------|
| Species | : Rabbit |
| Result | : Irreversible effects on the eye |
| Method | : OECD Test Guideline 405 |

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Components:

Glycolic acid:

| | |
|-----------------|---------------------------|
| Test Type | : Buehler Test |
| Exposure routes | : Skin contact |
| Species | : Guinea pig |
| Method | : OECD Test Guideline 406 |
| Result | : negative |

Germ cell mutagenicity

Not classified based on available information.

Components:

Glycolic acid:

| | |
|-----------------------|--|
| Genotoxicity in vitro | : Test Type: Bacterial reverse mutation assay (AMES) |
| | Method: OECD Test Guideline 471 |
| | Result: negative |
| | Test Type: Chromosome aberration test in vitro |
| | Method: OECD Test Guideline 473 |
| | Result: negative |
| | Test Type: In vitro mammalian cell gene mutation test |
| | Method: OECD Test Guideline 476 |
| | Result: negative |
| Genotoxicity in vivo | : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) |
| | Species: Mouse |

SAFETY DATA SHEET

Glypure™ 70



| | | | |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 2023/10/10 |
| 17.0 | 2023/10/25 | 1326500-00053 | Date of first issue: 2017/02/27 |

| | |
|-------------------------------------|--|
| | Application Route: Ingestion |
| | Method: OECD Test Guideline 474 |
| | Result: negative |
| Germ cell mutagenicity - Assessment | : Weight of evidence does not support classification as a germ cell mutagen. |

Carcinogenicity

Not classified based on available information.

Components:

Glycolic acid:

| | |
|-------------------|----------------|
| Species | : Mouse |
| Application Route | : Skin contact |
| Exposure time | : 40 weeks |
| Result | : negative |

| | |
|------------------------------|--|
| Carcinogenicity - Assessment | : Weight of evidence does not support classification as a carcinogen |
|------------------------------|--|

Reproductive toxicity

Not classified based on available information.

Components:

Glycolic acid:

| | |
|----------------------|---|
| Effects on fertility | : Test Type: One-generation reproduction toxicity study |
| | Species: Rat |
| | Application Route: Ingestion |
| | Method: Regulation (EC) No. 440/2008, Annex, B.34 |
| | Result: negative |

| | |
|-------------------------------|--|
| Effects on foetal development | : Test Type: Embryo-foetal development |
| | Species: Rat |
| | Application Route: Ingestion |
| | Method: OECD Test Guideline 414 |
| | Result: negative |

| | |
|------------------------------------|--|
| Reproductive toxicity - Assessment | : Weight of evidence does not support classification for reproductive toxicity |
|------------------------------------|--|

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

SAFETY DATA SHEET

Glypure™ 70



| | | | |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 2023/10/10 |
| 17.0 | 2023/10/25 | 1326500-00053 | Date of first issue: 2017/02/27 |

Repeated dose toxicity

Components:

Glycolic acid:

| | |
|-------------------|---------------------------|
| Species | : Rat, male and female |
| NOAEL | : 150 mg/kg |
| LOAEL | : 300 mg/kg |
| Application Route | : Ingestion |
| Exposure time | : 90 Days |
| Method | : OECD Test Guideline 408 |

Aspiration toxicity

Not classified based on available information.

Experience with human exposure

Product:

| | |
|------------|---|
| Inhalation | : Symptoms: At atmospheric temperature, this product has only a minimal risk of inhalation due to its low vapour pressure., Inhalation of aerosol or fine spray mist may cause serious respiratory problems., Corrosive to the respiratory tract. |
|------------|---|

12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Glycolic acid:

| | |
|---|---|
| Toxicity to fish | : LC50 (Pimephales promelas (fathead minnow)): 114.8 mg/l Exposure time: 96 h |
| Toxicity to daphnia and other aquatic invertebrates | : EC50 (Daphnia magna (Water flea)): 99.6 mg/l Exposure time: 48 h Method: OECD Test Guideline 202 |
| Toxicity to algae/aquatic plants | : ErC50 (Pseudokirchneriella subcapitata (green algae)): 31.2 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 NOEC (Pseudokirchneriella subcapitata (green algae)): 14.4 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 |

SAFETY DATA SHEET

Glypure™ 70



| | | | |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 2023/10/10 |
| 17.0 | 2023/10/25 | 1326500-00053 | Date of first issue: 2017/02/27 |

Persistence and degradability

Components:

Glycolic acid:

| | | |
|------------------|---|--|
| Biodegradability | : | Result: Readily biodegradable. Method: OECD Test Guideline 301B |
|------------------|---|--|

Bioaccumulative potential

Components:

Glycolic acid:

| | | |
|--|---|----------------|
| Partition coefficient: n-octanol/water | : | log Pow: -1.07 |
|--|---|----------------|

Mobility in soil

No data available

Hazardous to the ozone layer

Not applicable

Other adverse effects

No data available

13. DISPOSAL CONSIDERATIONS

Disposal methods

| | | |
|------------------------|---|---|
| Waste from residues | : | Dispose of in accordance with local regulations. Do not dispose of waste into sewer. |
| Contaminated packaging | : | Empty containers should be taken to an approved waste handling site for recycling or disposal. If not otherwise specified: Dispose of as unused product. |

14. TRANSPORT INFORMATION

International Regulations

UNRTDG

| | | |
|---------------------------|---|--|
| UN number | : | UN 3265 |
| Proper shipping name | : | CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (Glycolic acid) |
| Class | : | 8 |
| Packing group | : | II |
| Labels | : | 8 |
| Environmentally hazardous | : | no |

IATA-DGR

| | | |
|-----------|---|---------|
| UN/ID No. | : | UN 3265 |
|-----------|---|---------|

SAFETY DATA SHEET

Glypure™ 70



| | | | |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 2023/10/10 |
| 17.0 | 2023/10/25 | 1326500-00053 | Date of first issue: 2017/02/27 |

Proper shipping name : Corrosive liquid, acidic, organic, n.o.s.
(Glycolic acid)

Class : 8

Packing group : II

Labels : Corrosive

Packing instruction (cargo aircraft) : 855

Packing instruction (passenger aircraft) : 851

IMDG-Code

UN number : UN 3265

Proper shipping name : CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S.
(Glycolic acid)

Class : 8

Packing group : II

Labels : 8

EmS Code : F-A, S-B

Marine pollutant : no

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

Refer to section 15 for specific national regulation.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

ERG Code : 153

15. REGULATORY INFORMATION

Related Regulations

Fire Service Law

Not applicable to dangerous materials / designated flammables.

Chemical Substance Control Law

Not applicable for Specified Chemical Substance, Monitoring Chemical Substance and Priority Assessment Chemical Substance.

Industrial Safety and Health Law

Harmful Substances Prohibited from Manufacture

Not applicable

Harmful Substances Required Permission for Manufacture

Not applicable

SAFETY DATA SHEET

Glypure™ 70



Version 17.0 Revision Date: 2023/10/25 SDS Number: 1326500-00053 Date of last issue: 2023/10/10
Date of first issue: 2017/02/27

Substances Prevented From Impairment of Health

Not applicable

Circular concerning Information on Chemicals having Mutagenicity - Annex 2: Information on Existing Chemicals having Mutagenicity

Not applicable

Circular concerning Information on Chemicals having Mutagenicity - Annex 1: Information on Notified Substances having Mutagenicity

Not applicable

Substances Subject to be Notified Names

Article 57-2 (Enforcement Order Table 9)

| Chemical name | Concentration (%) | Remarks |
|----------------|--------------------|----------------------|
| glycollic acid | ≥ 70 - < 80 | From April 1st, 2025 |

Substances Subject to be Indicated Names

Article 57 (Enforcement Order Article 18)

| Chemical name | Remarks |
|----------------|----------------------|
| glycollic acid | From April 1st, 2025 |

Carcinogenic Substances (Article 577-2 of the Occupational Health and Safety Regulations)

Not applicable

Ordinance on Prevention of Hazards Due to Specified Chemical Substances

Not applicable

Ordinance on Prevention of Lead Poisoning

Not applicable

Ordinance on Prevention of Tetraalkyl Lead Poisoning

Not applicable

Ordinance on Prevention of Organic Solvent Poisoning

Not applicable

Enforcement Order of the Industrial Safety and Health Law - Attached table 1 (Dangerous Substances)

Not applicable

Poisonous and Deleterious Substances Control Law

Deleterious substance

| Chemical name | Cabinet Order Number |
|--|----------------------|
| Glycolic acid and preparations containing it | 24.2 |

Act on Confirmation, etc. of Release Amounts of Specific Chemical Substances in the Environment and Promotion of Improvements to the Management Thereof

Not applicable

High Pressure Gas Safety Act

Not applicable

SAFETY DATA SHEET

Glypure™ 70



| | | | |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 2023/10/10 |
| 17.0 | 2023/10/25 | 1326500-00053 | Date of first issue: 2017/02/27 |

Explosive Control Law

Not applicable

Vessel Safety Law

Corrosive substances (Article 2 and 3 of rules on shipping and storage of dangerous goods and its Attached Table 1)

Aviation Law

Corrosive substances (Article 194 of The Enforcement Rules of Aviation Law and its Attached Table 1)

Marine Pollution and Sea Disaster Prevention etc Law

Bulk transportation : Forbidden

Pack transportation : Not classified as marine pollutant

Narcotics and Psychotropics Control Act

Narcotic or Psychotropic Raw Material (Export / Import Permission)

Not applicable

Specific Narcotic or Psychotropic Raw Material (Export / Import permission)

Not applicable

Waste Disposal and Public Cleansing Law

Specially Controlled Industrial Waste

16. OTHER INFORMATION

Other information : Glypure™ and any associated logos are trademarks or copyrights of PureTech Scientific LLC.
Before use read PureTech Scientific LLC safety information.
For further information contact the local PureTech Scientific LLC office or nominated distributors.

Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format : yyyy/mm/dd

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

JP OEL JSOH : Japan. The Japan Society for Occupational Health. Recommendation of Occupational Exposure Limits

SAFETY DATA SHEET

Glypure™ 70



| | | | |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 2023/10/10 |
| 17.0 | 2023/10/25 | 1326500-00053 | Date of first issue: 2017/02/27 |

| | | |
|---------------------|---|----------------------------------|
| ACGIH / TWA | : | 8-hour, time-weighted average |
| ACGIH / STEL | : | Short-term exposure limit |
| JP OEL JSOH / OEL-M | : | Occupational Exposure Limit-Mean |

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

JP / EN