

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



Vazo™ 88

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2023
3.2	12.01.2024	9401803-00005	Date of first issue: 27.08.2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name	:	Vazo™ 88
SDS-Identcode	:	130000000407
REACH Registration Number	:	01-2120795117-47-0001
Substance name	:	1,1'-Azodicyclohexanecarbonitrile
EC-No.	:	218-254-8

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- stance/Mixture	:	Intermediate
Recommended restrictions on use	:	For industrial use only.

1.3 Details of the supplier of the safety data sheet

Company	:	Chemours Netherlands B.V. Baanhoekweg 22 3313 LA Dordrecht Netherlands
Telephone	:	+31-(0)-78-630-1011
Telefax	:	+31-78-6163737
E-mail address of person responsible for the SDS	:	sds-support@chemours.com

1.4 Emergency telephone number

+(44)-870-8200418 (CHEMTREC - Recommended)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

Self-reactive substances and mixtures, Type D	H242: Heating may cause a fire.
Specific target organ toxicity - single ex-	H335: May cause respiratory irritation.

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



Vazo™ 88

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2023
3.2	12.01.2024	9401803-00005	Date of first issue: 27.08.2021

posure, Category 3

Long-term (chronic) aquatic hazard, Category 2 H411: Toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

Hazard pictograms :



Signal word : Danger

Hazard statements :
H242 Heating may cause a fire.
H335 May cause respiratory irritation.
H411 Toxic to aquatic life with long lasting effects.

Precautionary statements :
Prevention:
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P235 Keep cool.
P273 Avoid release to the environment.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
Response:
P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.
P391 Collect spillage.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Risk of explosion if heated under confinement.

Dust contact with the eyes can lead to mechanical irritation.

Contact with dust can cause mechanical irritation or drying of the skin.

May form explosive dust-air mixture.

SECTION 3: Composition/information on ingredients

3.1 Substances

Substance name : 1,1'-Azodicyclohexanecarbonitrile
EC-No. : 218-254-8

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



Vazo™ 88

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2023
3.2	12.01.2024	9401803-00005	Date of first issue: 27.08.2021

Components

Chemical name	CAS-No. EC-No.	Concentration (% w/w)
1,1'-Azodicyclohexanecarbonitrile	2094-98-6 218-254-8	>= 90 - <= 100

SECTION 4: First aid measures

4.1 Description of first aid measures

- | | |
|----------------------------|---|
| General advice | : In the case of accident or if you feel unwell, seek medical advice immediately.
When symptoms persist or in all cases of doubt seek medical advice. |
| Protection of first-aiders | : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8). |
| If inhaled | : If inhaled, remove to fresh air.
Get medical attention if symptoms occur. |
| In case of skin contact | : Wash with water and soap.
Get medical attention if symptoms occur. |
| In case of eye contact | : If in eyes, rinse well with water.
Get medical attention if irritation develops and persists. |
| If swallowed | : If swallowed, DO NOT induce vomiting.
Get medical attention if symptoms occur.
Rinse mouth thoroughly with water. |

4.2 Most important symptoms and effects, both acute and delayed

- | | |
|----------|---|
| Symptoms | : Eye contact may provoke the following symptoms
Irritation
Redness
Discomfort
Lachrymation

Ingestion may provoke the following symptoms:
Lethargy
Diarrhoea |
| Risks | : May cause respiratory irritation.

Contact with dust can cause mechanical irritation or drying of the skin.
Dust contact with the eyes can lead to mechanical irritation. |

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



Vazo™ 88

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2023
3.2	12.01.2024	9401803-00005	Date of first issue: 27.08.2021

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically and supportively.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Water spray
Alcohol-resistant foam

Unsuitable extinguishing media : High volume water jet

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.
Do not use a solid water stream as it may scatter and spread fire.
The product burns violently.
Exposure to combustion products may be a hazard to health.

Hazardous combustion products : Nitrogen oxides (NO_x)
Carbon oxides

5.3 Advice for firefighters

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.
Use personal protective equipment.

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Use water spray to cool unopened containers.
Remove undamaged containers from fire area if it is safe to do so.
Evacuate area.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Remove all sources of ignition.
Use personal protective equipment.
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

6.2 Environmental precautions

Environmental precautions : Avoid release to the environment.
Prevent further leakage or spillage if safe to do so.
Retain and dispose of contaminated wash water.

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



Vazo™ 88

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2023
3.2	12.01.2024	9401803-00005	Date of first issue: 27.08.2021

If spillage enters rivers or watercourses, inform the Environment Agency (emergency telephone number 0800 807060).

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Clear spills immediately.
Take any precaution to avoid mixing with combustibles.
Soak up with inert absorbent material.
Remove mechanically and with care (e.g. with clean polyethylene plastic shovel).
Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air).
Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration.
Isolate waste and do not reuse.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Technical measures	: Static electricity may accumulate and ignite suspended dust causing an explosion. Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres.
Local/Total ventilation	: If sufficient ventilation is unavailable, use with local exhaust ventilation. If advised by assessment of the local exposure potential, use only in an area equipped with explosion-proof exhaust ventilation.
Advice on safe handling	: Avoid breathing dust, fume, gas, mist, vapours or spray. Do not swallow. Avoid contact with eyes. Avoid prolonged or repeated contact with skin. Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment Non-sparking tools should be used. Prevent pressure build-up Keep container tightly closed. Protect from contamination. Keep cool.

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



Vazo™ 88

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2023
3.2	12.01.2024	9401803-00005	Date of first issue: 27.08.2021

Already sensitised individuals, and those susceptible to asthma, allergies, chronic or recurrent respiratory disease, should consult their physician regarding working with respiratory irritants or sensitisers.
Minimize dust generation and accumulation.
Keep container closed when not in use.
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
Keep away from clothing and other combustible materials.
Take precautionary measures against static discharges.
Keep only in original packaging.
Take care to prevent spills, waste and minimize release to the environment.

Do not breathe decomposition products.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Keep in properly labelled containers. Store locked up. Keep tightly closed. Keep in a dry, cool and well-ventilated place. Protect from sunlight. Adhere to recommended storage temperature. Store in accordance with the particular national regulations. Keep away from heat and sources of ignition.

Store in original container.

Advice on common storage : Store away from other materials.

Recommended storage temperature : < 50 °C

7.3 Specific end use(s)

Specific use(s) : No data available

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Contains no substances with occupational exposure limit values.

Occupational exposure limits of decomposition products

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Hydrogen cyanide	74-90-8	TWA	0.9 ppm 1 mg/m ³	GB EH40
Further information: Can be absorbed through the skin. The assigned sub-				

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



Vazo™ 88

Version 3.2 Revision Date: 12.01.2024 SDS Number: 9401803-00005 Date of last issue: 14.04.2023
Date of first issue: 27.08.2021

		stances are those for which there are concerns that dermal absorption will lead to systemic toxicity.		
		STEL	4.5 ppm 5 mg/m ³	GB EH40
		Further information: Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity.		
		STEL	4.5 ppm 5 mg/m ³ (Cyanide)	2017/164/EU
		Further information: Identifies the possibility of significant uptake through the skin, Indicative		
		TWA	0.9 ppm 1 mg/m ³ (Cyanide)	2017/164/EU
		Further information: Identifies the possibility of significant uptake through the skin, Indicative		
Carbon monoxide	630-08-0	TWA	30 ppm 35 mg/m ³	GB EH40
		STEL	200 ppm 232 mg/m ³	GB EH40
		TWA	20 ppm 23 mg/m ³	GB EH40
		STEL	100 ppm 117 mg/m ³	GB EH40
		STEL	100 ppm 117 mg/m ³	2017/164/EU
		Further information: Indicative		
		TWA	20 ppm 23 mg/m ³	2017/164/EU
		Further information: Indicative		
		TWA	20 ppm 23 mg/m ³	2004/37/EC
		Further information: Carcinogens or mutagens		
		STEL	100 ppm 117 mg/m ³	2004/37/EC
		Further information: Carcinogens or mutagens		
Carbon dioxide	124-38-9	TWA	5,000 ppm 9,150 mg/m ³	GB EH40
		STEL	15,000 ppm 27,400 mg/m ³	GB EH40
		TWA	5,000 ppm 9,000 mg/m ³	2006/15/EC
		Further information: Indicative		

8.2 Exposure controls

Engineering measures

Processing may form hazardous compounds (see section 10).
Minimize workplace exposure concentrations.
Apply measures to prevent dust explosions.

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



Vazo™ 88

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2023
3.2	12.01.2024	9401803-00005	Date of first issue: 27.08.2021

Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is no leakage from the equipment).

If sufficient ventilation is unavailable, use with local exhaust ventilation.

If advised by assessment of the local exposure potential, use only in an area equipped with explosion-proof exhaust ventilation.

Personal protective equipment

Eye/face protection : Wear the following personal protective equipment:
Safety goggles
Equipment should conform to BS EN 166

Hand protection

Material : Chemical-resistant gloves

Remarks : Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work. Breakthrough time is not determined for the product. Change gloves often! For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday.

Skin and body protection : Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure potential.
Wear the following personal protective equipment:
If assessment demonstrates that there is a risk of explosive atmospheres or flash fires, use flame retardant antistatic protective clothing.
Skin contact must be avoided by using impervious protective clothing (gloves, aprons, boots, etc).

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.
Equipment should conform to BS EN 137

Filter type : Self-contained breathing apparatus

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance : solid

Colour : white

Odour : odourless

Odour Threshold : No data available

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



Vazo™ 88

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2023
3.2	12.01.2024	9401803-00005	Date of first issue: 27.08.2021

pH	:	7
Melting point/freezing point	:	113.05 °C Do not attempt to verify melting point; decomposition can be violent.
Initial boiling point and boiling range	:	No data available
Flash point	:	Not applicable
Evaporation rate	:	Not applicable
Flammability (solid, gas)	:	May form explosive dust-air mixture.
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	0.03 %(V)
Vapour pressure	:	3 hPa (82 °C)
Relative vapour density	:	Not applicable
Relative density	:	1.1 (20 °C)
Solubility(ies) Water solubility	:	0.00336 g/l
Partition coefficient: n-octanol/water	:	log Pow: 3.3
Auto-ignition temperature	:	320 °C
Decomposition temperature	:	The product is a self-reactive substance or mixture classified as type D.
Viscosity Viscosity, kinematic	:	Not applicable
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.

9.2 Other information

Self-Accelerating decomposition temperature (SADT)	:	80 °C
Particle size	:	No data available

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



Vazo™ 88

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2023
3.2	12.01.2024	9401803-00005	Date of first issue: 27.08.2021

SECTION 10: Stability and reactivity

10.1 Reactivity

Heating may cause a fire.

10.2 Chemical stability

Follow precautionary advice and avoid incompatible materials and conditions

10.3 Possibility of hazardous reactions

Hazardous reactions : May form explosive dust-air mixture.
Oxidizing material can cause a reaction.
Hazardous decomposition products will be formed at elevated temperatures.
May explode under confinement.

10.4 Conditions to avoid

Conditions to avoid : Heat, flames and sparks.
Protect from contamination.
Avoid dust formation.
Temperatures greater than recommended storage temperature.
Contact with incompatible substances can cause decomposition at or below SADT.

10.5 Incompatible materials

Materials to avoid : Oxidizing agents
Avoid impurities (e.g. rust, dust, ash), risk of decomposition.
Flammable materials

10.6 Hazardous decomposition products

Thermal decomposition : Hydrogen cyanide
Nitrogen
Carbon monoxide
Carbon dioxide

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Information on likely routes of exposure : Inhalation
Skin contact
Ingestion
Eye contact

Acute toxicity

Not classified based on available information.

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



Vazo™ 88

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2023
3.2	12.01.2024	9401803-00005	Date of first issue: 27.08.2021

Components:

1,1'-Azodicyclohexanecarbonitrile:

Acute oral toxicity	:	LD50 (Rat): > 5,000 mg/kg Method: Expert judgement
Acute inhalation toxicity	:	Approximate Lethal Concentration (Rat): > 8 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403

Skin corrosion/irritation

Not classified based on available information.

Components:

1,1'-Azodicyclohexanecarbonitrile:

Species	:	Tissue Culture
Method	:	OECD Test Guideline 439
Result	:	No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Components:

1,1'-Azodicyclohexanecarbonitrile:

Species	:	Not tested on animals
Method	:	OECD Test Guideline 492
Result	:	No eye irritation

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Components:

1,1'-Azodicyclohexanecarbonitrile:

Test Type	:	Direct Peptide Reactivity Assay (DPRA)
Exposure routes	:	Skin contact
Species	:	Not tested on animals
Method	:	OECD Test Guideline 442C
Result	:	negative
Test Type	:	LuSens Assay
Exposure routes	:	Skin contact
Species	:	Not tested on animals
Method	:	OECD Test Guideline 442D
Result	:	negative

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



Vazo™ 88

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2023
3.2	12.01.2024	9401803-00005	Date of first issue: 27.08.2021

Germ cell mutagenicity

Not classified based on available information.

Components:

1,1'-Azodicyclohexanecarbonitrile:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Method: OECD Test Guideline 471
Result: negative

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

May cause respiratory irritation.

Components:

1,1'-Azodicyclohexanecarbonitrile:

Assessment : May cause respiratory irritation.

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

Components:

1,1'-Azodicyclohexanecarbonitrile:

No aspiration toxicity classification

SECTION 12: Ecological information

12.1 Toxicity

Components:

1,1'-Azodicyclohexanecarbonitrile:

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 2.54 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : ErC50 (Desmodesmus subspicatus (green algae)): > 1.95 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



Vazo™ 88

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2023
3.2	12.01.2024	9401803-00005	Date of first issue: 27.08.2021

EC10 (Desmodesmus subspicatus (green algae)): 0.95 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

12.2 Persistence and degradability

Components:

1,1'-Azodicyclohexanecarbonitrile:

Biodegradability : Result: Not readily biodegradable.
Method: OECD Test Guideline 301B

12.3 Bioaccumulative potential

Components:

1,1'-Azodicyclohexanecarbonitrile:

Partition coefficient: n- : log Pow: 3.36 (20 °C)
octanol/water

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : Dispose of in accordance with local regulations.
According to the European Waste Catalogue, Waste Codes

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



Vazo™ 88

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2023
3.2	12.01.2024	9401803-00005	Date of first issue: 27.08.2021

are not product specific, but application specific.
Waste codes should be assigned by the user, preferably in
discussion with the waste disposal authorities.
Do not dispose of waste into sewer.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.
If not otherwise specified: Dispose of as unused product.

SECTION 14: Transport information

14.1 UN number

ADN	: UN 3226
ADR	: UN 3226
RID	: UN 3226
IMDG	: UN 3226
IATA	: UN 3226

14.2 UN proper shipping name

ADN	: SELF-REACTIVE SOLID TYPE D (1,1-AZODI(HEXAHYDROBENZONITRILE))
ADR	: SELF-REACTIVE SOLID TYPE D (1,1-AZODI(HEXAHYDROBENZONITRILE))
RID	: SELF-REACTIVE SOLID TYPE D (1,1-AZODI(HEXAHYDROBENZONITRILE))
IMDG	: SELF-REACTIVE SOLID TYPE D (1,1-AZODI(HEXAHYDROBENZONITRILE)) (1,1-Azodi(hexahydrobenzonitrile))
IATA	: Self-reactive solid type D (1,1'-Azodi (Hexahydrobenzonitrile))

14.3 Transport hazard class(es)

	Class	Subsidiary risks
ADN	: 4.1	
ADR	: 4.1	
RID	: 4.1	
IMDG	: 4.1	
IATA	: 4.1	HEAT

14.4 Packing group

ADN	
Packing group	: Not assigned by regulation
Classification Code	: SR1
Labels	: 4.1

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



Vazo™ 88

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2023
3.2	12.01.2024	9401803-00005	Date of first issue: 27.08.2021

ADR

Packing group	: Not assigned by regulation
Classification Code	: SR1
Labels	: 4.1
Tunnel restriction code	: (D)

RID

Packing group	: Not assigned by regulation
Classification Code	: SR1
Hazard Identification Number	: 40
Labels	: 4.1

IMDG

Packing group	: Not assigned by regulation
Labels	: 4.1
EmS Code	: F-J, S-G

IATA (Cargo)

Packing instruction (cargo aircraft)	: 459
Packing group	: Not assigned by regulation
Labels	: Flammable Solid, Keep Away From Heat

IATA (Passenger)

Packing instruction (passenger aircraft)	: 459
Packing group	: Not assigned by regulation
Labels	: Flammable Solid, Keep Away From Heat

14.5 Environmental hazards

ADN

Environmentally hazardous	: yes
---------------------------	-------

ADR

Environmentally hazardous	: yes
---------------------------	-------

RID

Environmentally hazardous	: yes
---------------------------	-------

IMDG

Marine pollutant	: yes
------------------	-------

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Remarks	: Not applicable for product as supplied.
---------	---

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



Vazo™ 88

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2023
3.2	12.01.2024	9401803-00005	Date of first issue: 27.08.2021

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

UK REACH List of restrictions (Annex 17) : Not applicable

UK REACH Candidate list of substances of very high concern (SVHC) for Authorisation : Not applicable

The Persistent Organic Pollutants Regulations (retained Regulation (EU) 2019/1021 as amended for Great Britain) : Not applicable

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer : Not applicable

UK REACH List of substances subject to authorisation (Annex XIV) : Not applicable

GB Export and import of hazardous chemicals - Prior Informed Consent (PIC) Regulation : Not applicable

Control of Major Accident Hazards Regulations 2015 (COMAH)

		Quantity 1	Quantity 2
P6b	SELF-REACTIVE SUBSTANCES AND MIXTURES and ORGANIC PEROXIDES	50 t	200 t
E2	ENVIRONMENTAL HAZARDS	200 t	500 t

Other regulations:

Take note of The Management of Health and Safety at Work Regulations 1999 (requirements relating to protection of young people at work contained in Regulation 19) and of Directive 94/33/EC on the protection of young people at work.

15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

Other information : Vazo™ and any associated logos are trademarks or copyrights of The Chemours Company FC, LLC. Chemours™ and the Chemours Logo are trademarks of The Chemours Company.

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



Vazo™ 88

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2023
3.2	12.01.2024	9401803-00005	Date of first issue: 27.08.2021

Before use read Chemours safety information.
For further information contact the local Chemours office or
nominated distributors.

Items where changes have been made to the previous version
are highlighted in the body of this document by two vertical
lines.

Full text of other abbreviations

2004/37/EC	:	Europe. Directive 2004/37/EC on the protection of workers from the risks related to exposure to carcinogens or mutagens at work
2006/15/EC	:	Europe. Indicative occupational exposure limit values
2017/164/EU	:	Europe. Commission Directive 2017/164/EU establishing a fourth list of indicative occupational exposure limit values
GB EH40	:	UK. EH40 WEL - Workplace Exposure Limits
2004/37/EC / STEL	:	Short term exposure limit
2004/37/EC / TWA	:	Long term exposure limit
2006/15/EC / TWA	:	Limit Value - eight hours
2017/164/EU / STEL	:	Short term exposure limit
2017/164/EU / TWA	:	Limit Value - eight hours
GB EH40 / TWA	:	Long-term exposure limit (8-hour TWA reference period)
GB EH40 / STEL	:	Short-term exposure limit (15-minute reference period)

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI -

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



Vazo™ 88

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2023
3.2	12.01.2024	9401803-00005	Date of first issue: 27.08.2021

Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

GB / EN